

COMMODORE

YOUR BEST INDEPENDENT COMMODORE MAGAZINE

Now Incorporating

YOUR 64

LEAP INTO FROGGY -
write an arcade game

GET ON LINE

£1000 of prizes from Micronet

Latest hardware reviewed

DISK EDITOR -
latest entry for Programmer of the Year



THE COMMODORE 128. HARD FACTS ABOUT THE SOFTWARE.



With hundreds of software packages available never has a more useable machine been launched.

Three modes mean you can use software for the Commodore 64, software for the CPM system and new software specially written.

Here are just three new examples of what is available.

Visit your local dealer for your 128 software or call the Commodore Information Centre at Cooby (0558) 265293 for more information.



Editor:

Shari Cooke

Assistant Editor:

Mark Curry

Advertisement Manager:

Mike Sognus

Advertisement Copy

Control

Laura Challice

Group Editor:

Dave Bradshaw

Group Managing

Editor:

Wendy Palmer

Managing Director:

Peter Mathias

Origination:

Dome Typesetting

Design:

Argus Design

Editorial & Advertisement Office
No. 1 Golden Square,
London W1R 3AB.
Telephone: 01 477 0606.
Telex: 881108E

Your Commodore is a monthly magazine appearing on the first Friday of each month.

Distributed by: Argus Press
Sales & Distribution Ltd, 11-19
Paul Street, London ECUA 4PP.
Printed by: Advertiser Publishers
& Sons Ltd, Torr, Gloucester,
Glos.

Subscription rates cover
application to Year
Commodore Subscriptions
Department, Inverness Ltd, Terns
House, 178 The Meadows,
Renfrew Harrogate, North, HP1
1BB.

The contents of this publication
including all articles, designs,
plans, drawings, text, programs,
and all copyright and other
intellectual property rights
therein belong to Argus
Specialist Publications Limited.
All rights reserved by the Law
of Copyright and other
intellectual property rights, and
by virtue of other national
copyright conventions are
specifically reserved to Argus
Specialist Publications Limited
and any reproduction requires
the prior written consent of the
Company - 1986 Argus
Specialist Publications Limited.

FEATURES

- **Sounding Off** 16
The Sound Buggy reviewed. Make noise on your C64.
- **Programmer of the Year** 18
The hunt to find Your Commodore's answer to Einstein
- **On Cartridge - Turbo 50** 32
Reborn's Turbo 50 cartridge under the microscope.
- **Froggy** 34
Turn to our cover feature and design a game.
- **At Random** 46
Disks driving you mad? Find out about random access.
- **Mixtures** 67
Our new regular letters page for your opinions.
- **Personal Column** 70
A close look at Commodore's PC 20.

SERIES

- **Build a Better Basic** 69
Your Basic gets still bigger and better.
- **Top Draw** 74
Allen Wells continues to brighten up your graphics.
- **Programming Projects** 78
Garry Marshall with another brain teaser.
- **Reliable Routines** 88
Add another handy routine to your collection.
- **Mach 3** 90
The penultimate part of our machine code development system.

REGULARS

- **Data statements** 4
- **Game of the Month** 26
- **Sense of Adventure** 28
- **Teacher's Pet** 30
- **Communications Corner** 45
- **Action Replay** 50
- **Scratch Pad** 72
- **Listings** 80
- **Easy Entry** 83

COMPETITIONS

- **Micronet 800 Competition** 40
£1000-worth of prizes to be won.
- **Sprites Ideas** 42
We pay for your artistic flair.

GAMES AND UTILITIES

- **List Aid** 85
Listing becomes easier with this utility.

Our COMMENT



WELL, HERE WE ARE, THREE ISSUES INTO the merger between *Your Commodore* and *Year 84*.

Letters have been flowing in from readers - some of them good, some of them bad. Some people are saying that the 'new' magazine is not *Your 84* and that we should re-launch *Your 84* as a magazine in its own right. Well, quite simply *Your Commodore* is not *Your 84*. It was never intended to be. However, what we did aim to do was to bring together what we considered to be the best parts of both magazines. In these first few issues we have brought you the games review and technical advice from *Your 84*. Quite shortly, you should be seeing the re-emergence of *Amiga Age* and a number of other features.

Quite a few people have advised what has happened to the 'Charts and PC/DOS' section from *Your 84*. Our view on this is that if you're going to buy a game, the fun is solving the puzzles set by the programmer. If you're going to cheat why buy it?

This doesn't mean that we aren't open to suggestions. Please let us know what you would like to see in the magazine and we'll see what we can do. Not only have we had mail from people with gripes but we have had an equal number of letters complimenting us on the latest issues. One kind reader was over the issues about John McHale's character editor and said that "it's material like this that compels us to keep buying your superb magazine". Thank you very much.

Another reader said that "Now my brother loves to read the magazine as well". Well, we do try to cater for all tastes.

A couple of people have said that *Your 84* just covered the CD and that we should do the same. Well I'm afraid our title is *Your Commodore* and as such we try to cover all the machines that Commodore produces.

If you do have any comments, then please write to us and make sure that you tell us what you do like.

Stuart

DATA STATEMENTS

In Touch

MODEM MANIA IS SWEEPING THE country and telecommunications services like Prestel and Micronet are taking full advantage of this growing enthusiasm by adding more and more facilities to their existing systems.

Micronet's efforts to encourage new users to buy modems by offering them with £10 vouchers when they purchase them from Pace, Mincule or Modem House, is now being stepped up to include Tollys.

John Barton, marketing manager for Tollys said: "This move towards the consumer end of the industry marks a new phase for us and is a reflection of the increasing importance of the communications field as we see it. Particularly in terms of the home user."

There's also news from the Micronet Gallery where queues of potential exhibitors have formed. Micronet has a plot about to weed out those roughly exhibitors who are not using or selling their pages sufficiently.

From 1 December, Gallery is reduced to 70p per frame for four months. Each mill now costs 11p. Existing exhibitors can be transferred to the new pages for a block charge of 70p.

According to Micronet, it is hoped that the changes will mean that only 'serious' exhibitors will back!

Pace Micro Technology is encouraging communications-enthusiasts to take to their boats by sponsoring the Round Britain Race on Micronet 800. Entrants who buy a Nightingale modem will qualify for the Pace prize of a cruise trip to New York for two, plus six nights in a top hotel and £400 spending money.

Micronet's publicity man, Peter Probert commented: "It's good to see a modem company giving out to the people who make them as important as they are to the customer."

Telecom Gold increased its charges from 1 December. Connection charges for standard rate now cost 11p per minute (9800-1980 Monday to Friday) and cheap

rate is 3.5p per minute. Gold Net service charges go up to 2.5p per minute for 300 baud and 3p per minute for 1200 baud. All other charges remain the same.

British Telecom's Multi-Line Deregulation (MLD) has been delayed although Telecom say it will be up and running before the end of 1985. All existing subscribers are guaranteed substantial free credit for an initial test period.

The MLD spectacular will now take place in the spring.

The delay has caused frustration to MLD organisers, according to Mike Anderson, Launch Manager: "MLD is unique - there hasn't been a program of this size or complexity before. Even some problems we're experiencing are the kind of last minute bug-every-programmer-has-to-deal-with. As far as we're concerned the quality of the finished product is more important than the deadline."

Prestel has announced a growth of 44 per cent in the past year with more than one million pages a day being accessed and 100,000 electronic mail messages per week.

Areas which have attracted new users to Prestel are travel, insurance, micro-computing, city information, farming information, home banking, shopping and moving.

Touchline

Telecom Gold, 58-58 Thomas St, London SE15 8QU

MLD, BT New Information Services, Wellington Hse, Upper St Martins Lane, London WC2H 9DL

Micronet 800, 8 Herbyl Hill, London EC1R 3BJ

Prestel, BT Centre, Floor A1, 81, Newgate St, London EC3A 7JQ

Generally Speaking

SIRCAL INSTRUMENTS IS ABOUT TO release a complete cartridge and escape system for the C64.



Included in the system is a programmer unit, a mains-powered UV eraser unit, one operating system cartridge and one 8K programmable cartridge.

According to the makers, the system allows even a novice user to create his own cartridge based software in either Basic or Pascal.

The UV eraser pack allows complete erasure of cartridges, and the pack features an automatic timer and safety interlock to prevent leakage of ultra-violet light.

The pack is called the Epilog-1 Cartridge System and costs £144.95 (mail order). Additional cartridges with 8K EPROM are £17.95 or £44.95 for three.

Meanwhile in adventure land, Ian Bell has walked off with £258 as winner of Print'n'Plotee Products' Adventure Planner competition. The competition was based on the use of the Adventure Planner Pad, produced by Print'n'Plotee which enables adventure game players to plan their progress while playing on a computer.

Stuart Cooke, our esteemed editor, was privileged enough to possess a cheque for £1800 to Andrew Boscay from Hayes, whose game Pony Express is to be used in the future Games Creator Collection by Microsoft. Stuart is the guy in the middle wearing a tie who looks very reluctant to give up the money!

Want a free poster? Well, you can get one from Level 9 if you send off to the address below. The Level 9 poster has a picture of the new game The Wars in Paradise on the front and on the back it has details of Level 9 adventures. Don't forget to send an S.A.S. or you won't get one.

If you think software piracy is bad in this country then go to Italy. There are no independent software houses there because software piracy is so widespread.

Frames come to Britain, buy the top selling games and return home, where they pass the tapes on to code crackers who break in, translate the title screens into Italian and then duplicate them. The games are sold at incredibly low prices on compilation tapes costing as little as £14 for as many as 18 games!

A leading Italian magazine publisher, Gruppo Editorial Jackson, is intending to prosecute the pirates and the group is being backed by British software houses.

Touchline

Siral Instruments, 11 Southfields Ct, Sutton, Surrey SM4 3JH
Print'n'Plotee, 26 Borough High St, London SE1 1SA
Level 9, The Wars in Paradise Office, PO Box 29, Weston-super-Mare, Avon BS24 9JG



Hard Lines

A new joystick has been devised by Dean Electronics which has 10 feet of cable



stored in the base. Presumably this is to allow you to go into the kitchen to make a cup of tea without having to stop playing. It also has four suction cups for stability and two fire buttons. It's available for the C64 and the 512 and costs £8.95.

Commodore has got together a Christmas compendium pack to replace the C64 memo holiday offer which ended in September.

The compendium includes a C64, a 7120 Datasette, Music Maker, Designer's Pencil from Activision, The Secret Diary of Adrian Mole - the computer game, and a copy of the best-selling novel The Growing Pains of Adrian Mole. The pack is even gift wrapped and comes at an all inclusive price of £199.



Digital Electronics has come up with a Digital Sound Sampler for the C64. It is supplied in the form of a hardware unit with a comprehensive software package. The user is able to record any type of sound digitally into memory using the microphones provided or any line source. Once in memory the sound can be replayed at any pitch, forwards, backwards, with echo etc. The software features a full chromatic keyboard allowing the user to play a complete musical piece from a single sampled sound.

Many other features are included and the sampler costs £49.95.

Touchline

Digital Electronics, Unit 8, Penton Industrial Ltd, Dewsbury Rd, Penton, West Yorkshire

Commodore, 1 Hunters Rd, Welton, Corby, Northants NN10 1QQ
 Dean Electronics, Glendale Park, Parkbank Rd, Azzot, Berks SL3 8JH



Soft in the Head

SOFTWARE HOUSES HAVE DEFINITELY been saving a lot of their releases for Christmas. There is a mass of new games flooding into the market at the moment so buyers will be spoilt for choice when shopping for presents.

From AmigaSoft come three new disk games: Banfy, Scarabeus and Wizard, all at £12.95. Banfy is, of course, the first AmigaSoft/Lamasoft release. Out on cassette from AmigaSoft are the construction games: Pitfall Construction Set (£11.95), Kaling Destruction Set, and Mosaic Construction Set (£12.95). Mail Order Members is also out at the same price and on cassette.

Interceptor Micros is going for success in the compilation stakes with a cassette entitled Mega-Compilation. It includes six former Interceptor arcade releases: Arabian Nights, Bit Top Barney, Where's My Boss, Break Fever, Cavemen of Silahz and Frontline. This package of games costs £7, which, according to Interceptor, means that you can't see an incredible £35.

Database Software has brought out a Red Arrow Flight Simulator for those who like being dangerously without the danger. The program was written with the co-operation of the Red Arrow pilots and reconstructs the complicated aerial manoeuvres which the team regularly display.

There is a free high score competition to win an all expenses paid weekend to Red Arrow base, RAF Lynton, and part of the proceeds from the game will go to service charities administered by the charitable aid. Red Arrow is priced at £8.95 on cassette and £11.95 on disk.

U/S Gold is also cashing in on the Christmas compilation market and releasing five former chart ranking games in one package.

The titles included are Tagger, Spy Hunter, Up'n'Down, Blue-Max and Racer Challenge. The compilation has been named Annual Hall of Fame and is out on both disk and cassette at £12.95 and £9.95 respectively.

A U/S Gold game also features on a joint package from four software houses. The other companies contributing to the Hinville pack are Software Projects, Ocean and Ultimate. At £35 on cassette and £12.95 on disk the C64 tape features Beach Head, Daley Thompson's Decathlon, Jet Set Willy and Staff of Karnath.

Ocean's David Ward said: "The software producers have worked together to give the public a really good deal for Christmas - the industry is often portrayed as backstabbing - and this proves we are capable of working in harmony."

Melbourne House has four new games for the C64. Cyroscope, and Mugsy's Revenge both cost £5.95. Big Daddy's Back'n'Wrestle is £9.95 and the follow-up to The Hobbit - Lord of the Rings Part 2 - is now available. Lord of the Rings includes two cassettes, the paper back novel of the Fellowship of the Ring and a 32 page instruction booklet.

Touchline

Hinville, C/O G Control 9, Manchester M2 5PS
 U/S Gold, Unit 18, The Parkway Industrial Centre, Henegate St, Birmingham B7 8Y
 Interceptor Micros, Little Wood, The Green, Tully, Hants
 AmigaSoft, Suite 100/106, Appleby Hse, Palace St, London SW6 2RS

The Buzz

FIRST PUBLISHING IS OFFERING savings to business users with the launch of a range of products called powerpacks.

For one is made up of Powerplan, FilePOWER and Filebase and retails at £39.95. Bought separately the three programs would set you back £114. The programs offer a complete spreadsheet, word processing and data storage system and will allow users to upgrade to C18.

For two also offers a saving on the Basic 64 Compiler and Assembler's Monitor 64 which together will retail at £34.95. Both disks are supplied with comprehensive user manuals.

The third pack consists of two books Anatomy of the Commodore 64 and Your 64 Cassette Book which will cost £38.95 instead of the present price of £26. Three new programs have been released by Impos, including a package that will enable the user to improve his output from the dot matrix printer.

The program, called Font Factory offers eight different type faces as well as giving full control over line width, left margin, line spacing, leaders, leaders justification etc.

The program which retails at £18.95 also includes Signwriter which allows the generation of stylized letters up to 48 characters long and a foot high. Fantastic File is a menu driven file management system with one key stroke commands. 58 files per record and a three second search time. The data base costs £12.95.

seems to think that its programmers have found the answer. A press conference was called to reveal the conclusion that the Activision research team has reached: **There's someone living in your computer!**

Of course this revelation was viewed as a joke in the atmosphere of journalistic scepticism which prevailed at the meeting, and they came up with the proof. A stunned audience watched disbelief as a monitor screen flickered into life and there it was: a 30mm man living out his open plan existence in an environment specially created by the Activision Little Computer People (LCP) Research Team.

Many of the case-hardened hacks mistook it for a disabled and I must confess to a certain degree of incredulity myself. Now that I have installed my own environment, or house as Activision prefer to call it, I am a total believer. My life changed overnight, no more was I the carefree, lachrymose person of the previous day because I now had to tend to the needs of my new found charge who depends on me for his very existence.

The LCP Research project started because of one man's conviction that not all of the glitches in his computer programs could be put down to human error. The more Keith Gold thought about it, the more he became convinced that there was some life-form living inside his computer.

In Autumn '84, Gold contacted James Wickstead Associates and the quest to find the little creatures began in earnest. Early in '85 Activision heard about this research team and programmer David Crane was transferred onto the project.

The problem was how to notice these beings into the open and the solution could not have been easier. Create a pleasant living environment which is preferable to that of hot microchips and sharp edged capacitors and only a fool could resist moving in. A three-storyed house was created with the very latest in mod-cons and soon the door opened and in walked the first LCP to be observed by the human race. It was at this point that Crane was taken to utter those immortal words, "Well, how do you do?"

So far two attributes have been noted about LCPs. First, they all appear to be male but we know from letters that the female of the species does exist but appears to be shy and retiring. Secondly, they seem to lead very American lifestyles. This came to light when the researchers got excited at what they first thought was a female of the species but later turned out to be a male LCP exhibiting one of his typically Californian eccentricities.

My own LCP is called Harold and he's a fairly conservative guy. Since he's lived alone for so many years with only his dog for company I'll never know. Perhaps it's coming out of the closet that's made him

so dependent on me but he certainly demands a lot of attention.

I've observed four basic moods: static, content, moose and downright miserable. Normally he is content to go about his daily routine with very little interference from me. He feeds himself and his dog, washes up, watches TV, plays the piano, takes extremely long showers and answers the inevitable calls of nature. Occasionally, he starts to look moose and the sides of his mouth turn down in a grimace. This is when I have to intervene. Sometimes a mere pat on the head will do or a gift of a book or a record will avert moderate attacks of the blues.

One thing guaranteed to take Harold into the depths of depression is a lack of food or water. Apart from the moose expression, his face turns green and he sluggishly heads for the toilet. This is not the way to treat your little gal because food can be left at the doorstep by a simple tap and similarly water can be added to the water tank in the kitchen.

I'll never forget the day Harold moved in. I'd loaded Activision's house, turned off the lights in my room and sat back waiting patiently. After a short time the door opened and in walked Harold, examined every inch of the house and walked out again. Had I frightened him away? I'd tried not to make a sudden movement. What was wrong? Each second seemed like an eternity and then he reappeared, sat down in hard and dog at heel. Harold had moved in!

I soon found that, although I could not understand a word he said, I could communicate with him by typing in messages. If I'm polite and always say please and thank you he is usually more than willing to play the piano for me to join in on a mean game of poker, card war or programs. He also spends hours on the phone if left to his own devices and being independent little soul he sometimes refuses to obey my requests.

Harold's life is interesting to watch and interact with but I must qualify myself to a feeling that he may be like a Christmas puppy. Once the novelty wears off, he may be turned out of his home back onto the streets and pathways of the printed circuit boards in the underworld of my computer.

Each computer user will find a different little person in their machine and if he turns out to be boring you will have to buy a new package and hope that a different character takes up residence. He could be another Harold, a lousy piano player, a strappy individual or the dreaded (recessive mentioned earlier). It's all a bit of a gamble.

At the moment people think I'm crazy but I know better. As I snage out the remains of dead confetti and debris from the back of my TV set, I smile secret smile knowing that I'm the only sane person in a world of madness.



Also available is Screen Dumper 84 which will transfer to your printer whatever graphics are produced on the screen, including text multi-colour sprites and binary graphics. The utility even works with a host of PCs. The Screen-dumper disk retails at £12.95.

Micro-Soft as it is called in Britain is a spreadsheet that has just broke into the Home Management category of the American Billboard Software Chart under the assumed name of Swift Calc. Currently at number ten Swift Calc manufacturer MTL (Metamorphosis Developments Ltd), are hoping they have a chart topper on their hands. A new version of the Swift spreadsheet will soon be available for the C128.

Invasion of the Little People

HAVE YOU EVER WONDERED WHAT IT is that causes bugs in your programs when everything seems to be in order, or why your telephone bill seems so expensive when you've only used a second Computer when it's been really essential Activision

Comm
comput
now giving
periph
fo

**Commodore
filters are
going away
Minerals
or...**



 www.commodore.com

**...buy one of these
peripherals for**



1541 DISK DRIVE



1701/2 MONITOR



DOT MATRIX PRINTER

se Commodore only £199-99


Available at Commodore Dealers - See Page 24.

and get a
WRIST TERMINAL
SEIKO RC-1000
FREE! RRP £26.99

Links into your BA/128
and Disk Drive.



SNELL OUT LESS

 **commodore**

**Buy a 1541
plus Dot Matrix
together
£199**



**1 Disk Drive
Matrix Printer
r for only
9-99**

or...

Commodore Dealers

The special offers and a wide range of Commodore hardware and software are all available from the Commodore Dealers listed below.

DSH Software, 18 North Street, Ashford, Kent.

Searings of Ashford, High Street, Ashford.

Radio 88, 88 Longbridge Road, Barking, Essex.

Alphason, Chester House, Winsor Road, Brammfield.

Comden Computers, 182 Coventry Road, Small Heath, Birmingham.

Beane Computers, Bee Road North, Bridport, Dorset.

Empire Electric Centre, 783-785 Leeds Road, Bradford.

Ericks of Bradford, Fotozone House, Dawson Square, Bradford.

Games, 71 East Street, Brighton.

Games, 24 Gloucester Road, Brighton.

High Voltage, 32-34 High Street, Croydon.

Malyzean, 88 George Street, Croydon.

Searings, 43 Church Street, Croydon.

FBC Systems, 10 Castlefields, Main Centre, Derby.

Garden Hardware, 89711 High Street, Derby.

Searings of Ashford, 18 Beach Street, Dover, Kent.

F & L Cash Registers, Sunnyside, Leeds.

Adams World of Software, 1800 Station Road, Epsom, Middx.

Micro Workshop, Station Approach, Epsom, Surrey.

Searings of Ashford, 11 Preston Street, Faversham, Kent.

Troicki Ltd., 144 Station Road, Havre, Middx.

Searings of Ashford, 104-106 Mortimer Street, Home Bay

Tanner's World, 16 Passeng Street, Hull.

Cambridge Commodore Centre, London Road, Lutonville,

Stamford, 2001 Silver Street, Lutonville.

Sendi Foto, 66 Barber-Gomara Ltd., 254 Tottenham Court Road, London.

Tasha Computers, 111 Kensington High Street, London W8.

Samsons, 4 Edgars Road, London W2.

West End Video, 8 Marble Arch, London W1.

Micro Arvika, 224 Tottenham Court Road, London W1.

Harp Electronics, 237 Tottenham Court Road, London W1.

Video Video, 168 Kensington High Street, London W8.

Video World, 288 Tottenham Court Road, London W1.

Searings, 233 Tottenham Court Road, London.

Searings, 334 Edgars Road, London.

Searings, 270 Edgars Road, London.

Sultronic, 288 Tottenham Court Road, London.

Sultronic, 15 Tottenham Court Road, London.

Logic Sales, 19 The Broadway, The Boarice, Southgate, London W14.

Chromasoft, 48 Junction Road, Anthonys, London N18.

Chromasoft, 228 Maxwell Hill, Broadway, Maxwell Hill, London N15.

G & B Computers, 243 Tottenham Court Road, London W1.

G & B Computers, 230 Tottenham Court Road, London W1.

Malyzean, 107 The Strand, London.

Malyzean, 80 Victoria Street, London.

Adams World of Software, 178 High Road, North Finchley, London N15.

Hobbyists, Amatrix Centre, Luton.

Real Microcomputers, 37 Union Street, Maidstone, Kent.

Square Deal, 270270 Fosseway Road, New Elham.

Isolate, 1 Heathcote Street, Hookley, Nottingham.

Logic Sales, 8 Midgate, Peterborough.

Searings of Ashford, 29 Queen Street, Ramsgate.

Joe Moore (Reg Computer Centre), 30 Russell Road, Rye, Glywy.

MSJ Games, 245 High Street, Slough.

Hobbyists, 10 Market Place, St. Albans, Herts.

The Model Shop, 20 High Street, Stroud, Glos.

L & J Computers, 192 Holeygate Lane, Queensbury, Stamford, Middx.

Robin Microdata, Swineson.

J&L Computers, 7 Windsor Street, Unstidge, Middx.

Bell & Jones, 28 Queen's Square, West Bromwich.

Ian Waugh blows the horn,
puts his foot down and test
drives the Sound Buggy.

SOUNDING OFF

IT'S NOT VERY EASY TO PICK OUT A tune on the QWERTY keyboard. It's even less easy to play a tune and create a suitable accompaniment for it. One alternative is a music editor which requires you to enter notes a note at a time. If you consider this to be too slow but if you would still like to produce and play music then the Sound Buggy could be for you.

The Buggy comes from the Sid garage as an on the road price of \$99 (including VAT and number plates) and it is effectively a self-contained synthesiser, rhythm and accompaniment unit with facilities to record, store and playback melody lines and accompaniment patterns. It hooks on to a C64, the XC and the 128 and the phone and mini jack sockets enable you to tune in with headphones or a hi-fi system, both were available on disk and cassette.

A Sid clip-on keyboard, which clips over the C64's keys, is supplied with the Buggy. You can also use Commodore's clip-on keyboard or Sid's full-size C64 KB. The C64 is obviously a lot easier to play but the mini version works very well and I used it to produce quite an acceptable recording of Axel 1.

Options are selected through menu pages and movement and selection within screens is done with the function

keys. In case of difficulty, pressing the CMDR key will pull down a help message across the top of the screen. At the time of review, the instruction booklet was not yet available but I had no difficulties at all in using the program.

The SOUND-EDIT screen displays the main options in windows. It is entered from the Song Menu screen which is used to select the song you want to play or edit. Nine songs are already stored within the program.

The top left window holds instrument information. Instruments are designed using footage settings of 16, 8, 4 and 2 which are given volumes ranging from rough to 31. The envelope or ADSR (Attack, Sustain, Decay, Release) parameters range from rough to seven and an enveloped option lowers the volume just after playing the note. The program can store 28 sounds and 14 are provided upon loading.

The bottom left window details the rhythm section. This can store 24 rhythms and already holds 24 excellent pre-programmed examples. A rhythm is constructed from five drum sounds: two symbols, bass, snare and a rim shot. Patterns are entered by stepping through a screen display divided into subdivisions of the beat. Drums are turned on and off at the press of a key and you can see at a glance how a pattern is constructed. New rhythms can be invented very easily.

The bottom right window is the sequencer and controls the sections of the composition you are currently playing


and recording. These will be either the melody (solid line) or chords.


From the final window, top right, you can choose one finger chords played by pressing the lower half of the QWERTY keyboard, or you can form your own with the reach option. From the chords played, the program stores chord, bass and arpeggio information. These can be selected individually upon playback. A rhythm option sets the bass and chords into an accompaniment to complement the drums. Memory holds each chord until a new one is played and a melody function plays a complete chord with every melody note. Vibrato can be switched on or off.

The disk menu gives full control over loading, saving and erasing songs and includes a useful disc formatter.

One of the Buggy's most exciting features is its MIDI section. To use this you need a suitable MIDI interface - such as Sid's - and at least one MIDI-compatible keyboard. The individual music sections of the Buggy can be routed to the keyboard(s) and if you have four, the four sections will play through different instruments producing an absolutely brilliant sound. Even one keyboard produces good results. A MIDI keyboard can be used to control the Buggy, too.

As well as the rather excellent sounds it produces, the Sound Buggy caters for an information to AIDS interface. It's easy to drive, too, so when Sid's boys say, "You gotta come for a ride with us" - you'd better go.





*The Commodore 128.
When you look at the facts
they do seem to weigh rather
heavily in our favour.*

When you add it up, the Commodore 128 is really three computers in one. It can run 64K, 128K and GEM software. Giving it the largest range of computer software in the world. Making it as efficient in business as it is entertaining at home. That's why Commodore has become the world leader in microcomputers. And why, on balance, the Commodore 128 has no equal.



commodore

PROGRAMMER OF THE YEAR

COMMODORE

This month we bring
you Steve Michew
with his amazing disk
editor in the latest
installment to find this
year's most talented
programmer.

WELL, IT DOESN'T SEEM THAT all machine coders are into utilities. Steve Michew of Southaven in Bonnie Scotland supplied this month's entry - an all-singing, all-dancing disk editor. His program lets you read in, examine and alter any sector of a 5 $\frac{1}{4}$ " disk. It's got a lot of bells and whistles... you can disassemble any machine code in a sector, change the data in decimal, hex or ASCII, dump to a CBM printer or a Commodore printer on the user port and...well, try it for yourself!

The program has all sorts of uses...fixing damaged files, recovering erased ones, altering the disk title and so on.

Loaded Questions

Of course, getting a professional utility like this going means a bit of typing on your part. The program is around 87k of machine code in two parts.

To enter the two programs you need to have entered the machine code entry program to be found elsewhere in this issue. Follow the instructions provided with the loader program. ED1 should be saved from 20548 to 32767. ED2 should be saved from 40032 to 50219.

Mini-Manual

Steve's Disk Editor is so easy to use you'll hardly need instructions. However, just to get you started, we've provided a

diagram showing the screen layout and this list of commands. All the commands are single key presses and any further options are prompted for on the screen.

Steve's Disk Editor At Work

Here's a sample screen showing the editor at work. We've labelled some of the info - the other bits should be obvious when you use the program!

Disk Editor Boot

Enter and save this little program - it starts the disk editor going. However, you'll need to use the Basic loader and the ED1 and ED2 files to

create the ED1 and ED2 files on your disk first!

```

00 ROMDISK1ED1.DISK.001
001 100: LDR30
01 ROMDISK1ED2.DISK.002
002 100: LDR30
03 000
04 000
05 000
06 000
07 000
08 000
09 000
10 000
11 000
12 000
13 000
14 000
15 000
16 000
17 000
18 000
19 000
20 000
21 000
22 000
23 000
24 000
25 000
26 000
27 000
28 000
29 000
30 000
31 000
32 000
33 000
34 000
35 000
36 000
37 000
38 000
39 000
40 000
41 000
42 000
43 000
44 000
45 000
46 000
47 000
48 000
49 000
50 000
51 000
52 000
53 000
54 000
55 000
56 000
57 000
58 000
59 000
60 000
61 000
62 000
63 000
64 000
65 000
66 000
67 000
68 000
69 000
70 000
71 000
72 000
73 000
74 000
75 000
76 000
77 000
78 000
79 000
80 000
81 000
82 000
83 000
84 000
85 000
86 000
87 000
88 000
89 000
90 000
91 000
92 000
93 000
94 000
95 000
96 000
97 000
98 000
99 000

```



Reading and Writing Sectors

COMMAND COMMENT

- C** Specify the track and sector to read in
R Read in the next sector
P read in the previous sector
M move to the next track
F move to the previous track
BT follow link. The first two bytes of every sector in a file give the track and sector number of the next sector in the file. Pressing BT follows this link allowing you to quickly scan through files.
R Re-read sector. If you've made a mess of editing this key re-reads the current sector allowing you to try again.
W **WRITE** This command writes an edited sector back to the disk, destroying the sector that was there. Use it only when you are sure your edited sector is correct!

Editing Commands

- Arrow keys** move the cursor around the sector data
HOME move the cursor to the start of the sector data
FF switch between the first and second half of the sector data - only 128 bytes on screen at once.
B edit the sector data by entering a series of numbers in decimal or hex
T edit the sector data by entering a string of up to 26 characters
A character-at-a-time mode in the sector starting at the cursor position.
E exclusive-OR the whole buffer with the number specified.

Other Commands

- F2** test drive. Use this if you've taken the disk out or changed to a different disk.
H display help page.
D dump screen to printer
N normal disk directory
S toggle number base between decimal and hex
T toggle between drives E and T - for 4840 or similar drives only
PG increment device number. Allows you to edit disks in drives with different device numbers such as a second 8541 drive.
P1 Toggle printer port between a normal IBM printer on the serial bus (3) and a Centronics-type printer on the user port(s).
BB Quitte program. You can return the dos editor if it hasn't been overwritten with DOS 2.04B.

DDI Listing

```

28200:070 175 111 068 06F 06E 06F 074 079 080 077 06F 061
28270:078 08A 052 068 075 083 078 064 064 022 140 167 06F
28280:082 052 002 138 138 141 147 082 076 074 076 034 176
28290:032 044 110 073 147 082 041 002 240 034 100 044 117
2829B:032 044 214 201 058 144 040 089 159 074 009 231 059
2829C:141 147 002 074 032 138 301 032 144 017 201 094 100
2829D:144 030 204 209 174 089 301 193 144 005 141 203 100
2829E:074 022 201 149 044 074 022 231 149 032 132 170 104

```

```

2829F:149 202 132 022 142 045 240 000 149 000 034 100 094
282A0:138 137 201 074 138 139 149 000 137 201 032 032 095
282A1:138 142 000 030 201 200 142 000 000 000 034 032 042
282A2:030 149 014 141 134 002 144 201 144 201 144 032 032 040
282A3:031 139 149 000 032 032 231 149 032 032 032 201 249
282A4:149 000 177 201 000 030 149 030 149 032 032 032 201 202
282A5:200 192 000 200 240 149 030 032 032 201 040 060 170
282A6:132 212 134 177 201 032 064 110 200 192 000 200 112
282A7:240 149 030 031 031 149 000 101 212 170 170 241
282A8:000 010 140 201 004 100 000 100 201 074 109 110 044
282A9:149 200 140 012 230 094 309 127 141 012 200 094 004
282AA:147 199 004 000 002 017 017 032 032 032 032 032 040
282AB:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282AC:032 174 073 000 073 002 197 048 073 004 079 082 044
282AD:032 032 032 032 032 032 032 032 032 032 032 032 032 040
282AE:142 142 142 142 142 142 142 142 142 142 142 142 142 149
282AF:142 142 142 142 142 142 142 142 142 142 142 142 142 142
282B0:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282B1:073 073 073 073 004 002 211 004 048 044 048 032 032 170
282B2:048 048 048 048 048 048 048 048 048 048 048 048 048 048
282B3:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282B4:048 048 048 048 048 048 048 048 048 048 048 048 048 048
282B5:048 048 048 048 048 048 048 048 048 048 048 048 048 048
282B6:048 048 048 048 048 048 048 048 048 048 048 048 048 048
282B7:073 073 073 073 073 073 073 073 073 073 073 073 073 073
282B8:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282B9:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282BA:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282BB:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282BC:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282BD:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282BE:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282BF:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C0:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C1:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C2:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C3:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C4:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C5:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C6:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C7:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C8:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282C9:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282CA:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282CB:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282CC:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282CD:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282CE:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282CF:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D0:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D1:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D2:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D3:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D4:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D5:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D6:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D7:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D8:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282D9:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282DA:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282DB:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282DC:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282DD:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282DE:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282DF:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E0:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E1:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E2:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E3:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E4:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E5:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E6:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E7:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E8:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282E9:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282EA:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282EB:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282EC:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282ED:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282EE:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282EF:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F0:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F1:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F2:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F3:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F4:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F5:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F6:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F7:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F8:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282F9:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282FA:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282FB:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282FC:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282FD:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282FE:032 032 032 032 032 032 032 032 032 032 032 032 032 032
282FF:032 032 032 032 032 032 032 032 032 032 032 032 032 032

```


30344-086 233 208 243 096 079 072 047 043 038 082 080 149
 30356-126 084 086 040 080 040 128 124 066 117 067 140 071
 30368-027 127 128 127 060 123 062 048 088 049 127 140 121
 30380-119 054 121 017 125 147 147 055 118 124 101 050 147
 30392-129 201 124 119 124 075 120 065 120 240 118 057 049
 30404-123 201 119 175 120 142 120 042 123 140 120 200 121
 30416-122 247 123 116 120 146 120 052 123 050 124 052 026
 30428-127 177 127 128 010 170 089 148 149 123 201 052 013
 30440-189 148 118 123 122 148 201 090 049 062 032 170 090
 30452-202 144 015 022 195 200 076 204 082 043 010 032 126
 30464-261 200 143 090 089 120 147 090 006 023 210 202 203
 30476-232 208 242 142 042 117 000 032 200 089 032 024 126
 30488-117 148 090 174 174 032 032 202 180 032 124 119 113
 30500-147 000 144 057 032 202 189 032 124 119 149 000 048
 30512-166 000 032 200 189 032 204 000 142 039 149 032 000
 30524-127 040 084 060 014 200 170 181 002 241 009 208 222
 30536-081 096 142 019 012 198 200 148 000 142 000 024 124
 30548-022 019 227 167 042 101 124 002 022 207 200 261 218
 30560-013 240 084 032 022 200 174 092 119 023 142 109 217
 30572-142 000 032 198 202 022 241 000 032 204 055 094 098
 30584-081 049 020 000 032 204 200 032 031 020 142 019 148
 30596-022 200 200 142 000 189 120 179 240 044 000 032 210 021
 30608-200 200 200 200 032 010 174 034 032 119 149 144 128
 30620-074 218 200 082 020 000 040 012 204 200 032 198 072
 30632-119 142 002 032 198 202 142 000 032 207 200 187 210
 30644-000 242 212 208 147 171 000 200 122 044 122 093 019
 30656-020 123 059 074 092 119 032 204 200 142 032 022 020
 30668-020 200 142 000 189 120 179 148 064 032 210 220 040
 30680-022 200 240 032 204 202 074 044 042 140 020 021
 30692-044 040 080 142 002 024 120 120 032 142 142 062 062
 30704-073 061 122 042 074 092 120 144 027 232 224 024 122
 30716-200 002 142 000 124 057 074 221 118 144 057 202 122
 30728-044 002 142 032 124 057 074 221 118 120 058 144 022
 30740-027 049 027 120 197 058 144 002 074 221 118 149 041
 30752-000 122 058 074 247 119 020 020 020 020 020 020 027
 30764-020 020 024 020 020 020 020 020 020 020 020 020 024
 30776-028 008 018 018 018 018 017 017 017 017 017 017 018
 30788-028 016 016 016 016 178 020 024 012 240 027 202 090
 30800-200 011 189 057 120 120 020 024 012 240 027 202 118
 30812-118 142 020 189 027 120 122 020 124 027 074 221 184
 30824-120 142 040 120 027 142 020 122 028 074 221 118 219
 30836-022 170 042 073 044 144 174 062 174 178 062 189 113
 30848-029 120 041 112 014 022 221 201 074 041 124 048 022
 30860-049 208 074 092 173 175 002 241 012 200 080 149 032
 30872-008 141 170 092 032 200 200 074 040 114 149 002 118
 30884-012 190 200 147 032 022 190 200 074 041 114 142 170
 30896-042 201 032 240 067 149 021 142 042 074 197 122 040
 30908-149 048 032 042 074 187 112 124 044 049 000 141 206
 30920-080 002 149 042 032 212 012 040 020 074 140 002 117
 30932-122 204 122 187 012 142 040 081 122 022 144 240 042
 30944-127 241 012 240 022 201 200 240 048 174 180 002 017
 30956-127 000 042 032 210 200 218 180 042 174 180 002 142
 30968-027 046 240 010 208 208 174 180 042 149 000 127 027
 30980-020 002 140 000 120 212 014 004 020 020 020 020 021
 30992-024 032 010 229 204 180 174 024 120 204 002 217
 31004-020 048 017 149 032 032 020 224 024 022 010 229 149
 31016-126 024 022 010 229 074 204 200 228 020 002 074 094
 31028-226 220 142 040 140 000 024 022 010 029 142 000 127

31040-189 071 120 240 090 022 022 220 222 208 240 040 227
 31052-089 020 051 092 081 024 022 024 027 042 044 047 229
 31064-048 049 070 177 078 204 047 082 022 224 127 212 170
 31076-022 212 220 170 070 200 020 022 000 022 177 021 020
 31088-142 048 123 027 074 210 211 000 011 002 000 044 180
 31100-002 046 007 008 009 010 011 002 013 014 015 016 017
 31112-000 080 070 120 187 120 040 000 000 000 000 000 000
 31124-027 021 021 010 010 010 120 004 142 000 187 027 027
 31136-021 197 088 240 001 202 200 240 187 120 024 224
 31148-021 044 021 044 074 142 040 201 070 200 002 074 120
 31160-038 122 022 049 127 170 000 002 200 240 012 042
 31172-007 000 121 122 149 002 121 022 020 020 021 124 018
 31184-044 076 142 046 148 000 020 020 020 020 142 000 029
 31196-089 220 121 240 064 022 022 211 222 200 240 022 241
 31208-177 121 142 044 122 000 022 177 142 149 022 142 108
 31220-027 127 240 044 202 014 200 022 211 148 074 177 024
 31232-000 084 048 002 024 182 024 022 011 012 011 012 011
 31244-012 247 218 000 000 142 040 022 122 192 120 124
 31256-000 002 201 022 208 044 032 040 110 074 224 111 074
 31268-024 002 240 007 074 047 124 020 110 121 074 022 020
 31280-188 027 170 000 002 120 120 170 010 090 122 180 240
 31292-074 044 122 022 080 124 040 020 024 100 000 120 204
 31304-002 041 128 010 042 197 046 240 040 042 220 111 040
 31316-220 120 142 020 201 024 208 044 149 008 122 120 240
 31328-144 021 144 200 124 000 020 220 149 004 144 042 142
 31340-002 049 001 120 149 142 022 022 022 220 144 024 242
 31352-189 000 002 002 040 110 149 002 032 022 221 142 001
 31364-004 140 021 020 022 010 220 142 002 189 000 202 147
 31376-174 149 000 000 200 080 022 024 022 147 040 122 044
 31388-189 149 061 141 182 002 074 077 127 022 040 124 064
 30400-140 000 024 220 020 020 020 040 120 014 042 141 141
 30412-040 240 002 022 220 119 098 140 140 180 201 001 212
 30424-208 044 149 022 122 120 074 092 122 002 000 124 120
 30436-220 002 142 020 144 120 020 040 120 040 120 040 049
 30448-022 220 119 142 124 024 042 042 042 120 120 021 021
 30460-208 014 149 005 122 120 142 042 042 042 042 042 042
 30472-002 074 042 120 074 096 122 002 000 124 198 002 209
 30484-142 000 041 120 010 042 177 040 240 002 200 120 122
 30496-118 140 101 024 220 020 120 120 200 020 020 024 144
 30508-149 024 120 180 020 024 180 040 024 180 020 020 024 144
 30520-148 122 074 090 122 148 000 122 148 000 122 148 011
 30532-022 121 149 000 020 122 142 000 022 189 200 149 249
 30544-001 142 000 140 000 020 044 200 022 192 200 142 211
 30556-001 022 190 220 022 140 200 020 240 120 020 240 141
 30568-120 149 012 020 220 020 020 020 240 120 020 240 120
 30580-000 042 120 121 201 022 242 120 144 220 020 220 124
 30592-189 024 022 010 220 140 004 024 022 010 220 149 241
 30604-000 110 212 022 242 120 241 004 200 240 020 240 022
 30616-121 024 204 004 004 022 022 220 174 124 022 022 094
 30628-202 121 201 020 240 240 120 220 240 000 122 212 279
 30640-024 022 010 220 140 022 024 022 010 220 142 000 094
 30652-140 220 187 040 124 022 242 124 240 007 022 127 147
 30664-040 124 074 149 122 142 000 180 042 124 022 042 042
 30676-221 220 224 000 200 240 149 010 022 022 022 024 024
 30688-084 022 142 000 189 220 122 240 004 022 022 020 107
 30700-222 240 242 149 001 022 192 220 142 000 022 180 149
 30712-220 074 062 124 024 074 074 077 047 070 060 022 112
 30724-076 049 049 044 012 049 042 042 042 042 042 044 124

31720+000 004 000 367 000 094 184 104 076 200 123 162 029
 31740+000 009 608 124 240 066 032 002 231 202 200 240 020
 31760+100 777 201 040 200 200 032 204 111 074 130 113 036
 31770+007 002 032 002 200 049 049 002 000 020 010 002 036
 31780+011 200 172 193 097 002 146 002 004 070 022 007 036
 31790+070 070 004 070 070 000 049 049 046 046 000 146 114
 31800+000 004 079 002 067 079 079 004 079 079 000 069 136
 31810+000 046 046 000 144 011 146 100 020 032 040 039 116
 31820+000 004 044 124 000 149 000 032 000 031 146 002 170
 31830+000 000 302 032 040 130 147 002 002 032 030 147 040
 31840+014 140 002 002 076 037 127 160 000 162 000 034 009
 31860+032 048 279 169 000 133 212 002 170 124 002 177 167
 31880+031 172 000 002 200 030 240 042 146 000 140 044 008
 31890+037 040 302 032 200 037 076 179 124 162 039 149 042
 31900+002 167 040 004 200 034 200 032 092 119 076 004 006
 31910+102 000 009 187 139 240 004 002 002 231 102 187
 31920+000 240 076 197 070 004 049 002 032 004 060 076 032
 31930+002 047 000 032 000 160 000 162 004 000 000 220 000
 31940+000 000 132 032 002 004 030 169 001 100 017 160 034
 31950+000 002 000 120 162 000 000 000 002 200 014 164 004
 31960+000 150 000 030 072 032 000 200 122 104 170 030 124
 31980+076 026 114 162 039 169 032 107 240 004 200 036 030
 32000+000 076 072 110 162 000 169 000 120 240 000 032 029
 32010+002 003 212 200 162 096 197 070 004 000 002 032 002
 32020+004 049 000 004 000 032 000 002 190 039 162 002 104
 32030+002 001 200 162 000 000 000 000 000 030 210 032 014
 32040+000 247 076 204 200 076 127 120 169 032 002 210 037
 32050+000 032 160 200 040 001 076 076 120 120 070 070 200
 32060+170 170 000 201 002 040 002 076 104 126 169 000 040
 32080+140 000 001 170 002 020 104 140 001 220 170 000 036
 32090+000 040 000 240 000 000 000 000 040 000 221 170 077
 32100+010 001 040 014 200 011 032 200 200 200 240 000 070
 32120+041 011 076 026 111 104 076 169 000 122 002 169 002
 32130+004 100 000 169 000 133 190 173 170 000 200 002 130
 32140+000 009 162 001 002 201 200 002 006 136 169 011 100
 32160+002 070 120 160 200 040 100 040 100 001 160 000 210
 32180+000 002 200 170 014 210 169 010 002 030 102 002 182
 32200+000 000 000 170 014 210 169 010 002 030 102 002 182
 32210+162 004 160 007 002 184 200 032 192 200 162 004 187
 32230+000 001 000 032 056 100 076 011 100 162 000 000 070
 32240+000 020 240 000 000 032 001 201 200 240 076 244 014
 32260+076 017 007 200 000 073 070 069 069 060 002 047 181
 32280+000 017 007 000 000 073 069 069 069 073 070 070 121
 32290+000 049 002 000 000 073 069 069 069 069 073 070 121
 32300+177 201 040 037 200 031 144 000 076 032 120 000 104
 32320+000 032 070 120 200 070 040 200 200 024 170 270 139
 32340+000 201 000 240 000 000 000 041 170 000 000 049 126
 32360+000 200 240 000 000 000 042 124 200 004 000 000 143
 32380+001 200 200 240 076 226 110 019 007 200 211 211 002
 32400+012 032 046 069 002 210 210 201 002 066 069 004 104
 32420+049 002 002 073 070 032 200 197 210 002 070 000 031
 32440+007 046 046 002 046 032 002 002 032 002 000 012
 32460+100 201 045 044 006 201 096 144 010 070 032 002 186
 32470+010 000 010 004 200 000 000 000 040 010 014 000 024
 32480+076 006 011 004 001 170 204 140 011 170 102 002 002
 32490+001 000 140 002 002 204 200 199 004 002 190 200 000
 32490+160 000 000 201 000 149 000 127 197 002 240 211 149
 32490+032 150 011 010 002 110 076 220 111 020 034 240 034

32490+000 000 000 040 214 010 001 204 034 240 004 000 000 294
 32490+031 000 000 040 076 034 133 162 002 160 000 100 001
 32500+032 076 001 176 019 017 007 210 210 207 210 000 100
 32510+070 070 010 017 070 000 040 004 002 074 070 070 006
 32520+000 000 000 100 000 070 040 000 000 000 000 000 000
 32530+011 000 002 002 000 000 000 000 000 000 000 000 000
 32540+002 002 079 002 004 002 079 070 002 002 040 076 004
 32550+071 049 046 046 046 046 002 002 002 002 002 002 000
 32560+000 030 000 140 000 140 000 140 000 140 000 140 000
 32570+000 000 192 002 041 111 076 130 113 169 000 130 201
 32580+001 110 060 032 092 110 169 000 131 131 169 000 007
 32590+031 000 070 090 122 169 001 131 002 002 090 160 169
 32600+074 140 100 004 200 000 030 100 030 110 127 103 040
 32610+001 100 117 127 131 200 160 130 004 000 000 004 001
 32620+106 170 100 144 127 140 170 180 000 140 201 004 046
 32630+000 217 130 017 170 131 200 001 200 011 000 210 000
 32640+070 210 110 200 150 149 200 100 200 200 210 200
 32650+040 219 100 219 140 201 107 107 000 001 000 000 000
 32660+000 000 004 000 000 000 000 000 000 000 000 000 000
 32670+040 004 200 004 200 004 200 004 200 004 200 004 004
 32680+007 049 007 004 000 000 000 000 000 000 000 000 000
 32690+000 049 000 131 012 032 170 124 032 177 031 170 030
 32700+000 001 200 032 200 000 076 107 124 162 000 189 070
 32710+000 001 049 049 120 000 000 000 000 000 000 000 000
 32720+000 076 026 111 189 191 004 100 002 180 000 201 147
 32730+030 200 107 091 076 200 004 150 011 004 040 049 221
 32740+071 000 000 000 000 000 000 000 127 002 000 000 192


XXX Listing

40000+100 000 140 004 194 169 127 141 032 020 149 147 007
 40100+000 000 001 169 000 150 000 100 000 026 192 002 120 104
 40150+070 004 001 194 200 141 000 200 141 002 000 074 020
 40200+000 190 001 070 000 000 000 000 000 000 000 000 000
 40250+000 000 000 000 000 000 000 000 000 000 000 000
 40300+000 000 000 000 000 000 000 000 000 000 000 000
 40350+000 000 000 000 000 000 000 000 000 000 000 000
 40400+000 000 000 000 000 000 000 000 000 000 000 000
 40450+000 000 000 000 000 000 000 000 000 000 000 000
 40500+000 000 000 000 000 000 000 000 000 000 000 000
 40550+000 000 000 000 000 000 000 000 000 000 000 000
 40600+000 000 000 000 000 000 000 000 000 000 000 000
 40650+000 000 000 000 000 000 000 000 000 000 000 000
 40700+000 000 000 000 000 000 000 000 000 000 000 000
 40750+000 000 000 000 000 000 000 000 000 000 000 000
 40800+000 000 000 000 000 000 000 000 000 000 000 000
 40850+000 000 000 000 000 000 000 000 000 000 000 000
 40900+000 000 000 000 000 000 000 000 000 000 000 000
 40950+000 000 000 000 000 000 000 000 000 000 000 000
 41000+000 000 000 000 000 000 000 000 000 000 000 000
 41050+000 000 000 000 000 000 000 000 000 000 000 000
 41100+000 000 000 000 000 000 000 000 000 000 000 000
 41150+000 000 000 000 000 000 000 000 000 000 000 000
 41200+000 000 000 000 000 000 000 000 000 000 000 000
 41250+000 000 000 000 000 000 000 000 000 000 000 000
 41300+000 000 000 000 000 000 000 000 000 000 000 000
 41350+000 000 000 000 000 000 000 000 000 000 000 000
 41400+000 000 000 000 000 000 000 000 000 000 000 000
 41450+000 000 000 000 000 000 000 000 000 000 000 000
 41500+000 000 000 000 000 000 000 000 000 000 000 000
 41550+000 000 000 000 000 000 000 000 000 000 000 000
 41600+000 000 000 000 000 000 000 000 000 000 000 000
 41650+000 000 000 000 000 000 000 000 000 000 000 000
 41700+000 000 000 000 000 000 000 000 000 000 000 000
 41750+000 000 000 000 000 000 000 000 000 000 000 000
 41800+000 000 000 000 000 000 000 000 000 000 000 000
 41850+000 000 000 000 000 000 000 000 000 000 000 000
 41900+000 000 000 000 000 000 000 000 000 000 000 000
 41950+000 000 000 000 000 000 000 000 000 000 000 000
 42000+000 000 000 000 000 000 000 000 000 000 000 000





llamasoft



YAK'S PROGRESS FOR THE CBM 64

'Let there be sprites ...' a collection of eight of Jeff Minter's hairy classics for the '64;

•ATTACK OF THE MUTANT CAMELS •MATRIX •LASER ZONE •HOVER BOYVER
•REVENGE OF THE MUTANT CAMELS •SHEEP IN SPACE •METAGALACTIC LLAMAS
BATTLE AT THE EDGE OF TIME •ANCIPITAL

IN PRESENTATION BOOK WITH JIM'S HISTORICAL NOTES! — ON DISK £11.95 ON 2 TAPES £9.45

COLOURSPACE FOR THE BBC 'B'

A great version of this unique software, for BBC owners. COLOURSPACE and its predecessor PSYCHEDELIA have been described as INTERACTIVE FIREWORKS, the player readily producing fantastic lightshows, a wonderful accompaniment to favourite music. We've caught the rainbow...

ON TAPE £7.95

CLARIS AVAILABLE FROM ALL GOOD COMPUTER RETAILERS OR FROM LLAMASOFT LTD, 46 BRUNNEN PLEASANT, TADLEY, HANTS, TEL: 02064 4476

S.A.E. FOR CATALOGUES & NEWSLETTER THE NATURE OF THE BEAST



Peter Thomas has braved
bullets and shellfire to bring
you this review of US Gold's
Crusade in Europe for the
C64.

PREPARE FOR BATTLE! NO THIS IS NOT a quick, trigger-happy game, but a sophisticated, thought-provoking strategy game which I found highly entertaining and absorbing.

You play either the Allied or German Supreme Commander and control the fate of Europe in 1944. You can change the course of history from your own living room.

The game has five different scenarios. Each allows you to enter the battle for France at a different stage.

The first part is the battle for Normandy. The scene is set, June 1944. The war in Europe hangs in the balance. Three elite Germanic regiments have been dropped in advance and the Allied infantry divisions have just landed and started moving inland. The Germans try to drive you back into the sea as reinforcements for both sides begin to arrive.

Choose which army you wish to command, then play a blend of pit your wits against the computer. You are allowed to alter the balance of play according to your experience.

Using a joystick or keyboard for control, you first freeze the action to allow you time to examine your troops, the opposition, survey the countryside and decide your strategy. Once you have formulated your plan of action you start giving your orders. You can order different units to attack, defend or move.


Will you decide to risk as all out offensive or dig in and wait for reinforcements to arrive? You make all the decisions, tap in your orders and watch the battle take place on the screen, but keep your eyes peeled as the enemy moves around and always be prepared to rethink your strategy.

At any time you may call up any units and receive a constant status report. How many men are left? How experienced are they? What is their efficiency level? Do they need to be rested for a while? Can you spare them? You must decide all this.

As Supreme Commander you can never go to sleep because even at night the messages keep rolling in: "Attack must be halted", "Await further orders", "We have captured Paris", "Are supplies running out?". However you can freeze the action at any time if you are in need of refreshment or a stiff drink to calm your nerve endings! I recommend that you keep a spare disk handy so the current situation can be saved at any time.

GAME

of the month



The second part is the race for the Rhine. After liberating France the Allies rush towards the Rhine to secure the German borders, Belgium and Holland. Again there is a short and long variation.

The scrolling screen allows you to have an overall picture of the battle as it progresses. Also the computer constantly tells you the present date, time and weather conditions.

The graphics are extremely realistic and the battle is easy to follow. The sound effects make the war come to life - the volume level of each attack indicates how much damage is being inflicted on the opposition.

Operation Market Garden is the last section which allows you to control Hitler's crack SS Panzer troops in a last desperate bid to split the British and American armies and force them back into the sea. Can you succeed where

Hitler failed? Or will the snowy, wintry conditions overcome your offensive?

The final Crusade for the Battle for France is the big one. Start from the landing of the troops in Normandy, secure a beach head, push the Germans backwash as you liberate Paris and then race across France and Belgium to the German borders.

This program has many interesting features. At any time you can press "O" to receive an up-to-date status report on how many casualties have been sustained by each side and who is currently winning. And, at the end of each section, you will be awarded a final rank for your performance ranging from Private to Supreme Commander.

Even if you have no previous experience of strategy games, I strongly recommend you buy Crusade in Europe - you won't be disappointed.




WANTED

(DISK OR CASSETTE)

WILD WEST

An action-packed graphic adventure with total joystick control.



RE-CAPTURE
FORT SHAKE USING YOUR POWERFUL
COMMODORE 64
and a little help from THE SPRITES

On-screen action includes:-



A BANK ROBBERY
A SHOOTIN' COMPETITION
A RODEO RIDE

Plus a cast of thousands including cowboys, Indians, outlaws and pioneers.

GET 'WILD WEST' - OUT NOW ON DISK OR CASSETTE.

Available from all good software retailers - if it's not there, please order it - or in cases of difficulty send your crossed cheque P.O. made out to ARICLASOFT UK LTD... including your own name and address, to Ariclasoft UK Ltd., Regalite House, Palace Street, London SW1E 6RS.

WILD WEST - Commodore 64 Cassette £9.95 Disk £12.95

UK orders only. Price includes s.p. Please allow 28 days for delivery.



REWARD
Hours and hours of all-action fun made instantly more enjoyable through graphic images of the Old West.

ariclasoft 
HIGH PERFORMANCE PROGRAMS

Runcaster has donned his Lincoln Green outfit to have a closer look at Robin and his merry men in the wilds of Sherwood forest.

Forestry Lesson

WHAT IS YOUR APTITUDE FOR TREE RECOGNITION? Can you track someone through the wilds of Sherwood Forest? Perhaps you need not be too fast on foot, but some form of pattern recognition comes in helpful once you get into Robin of Merwood - Adventure International's latest graphics adventure for the C64.

Being an avid follower of the TV series, I wondered if the computer game would be a big let down. The answer, fortunately, is quite a big no. Adventure International has built up a fair reputation for its games and this one certainly can be favourably compared with past ones.

Robin takes about six minutes to load, which is quite a long time when you realise that a fair loader has been incorporated...possibly they have gone for a slower 'fast load' to overcome some of the loading problems encountered by some companies who use 'super fast loaders'.

The review copy loaded without a hint of a glitch and six minutes is not very long to wait anyway...loading in the data from a permanently saved game is fast - about 25 seconds. This is a useful facility, as all the interesting options (initially presented by the game as your progress unfolds)...tend to end in disaster!

The graphics are good and for the most part are very clear with the impression of good detail. They are 'classy' on the screen very quickly, which is a good thing because you can't turn them off!

I am not a wholofarical supporter of graphics with everything, I would usually prefer that the effort had gone into the text and implementation of the game play. Here, I have to admit that the visual impression is pleasing and certainly does not detract from the business of adventuring!

Once loaded, your first task is to get Robin and his merry men (and so many at this moment, and only two of them) out of the dungeons at Nottingham Castle. For those that get fed up with trying to do this, the load map - the 'interaction leader' reveals all...well almost all!

You may feel slightly frustrated for a few minutes but persevere and don't forget to examine things/people as you progress! Having escaped from the dungeons, you now have to get out of the castle.



SENSE OF ADVENTURE



In comparing this first little puzzle, you will already have started to 'feel out' how Adventure International has set up the input command interpreter. You do not have to 'OPEN DOORS' and then move through them, all that is needed is 'GO DOOR' and the rest follows naturally.

If you apparently cannot move to a certain object or place, try 'GO BACK' you may achieve the desired result. You may also determine what it is and is not understood and what sort of response you get in each case.

Some puzzles will indicate if they do not recognise a word. This one ignores them completely. Besides giving an instruction and believing that it has been carried out because there was no response to the command!

Even though only the first four letters of a word are necessary for the program to know what you are talking about - check that your spelling is correct. 'EAMPRIS' instead of 'EAM PRIS' (means no prisoners) will elicit the standard response 'that nothing special is seen' and examining things is important!

If you see Robin of Sherwood on the box, you are at a slight advantage, as all of the events portrayed in the adventure are

related to various episodes and places seen in the series. Although, as I have not yet solved all of the problems set, there may be a few twists that I haven't yet come across.

The game certainly does not require a knowledge of the TV plots, so if you do not have that feeling of ' déjà vu' just simply solving a series of logical puzzles that have to be completed in the correct sequence.

Once out of the castle you will come face to face with Herne the Hunter. He will tell you that it is your task to find the six Touchstones of Whimsey and then return them to their rightful place.

A Touchstone was used to test the purity of gold or silver but I doubt whether this small piece of information will help you very much!

Once you have left Herne you find (or lose!) your first 'clue' in Sherwood Forest. There are 50 locations that have a description saying that you are in the forest - and nothing else!

Print out (and mark) for your pencil and paper, all items quite the route it first appears - hence the earlier reference to pattern recognition.

Accused about and here and there, you will find various places that obviously will need a more careful study and of course



feature lies the crux of the game. Old books appear from time to time and some of these may be requested to follow. Rules and lead much needed aid at critical moments.

As the sequence of events is important it is wise to 'save' your progress at various different points - in case you later find you need to tackle things in a different order.

Although an enjoyable game that should keep beginners and expert users alike and pleasantly frustrated for some time.

Old But Fun

UK Gold has added to its range of adventures available in the UK by releasing 68K versions of two games that have been around the same time on other machines. The first of these *Wizard and the Princess* was seen on the Atari several years ago and shows its age by the simple input command system.

The storyline is pretty thin - wicked wizard kidnaps fair princess... hero needed to rescue same! The slightly wacky twist is more in the instructions than in the game. The wizard as narrator, betrays the fact that previous heroes have beaten him and that he hopes to do better against you.

Inputs are expected as just two words - verbs/nouns. In some ways this poses few problems to the user than some of the more modern complex analysers. Providing you have the right two words, there is no frustration trying to get the order and verb correct!

Of course getting the right words can still take time! The vocabulary in adventure games is gradually becoming somewhat of a standard feature these days so DOMINE is part of the player's normal armoury. This is one of the slight differences you will notice with *Wizard and the Princess*. Here you must use LOOSE.

You must also literally resist yourself to two words. The program does not automatically disregard such words as, I, You, THE. It is surprising how even the less complex games today how much progress is embedded!

The program is available on disk only, and even in all the time. Nearly every input command has the old unit editing system, checking something, or loading in new data. Each location has its own graphics, these are colourful and very clear but are fairly simple designs.

One point that I found slightly frustrating was that all words had to be entered in full to be recognised... i.e., that's not a save game facility is implemented by using a separate disk (see suggested). As death occurs regularly what you save and the problems before you, this is a definite plus point!

It is kept to a fairly low level with many of the clues occurring within the

picture themselves, even if soundered a little imagination sometimes to associate that red blob as a rock!

Most of the puzzles, once solved, make you want to kick yourself for not having seen them earlier... always a good sign in an adventure game. The action is subdivided into a number of separate scenarios, each of which needs to be completed before you can move on to the next. Make sure you have done all that can be done before you move on!

With the low amount of information presented as text and the simple graphics, the actions of the player would seem to be somewhat limited. This may seem to be a good thing for beginners but my feeling is that they may become bored and a little frustrated, whereas the more experienced adventures will probably have a little more 'stamina' and be prepared to forest any at each location trying to find the anomaly that is the vital clue.

Wizard and the Princess is definitely new to challenge the leaders in the adventure games world but it presents a good challenge to the players' observation and use of limited syntax and vocabulary.

Classic Aberration

The second release from UK Gold is *Ulysses and the Golden Mirror*. I always thought that it was (just) not involved with this particular horrid-tag but then perhaps there is a copyright problem with some of Ulysses' descendants!

The program is presented in a very similar manner to that above, with limited text, simple but descriptive graphics, and an disk only. The graphics seem to have had a little more work done on them and the full use of the Commodore's colours makes even these cartoon like pictures come to life.

The story is as you would expect, Ulysses must stop his ship and crew... sail off... avoid various lethal hazards... and return with the treasure, to present to the King.

The initial scenario allows for more manoeuvring than *Wizard and the Princess* as beginner adventures may feel more inclined to persistence, have your position fairly set for you or you have solved the first few puzzles, as death is never far away.

The dangers you will meet are varied, ranging from storms at sea to angry gods. Your memories of Greek myths may help a bit but some of the puzzles are quite subtle so keep a weather eye open all the time... observe and observe again.

Observation Plan

Whether Hacker from Activision will go down as an adventure or not, time will tell, it has all the hallmarks to suggest that

it should, as, for instance, there are no instructions. You have noticed what it's all about yourself!

Just a few words could make it more interesting to play, though. The buffer (I nearly said inspector!) implied that the player had hacked - accidentally - into an unknown computer system. From there on in... well, observation and a handy paper and pencil are paramount.

I appeared to be controlling some magi-powered machine, moving around beneath the surface of the earth (what foot). Power is the watchword, power to dominate the world - but am I a goodie or a baddy? Do I aim the machine to float it up and if so, how?

The system recognises there has been a security leak... and not too either, it starts asking awkward questions about what has been displayed on the screen a few minutes ago. I hope you've got a photographic memory with total recall. I haven't!

After the fifth or sixth attempt I had to call it a night even with paper and pencil ready, and willing to note down any pertinent facts, starting from the beginning every time I failed to remember some vital detail and it all became just too much of a chore!

It only took what it was I was doing down there under the earth - other than passing time between awkward questions. I shall watch the top 10 charts with anticipation and hopefully memory!

Top 10:

A number of magi publish lists of top 10s, these are devised in several different ways. Some are from particular distributor's sales to their outlets, some are from inputs from the readers themselves. If you'd down and think about it, sales could be merely a reflection of how good the advertising hype was for that particular product and not how good an adventure it is!

What adventures from you on? My top 10 would include the following: *The Zork Trilogy* by Infocom, several of the Level Nine adventures, *Excalibur: Ultima IV* from UK Gold, *The Hobbit* by Melbourne House, one or two from Adventure International, *Witch's Cauldron* by Mikro Gen, the excellent *Starlight* from Sydney, something from Interspector Micros and last point wonder of animation - *Impossible Mission* from UK Gold.

Yes, I know that gives us more than 10 but which would you choose? Write in and let me know, perhaps I'm misjudging on something - or my memory is failing! Make sure you address any letters to 'Bancrofters', Your Commodore etc. The editor has enough correspondence to open without giving him any extra!

Teacher's

This month Margaret Webb
examines Paint Boxes.

LAST MONTH I LOOKED AT THE MUSICAL software available for the C64 - the computer equivalent to a Christmas stocking charm set. This month, I will describe a non-musical approach to paint boxes. Those of you with children will have discovered the never ending appeal of pens, paint and colouring books. The main problem, however, is the mess generated. I shall not recount the number of times I've found felt tip pen stains on my children's bedding.

As with the musical packages, there are a wide range of products which cater for all ages of users. These range from the very cheap and simple software to more expensive software/hardware packages.

The majority of the packages that I will describe are drawing programs. Two however are rather more like languages or basic extensions.

There are two basic ways of creating graphics on the C64 and C-16. First you can load up pictures from the normal character set or from predefined characters. Only the Koll Harris drawing program uses this approach. The second method is to create images inside. In this mode, individual pixels can be altered allowing the creation of complex curves and other shapes. Bit mapping is available in two modes. A high resolution mode allows only two colours in any one character space but permits highly detailed work. Multicolour mode supports four colours in any character space but gives slightly coarser results. Both have their uses and it's up to you to choose.

Since most of the sketching packages use the same or a wider set of commands, I have compared them in the table and will only mention their peculiarities or useful features.

You may notice from the table that there is a case of commands which is common to most of the software. All programs, for instance, allow the drawing of dots, lines and circles. This is hardly surprising since these form the foundation for any sketch.

Before going into too much detail, I had better briefly describe the items listed in the table.

Made relates to either high resolution or multicolour.

Paint is a command for the control of individual pixels.

Line allows the drawing of a line between two specified points.

Pet



Lines involves the drawing of a number of lines, all with one end starting at the same point.

Box relates to the drawing of a quadrilateral by defining two opposite corners. **Circle** accomplishes by its name: draw a circle of specified size and position.

Ellipse is similar to circles and allows the drawing of elliptical shapes.

Arc allows the drawing of curves.

Fill/Paint colours in a drawn area in a specified solid colour.

Pattern is the same as fill but allows patterns.

Alt Break gives a sequence of controlled random dots and is useful for shading.

Screen many packages provide more than one drawing area. This is useful for the copying and overlaying of designs.

Copy area copies a specified area of design to another area.

Move area moves a specified area.

Zoom magnifies an area of design to allow detailed drawing.

Ops allows you to correct errors or accidents made during drawing.

Brush apart from providing thin lines, many packages provide patterned brushes for complex effects.

Mirror provides the means of making multiple drawings and kaleidoscope effects.

Text prints words on the picture.

Hard copy permits you to dump your drawing to a printer.

Save/Load means that you can save your masterpiece on disk or cassette.

Control many packages use joystick or keyboard control. Using the table and these brief comments, you can see how useful the packages are.

Three packages - Koll's *Paint*, *Super Sketch* and *Magic Mouse* use hardware devices. The first two use drawing pads or tablets and the latter a mouse. As a consequence, they are quite expensive. *Magic Mouse* is a wide based utility and has regular software. *Super Sketch* and *Super Sketch* are both very good products although *Super Sketch* is the better of the two.

Screen Graphics is a basic extension and uses a language similar to UCBCG and is a suitable means of introducing children to programming.

Of the high resolution packages, *Parsons* and *Doodle* are probably the most powerful. Both have great flexibility and are simple to use.

For the younger children, there are two packages available. The *Koll Harris* package is easy to use and allows the building up of designs using the Commodore character set. In spite of this apparent limitation, the results possible are excellent - particularly in the C-16 version.

There is software for a program called *Shape Games*. This program is part of the *Art* series and allows the creation of designs using the basic shapes. A second program called *Shapes* introduces the child to the basic shapes and encourages him to place the shapes in the correct position on the screen.

Publishers

Super Sketch (149.95): Amalg, Unit 18, Victoria Industrial Park, Victoria Rd, Stafford (Staff 14)

Koll's Paint (109.95): Analogic, PO Box 80, Reading, Berks

Parsons (109.95) both C64 and C-16: Analogic, 35 Suttons Industrial Park, London Rd, Reading

Parsons (117.95): Curran Buildings, 261 St James Rd, Glasgow

Paint Pic: Kame Computers, Unit 11, Moorhouse Park, Pangbourne, Berks

Doodle (124.95): Quicksilva, 222 Regent St, London W1

Koll Harris (both C64 and C-16): Commodore, 1 Hunsley Rd, Weldon, Corby NN17 3QQ

Magic Mouse (99.95): Commodore, SMC Supplies, 71 Waverley Parade, Great North Rd, Barnet, Herts

Art / *Shape Games* (19.95): Heavy Software, National Magazine House, 72 Broadwick St, London W1V 3BP

Screen Graphics (171.95): Activision, 55 Hurley House, Marlowbury Rd, London NW11

Eric Doyle reviews Robcorn's

Turbo 50 cartridge and finds

out how versatile it is.

ONE AREA WHERE CARTRIDGES HAVE proved their worth is as utility/basic extension units. Robcorn's Turbo Series of cartridges falls very firmly into this category adding useful basic commands: disk, cassette, printer control systems and a machine code monitor. The unit also has a very useful soft reset button which can get the unwary programmer out of some very sticky situations.

The cartridge which I have been using is the Turbo 50 which derives its name from the fast disk or cassette load and save commands. The disk turbo boasts an increase of five times normal loading speed and the cassette clocks in at 30 times normal speed. This was the point at which I discovered that, although my disk drive worked tolerably well at normal speed, the turbo speed was too much and misloads occurred. A tape load alignment tape is provided with the package so I had no problems there, it's a pity that a similar facility was not provided for disk drives. Fortunately I have access to an alternative DHD which proved man enough for the job. At least this cartridge merely supplements the existing commands which can still be accessed by using standard syntax so my old drive was still usable at normal speed.

The best addition is the MERGE command which offers a simple way to assemble prepared subroutines into a program already in memory, but the COPY commands come a close second, simplifying transfer of programs to and from disk, turbo tape or normal speed tape. Although a small point, it would be nice if the producers of turbo tape systems would include a boot program which would allow turbo tapes to load on any system without the cartridge. This would limit inconvenience if the cartridge is damaged in any way.

Another niggle is the fact that the MCH MON FOUND is replaced with the message LOAD ERROR which caused me a little confusion.

The cartridge also adds useful commands such as auto numbering, selective renumbering and deletion of program lines. Added to this are three very useful commands: PLINE, TRACE2 and HND. The first lists the current program to the screen one page at a time and TRACE2 displays the current line in full at the top of the screen as the program slowly runs. HND will locate a variable, command word or string wherever it lies in program memory and list the relevant lines to the screen.

Unfortunately, TRACE must either be used throughout the program or be used

on cartridge Turbo 50



to run a small section which uses no variables. This is because using TRACE is like using RUN - all stored variables are cleared. It would have been better to devise a system where the trace automatically takes over from the normal run speed at a specified line.

HELP is also a debugging command which will automatically list a line in which an error has occurred and try to indicate the fault. If more serious problems occur and the computer crashes it is a simple matter to press the reset button and use QUD to restore the program in memory. This command can also be used if you accidentally NOW a program.

Other commands allow conversion between HEX and DEC numerical systems, cause all the keys to RESET, turn off the selected function keys, switch out the cartridge, set the loader and screen colours, SHOW all the commands available or RESET the computer.


Printer commands allow Centronics printers to be driven by the list and listing of programs is achieved by using the CINT command to select the correct mode and then using normal syntax to open the file and LIST. Two of these

modes cause the special characters (for colour, cursor positioning etc.) to be printed out in a more readable form, similar to the listings in this magazine.

The final section held within this amazing little package is the machine code monitor which must be transferred into memory by typing MCHN followed by the Hex location. The location can be anywhere between 50000 and 10000 but if 5C000 is 5C100 is preferred this can be done by dumping the monitor into any part of memory, switching off the cartridge using QUIT (because this occupies the area of memory we wish to use) entering the MCH command to activate the monitor and then using the Origin command to transfer it up to 5C000.

The monitor itself has no surprises in store. Assembly, disassembly, trace, relocation, ASCII screen dumps and watches are all catered for, as well as disk commands.

The package of a toolkit/monitor with turbo commands and an automatic alignment tape offers good value for money and I particularly like the fact that the turbo is optional. Now how about a disk alignment program on a turbo cartridge!



COMMODORE 64



"DRAGONSKULL", "OUTLAWS", "BLACKWYCHE", "IMHOTEP" recommended retail price
£9.95 inc VAT. Available from W.H.SMITHS, BOOTS, J.MENZIES, WOOLWORTHS
and all good software retail outlets. Also available from
ULTIMATE PLAY THE GAME, The Green, Ashby-de-la-Zouch, Leicestershire LE6 5JU
(VAT are included) Tel: 0530 411485

ULTIMATE
PLAY THE GAME



**In a new series, Daryl
Bowers shows you the
techniques for writing
your own arcade
game.**

RIGHT, STOP IDLY FUMING through this magazine and get typing! I'm going to show you how to put together an arcade game piece by piece, a section in each issue of the mag. Each part will add to the original until the game is complete.

This is not a lesson in how to program in machine code - there are several good books available - and if it was, I would read the whole magazine for 12 months. Instead, it shows the application of Machine Code on the C64, and how to approach the creation of an entertaining masterpiece! The routines that follow can be taken from this game and used in any of your own.

To give you an idea of the complexity of the game, it took about a week to write and debug - so see what can be achieved with relatively little work.

The Game

You play the part of a poor, feeble giant frog! There you are hopping down the road, minding your own business, when suddenly you find yourself being chased by a mad frenchman on a bicycle, hoping to catch some dinner! To make matters worse, you are being pretty tired and there are pitifully few juicy flies about - and, while you're catching one, you have got to watch out for low flying birds.

Oh! and don't forget to avoid the puddles! They make jumping very hard work.

The First Part

In this first 'building block', I have provided the sprite data for the frog and an input program that will be used in future parts.

Type in the basic program, and enter the start address: 1280. There are 112 bytes of sprite data, and the checksums are at the end of each line. If



FROG

```

10 REM NEW LOWER
20 REM
30 INPUT "START ADDRESS":S
40 INPUT "NO. OF BYTES":N
50 FOR P=R TO R+N-1 STEP 8
60 C=449
70 PRINT P:INPUT "":J=J8
80 IF H=999 THEN GOTO P+8:GOTO 70
90 IF L=CH-C+6 THEN GOTO 70
100 FOR I=0 TO 7
110 W=ASC(CHR$(CHR$(I)+1))
120 W=ASC(CHR$(CHR$(I)+2))
130 W=40-40:IF C>3 THEN W=C-7
140 W=40-40:IF C>3 THEN W=C-7
150 POKE P+1,CHR$(W)+CHR$(W)+W
160 NEXT I
170 PRINT "":JCH
180 NEXT P
200 INPUT "FILE NAME":F$
210 FOR I=0 TO LEN(F$):POKE 39999+I,ASC(CHR$(F$(I)))NEXT I
220 POKE 788-8:POKE 761-8:POKE 762-1
230 SYS 65466
240 POKE 788-LEN(F$):POKE 761-64
250 POKE 762-156:SYS 65469
260 POKE 252-R-(256-INT(R/256)):POKE253,INT(R/256):POKE 760,252
270 POKE 762-F-(256-INT(F/256)):POKE 762,INT(F/256):SYS 65466

```

you make a mistake, type 999 and set up the last line. Save the data under the name 'FROGDATA'. If using tape change line 220 to read: POKE 760:POKE 761:etc.

The Code

OK, now you've got the data in for the jolly hopping frog. It's time to look at the program. You will, of course, need an assembler, and if you haven't got one already you can type in

Match 1 which started in the November issue.

In this section we have some mind-boggling routines, starting with the routine to print the frog: 'PRFROG'. The variable 'stage' holds the current position in the X and Y co-ordinate table: 'XLAB'. This table governs the relative positions of the two sprites which go to make up the frog. There are two types of jump, high and low, and this is

indicated by a one or zero in the variable 'JUMPTYPE'. One last table is used, 'MPTAB', which indicates which sprite definitions are used and at what point in the jump.

The X register is used to index into the tables and retrieve the current values. (To see what each of these values does, it is helpful to look at pages 128 to 131 of the Programmer's Reference Guide.)





```

1040 TMO
1050 INT
1060 STX #0FFH
1070 I
1080 RTS
1090 I
1100 #16
1110 LDA STAGE
1120 STA STAGE2,I
1130 STA #0000
1140 LDA STAGE2,I
1150 STA #0002
1160 LDA STAGE2,I
1170 STA #0001
1180 LDA STAGE2,I
1190 STA #0000
1200 LDA #PTAGE2,I
1210 STA #07FD
1220 TMO
1230 INT
1240 STX #07FF
1250 I
1260 RTS
1270 I
1280 #07F0
1290 DEC DELAY
1300 BNE EX1
1310 INC STAGE
1320 LDA STAGE
1330 JMP JUMPTYPE
1340 BNE LARGE2
1350 LDA #0200
1360 STA DELAY
1370 CPU #16
1380 BNE EX1
1390 JMP RESET
1400 LABEL2
1410 LDA #0200
1420 STA DELAY
1430 CPU #16
1440 BNE EX1
1450 JMP RESET
1460 LABEL3
1470 LDA #0200
1480 STA DELAY
1490 CPU #16
1500 BNE EX1
1510 JMP RESET
1520 #16
1530 INT
1540 #07F0
1550 #07F0
1560 #07F0
1570 #07F0
1580 #07F0
1590 #07F0
1600 #07F0
1610 #07F0
1620 #07F0
1630 #07F0
1640 #07F0
1650 #07F0
1660 #07F0
1670 #07F0
1680 #07F0
1690 #07F0
1700 #07F0
1710 #07F0
1720 #07F0
1730 #07F0
1740 #07F0
1750 #07F0
1760 #07F0
1770 #07F0
1780 #07F0
1790 #07F0
1800 #07F0
1810 #07F0
1820 #07F0
1830 #07F0
1840 #07F0
1850 #07F0
1860 #07F0
1870 #07F0
1880 #07F0
1890 #07F0
1900 #07F0
1910 #07F0
1920 #07F0
1930 #07F0
1940 #07F0
1950 #07F0
1960 #07F0
1970 #07F0
1980 #07F0
1990 #07F0
2000 #07F0

```

LABEL FLOWCHART 1

INITIAL



```

2010 STA #0025
2020 LDA #0
2030 STA #002F
2040 LDA #0
2050 STA #0028
2060 STA #0028
2070 STA #0028
2080 LDA #0
2090 STA #002C
2100 I
2110 #ENABLE SPRIETES
2120 I
2130 LDA #07F
2140 STA #0025
2150 #WRITE MULTICOLORS
2160 I
2170 LDA #17
2180 STA #002C
2190 I
2200 #WRITE EXAM
2210 I
2220 LDA #0
2230 STA #0028
2240 I
2250 LDA #0
2260 STA #0027
2270 I
2280 LDA #0
2290 STA #0028
2300 I
2310 LDA #0
2320 STA #0028
2330 I
2340 LDA #0
2350 STA #0028
2360 I
2370 LDA #0
2380 STA #0028
2390 I
2400 LDA #0
2410 STA #0028
2420 I
2430 LDA #0
2440 STA #0028
2450 I
2460 LDA #0
2470 STA #0028
2480 I
2490 LDA #0
2500 STA #0028
2510 I
2520 LDA #0
2530 STA #0028
2540 I
2550 LDA #0
2560 STA #0028
2570 I
2580 LDA #0
2590 STA #0028
2600 I
2610 LDA #0
2620 STA #0028
2630 I
2640 LDA #0
2650 STA #0028
2660 I
2670 LDA #0
2680 STA #0028
2690 I
2700 LDA #0
2710 STA #0028
2720 I
2730 LDA #0
2740 STA #0028
2750 I
2760 LDA #0
2770 STA #0028
2780 I
2790 LDA #0
2800 STA #0028
2810 I
2820 LDA #0
2830 STA #0028
2840 I
2850 LDA #0
2860 STA #0028
2870 I
2880 LDA #0
2890 STA #0028
2900 I
2910 LDA #0
2920 STA #0028
2930 I
2940 LDA #0
2950 STA #0028
2960 I
2970 LDA #0
2980 STA #0028
2990 I
3000 LDA #0
3010 STA #0028
3020 I
3030 LDA #0
3040 STA #0028
3050 I
3060 LDA #0
3070 STA #0028
3080 I
3090 LDA #0
3100 STA #0028
3110 I
3120 LDA #0
3130 STA #0028
3140 I
3150 LDA #0
3160 STA #0028
3170 I
3180 LDA #0
3190 STA #0028
3200 I
3210 LDA #0
3220 STA #0028
3230 I
3240 LDA #0
3250 STA #0028
3260 I
3270 LDA #0
3280 STA #0028
3290 I
3300 LDA #0
3310 STA #0028
3320 I
3330 LDA #0
3340 STA #0028
3350 I
3360 LDA #0
3370 STA #0028
3380 I
3390 LDA #0
3400 STA #0028
3410 I
3420 LDA #0
3430 STA #0028
3440 I
3450 LDA #0
3460 STA #0028
3470 I
3480 LDA #0
3490 STA #0028
3500 I
3510 LDA #0
3520 STA #0028
3530 I
3540 LDA #0
3550 STA #0028
3560 I
3570 LDA #0
3580 STA #0028
3590 I
3600 LDA #0
3610 STA #0028
3620 I
3630 LDA #0
3640 STA #0028
3650 I
3660 LDA #0
3670 STA #0028
3680 I
3690 LDA #0
3700 STA #0028
3710 I
3720 LDA #0
3730 STA #0028
3740 I
3750 LDA #0
3760 STA #0028
3770 I
3780 LDA #0
3790 STA #0028
3800 I
3810 LDA #0
3820 STA #0028
3830 I
3840 LDA #0
3850 STA #0028
3860 I
3870 LDA #0
3880 STA #0028
3890 I
3900 LDA #0
3910 STA #0028
3920 I
3930 LDA #0
3940 STA #0028
3950 I
3960 LDA #0
3970 STA #0028
3980 I
3990 LDA #0
4000 STA #0028

```

```

2100 STA #0020,I
2110 STA #0020,I
2120 STA #0020,I
2130 STA #0020,I
2140 STA #0020,I
2150 STA #0020,I
2160 STA #0020,I
2170 STA #0020,I
2180 STA #0020,I
2190 STA #0020,I
2200 STA #0020,I
2210 STA #0020,I
2220 STA #0020,I
2230 STA #0020,I
2240 STA #0020,I
2250 STA #0020,I
2260 STA #0020,I
2270 STA #0020,I
2280 STA #0020,I
2290 STA #0020,I
2300 STA #0020,I
2310 STA #0020,I
2320 STA #0020,I
2330 STA #0020,I
2340 STA #0020,I
2350 STA #0020,I
2360 STA #0020,I
2370 STA #0020,I
2380 STA #0020,I
2390 STA #0020,I
2400 STA #0020,I
2410 STA #0020,I
2420 STA #0020,I
2430 STA #0020,I
2440 STA #0020,I
2450 STA #0020,I
2460 STA #0020,I
2470 STA #0020,I
2480 STA #0020,I
2490 STA #0020,I
2500 STA #0020,I
2510 STA #0020,I
2520 STA #0020,I
2530 STA #0020,I
2540 STA #0020,I
2550 STA #0020,I
2560 STA #0020,I
2570 STA #0020,I
2580 STA #0020,I
2590 STA #0020,I
2600 STA #0020,I
2610 STA #0020,I
2620 STA #0020,I
2630 STA #0020,I
2640 STA #0020,I
2650 STA #0020,I
2660 STA #0020,I
2670 STA #0020,I
2680 STA #0020,I
2690 STA #0020,I
2700 STA #0020,I
2710 STA #0020,I
2720 STA #0020,I
2730 STA #0020,I
2740 STA #0020,I
2750 STA #0020,I
2760 STA #0020,I
2770 STA #0020,I
2780 STA #0020,I
2790 STA #0020,I
2800 STA #0020,I
2810 STA #0020,I
2820 STA #0020,I
2830 STA #0020,I
2840 STA #0020,I
2850 STA #0020,I
2860 STA #0020,I
2870 STA #0020,I
2880 STA #0020,I
2890 STA #0020,I
2900 STA #0020,I
2910 STA #0020,I
2920 STA #0020,I
2930 STA #0020,I
2940 STA #0020,I
2950 STA #0020,I
2960 STA #0020,I
2970 STA #0020,I
2980 STA #0020,I
2990 STA #0020,I
3000 STA #0020,I
3010 STA #0020,I
3020 STA #0020,I
3030 STA #0020,I
3040 STA #0020,I
3050 STA #0020,I
3060 STA #0020,I
3070 STA #0020,I
3080 STA #0020,I
3090 STA #0020,I
3100 STA #0020,I
3110 STA #0020,I
3120 STA #0020,I
3130 STA #0020,I
3140 STA #0020,I
3150 STA #0020,I
3160 STA #0020,I
3170 STA #0020,I
3180 STA #0020,I
3190 STA #0020,I
3200 STA #0020,I
3210 STA #0020,I
3220 STA #0020,I
3230 STA #0020,I
3240 STA #0020,I
3250 STA #0020,I
3260 STA #0020,I
3270 STA #0020,I
3280 STA #0020,I
3290 STA #0020,I
3300 STA #0020,I
3310 STA #0020,I
3320 STA #0020,I
3330 STA #0020,I
3340 STA #0020,I
3350 STA #0020,I
3360 STA #0020,I
3370 STA #0020,I
3380 STA #0020,I
3390 STA #0020,I
3400 STA #0020,I
3410 STA #0020,I
3420 STA #0020,I
3430 STA #0020,I
3440 STA #0020,I
3450 STA #0020,I
3460 STA #0020,I
3470 STA #0020,I
3480 STA #0020,I
3490 STA #0020,I
3500 STA #0020,I
3510 STA #0020,I
3520 STA #0020,I
3530 STA #0020,I
3540 STA #0020,I
3550 STA #0020,I
3560 STA #0020,I
3570 STA #0020,I
3580 STA #0020,I
3590 STA #0020,I
3600 STA #0020,I
3610 STA #0020,I
3620 STA #0020,I
3630 STA #0020,I
3640 STA #0020,I
3650 STA #0020,I
3660 STA #0020,I
3670 STA #0020,I
3680 STA #0020,I
3690 STA #0020,I
3700 STA #0020,I
3710 STA #0020,I
3720 STA #0020,I
3730 STA #0020,I
3740 STA #0020,I
3750 STA #0020,I
3760 STA #0020,I
3770 STA #0020,I
3780 STA #0020,I
3790 STA #0020,I
3800 STA #0020,I
3810 STA #0020,I
3820 STA #0020,I
3830 STA #0020,I
3840 STA #0020,I
3850 STA #0020,I
3860 STA #0020,I
3870 STA #0020,I
3880 STA #0020,I
3890 STA #0020,I
3900 STA #0020,I
3910 STA #0020,I
3920 STA #0020,I
3930 STA #0020,I
3940 STA #0020,I
3950 STA #0020,I
3960 STA #0020,I
3970 STA #0020,I
3980 STA #0020,I
3990 STA #0020,I
4000 STA #0020,I

```


A Flash Of Genius!

THE NEW 64 MULTIMODEM



GIVES YOU DATABASES, BULLETIN BOARDS, ELECTRONIC MAIL, PRESTEL — ALL ON YOUR COMMODORE 64 OR 128

At last! The perfect modem for your Commodore® 64 or 128, giving you access to Prestel™, Microworld, Viewdata and a host of other services — plus user-user communications. It couldn't be simpler. The 64 Multimodem has internal and autoanswer, with all control

software on-board in ROM. 64 Multimodem fits your Commodore's cartridge port, and has just one external connection — the telephone lead.

The 64 Multimodem is menu driven and multiplexed, with CCITT V.21/22 and Bell 103 standards, handling baud rates of 300/300, 1200/75 and 76/1200.

Functions include save and print frame and automailbox with edit and save.

Buy your 64 Multimodem now and we'll give you free introductory subscriptions to Microworld and Microlink™ — an unbeatable package at an unbeatable price — it's pure genius!

£98.50
(exc)



Approval applied for

Top Grade (marked on the original packaging)

From the Communications
Powerhouse



MIRACLE TECHNOLOGY

MIRACLE TECHNOLOGY (UK) LTD. ST PETERS STREET, IPSWICH IP1 1XB, ENGLAND
(0478) 216 141 6 LINES TELECOM GOLD 79 KEY 001 (Dealers 72-878 10136)
946240/CWEL5Y G 10002085 PRESTEL MAILBOX 519990269

Send to:
Commodore Support, Miracle
Technology (UK) Ltd.,
St Peters Street, Ipswich IP1 1XB.

please flash me
64 Multimodem/s
@ £116.75 (inc VAT & UK delivery)

I enclose cheque/postal order
Please debit my Access/Visa

card no: _____


name: _____

address: _____

postcode: _____



THE GAME
OF A LIFETIME*



Available for Commodore 64, Spectrum 48K, and Spectrum +. Coming soon: Amstrad and MSX.



FIREBIRD

486 3400 507 77486 - 1987 1 800 368 8888
© 1987 GIGAWATT GAMES LTD. - LONDON SW19 4JH

**Gold
Edition**

SPRITE IDEAS

When you are designing a game one of the longest jobs is designing the sprites. If you are good at art then fine, if not your next member will probably end up looking like a square box with legs.

Now, Your Contributor comes to the rescue once again with Sprite Ideas. If you have designed any sprites for games and you don't mind other people seeing your masterworks then why not send them in to us. Each month we will be offering £10 for the best entries.

Your sprites can be anything at all (within reason), if you've designed a series of animated characters then send in the lot. We'd love to have a look at them.

So, next time you are after an idea to put in your new game, have a look in this section of the magazine and you may find just what you are looking for.



64 001000,000,000,000,000,000,000
65 001000,000,174,120,002,174,146,420
66 001070,148,042,170,170,042,180,170
67 001000,200,120,046,200,120,042,170
68 001070,042,170,170,004,174,146,420
69 001070,148,042,170,148,042,170,140
70 001000,170,120,000,170,120,000,034
71 001000,000,024,000,000,000,000,001

Crater
J Garton
: Rotherham



27 001000,004,000,001,000,000,000,140
28 001000,000,140,000,000,034,000,000
29 001000,000,000,012,012,000,042,140
40 001000,000,140,000,000,140,014,170
41 001000,000,001,120,000,042,000,000
42 001000,000,000,000,000,000,042,140
43 001000,012,001,000,012,000,000,042
44 001000,000,000,000,000,020,000,000

Archer Tony Crowther : Sheffield



22 001000,000,000,000,000,170,000,170
26 001020,002,120,220,000,170,040,000
27 001020,170,000,000,170,000,001,170
28 001000,220,114,002,120,220,044,171
29 001020,001,120,220,000,220,214,000
40 001000,170,000,000,170,000,012,170
41 001000,170,040,000,000,120,000,170
42 001020,000,012,170,000,000,000,000

Dog
Tony Crowther
: Sheffield

86 001000,000,000,022,000,001,040,000
87 001000,000,000,042,002,170,120,020
88 001070,140,022,170,120,042,150,120
89 001000,217,222,041,122,000,046,187

50 001070,042,224,220,014,140,146,020
51 001010,148,001,148,148,000,020,000
52 001000,042,000,000,110,004,000,170
53 001010,040,170,120,000,000,170,042

Shrimp J Garton : Rotherham

The Bugs are back!

Catch
the Bug!



DIAGON

— Kinetix TV and the Di-
— Phoenix wars rage
— on... Control the
— Diagon network
— through 10 levels of
— defence. M-DIAGON
— versus horror. It's a
— clash in the last lane
— and rounds your
— mother will love.



Q WARRIOR

The year 2139. You
are earth's champion
against the invading
forces. You have the
latest Q type ship at your
control. The killing field
approaches. Survive and
save the world. Competing
arena action in the classic
style. Fast and furious.

£2.95

BUG-BYTE



Argus Press Software Group - Liberty House, 232 Regent Street, LONDON W1R 7DB Tel: 01 439 0555

COMMUNICATION

All the latest news, views and more rumours on line from David Jorda.

WELCOME TO THE FIRST HOW-TOOR Communications Corner. Each month this column will be devoted to news about the various ways in which you can communicate with your Commodore.

A large amount of space will be devoted to developments on the two major public DBs: Compuserve and Micronet 800. Other systems including bulletin boards, videotex systems, and such like will also be covered.

As well as looking out into our DBs I'll also inform you of the latest comms software and modem news. So, if you have any news, views, hints or tips then pass them on to me. I would like to make this column as interactive as possible so please feel free to drop me a line here at Your Commodore, or via one of the systems I visit.

Bits

Considering buying a C128? If so, then you will have problems using your existing Commodore modems together with the Datamate recorder. Apparently the C128 C64 modem, when used on the C128, C64 abstracts the cassette port, thus leaving behind that Commodore is producing an identical modem, with a different casing, which, when plugged in the back will allow you to use the cassette port.

FACE produces the popular Nightingale modem for BSC users and is now developing a comms package for the C64. Details are scarce at the moment, but the package will no-doubt be supplied with an interface allowing total freedom to be connected to the back of the C64.

The price of Gallery pages (32K) on Micronet is about to go up. The News PB program told me that they have about 600 persons waiting to get Gallery pages, and people waiting to get frame would call that the new charge per frame would be "about the more serious user". Here, I'd call it flushing out the wilies myself.

Micronet News

A number of new services have been, or soon will be, introduced on the Net.

The big news is that the 'folly' Sky Four area has moved back onto and beyond the Clubnet 500 to Micronet. The Net team Clubnet 500 to Micronet said: "It was here in the press release admits it was here in the past." The idea of a 'folly' was dead in the past. The idea of a 'folly' was dead in the past. The idea of a 'folly' was dead in the past. The idea of a 'folly' was dead in the past.

The existing services the Net provides for the Commodore owner. **SM** is run by Andy Walker (218894528), and I must say it does look good! Andy wants SM to be as interactive as possible with lots of reader response and contributions. So next time you're on the Net GO TO page 89933.

Micronet's month Public Relations man, Peter Probert has spilled the beans on what the Net is going to do in the next future.

First, a new multi-channel Chatline service should be in operation by the time you read this. The new Chatline service will offer 30 channels, some of which will

be available to the general public. Unlike the present chatline service which is slow, the new multi-channel job will offer instant replies. As I understand, each channel will be dedicated to a specific topic e.g. computing, current affairs and sports. The word is that one of the 30 on channels will be "adult only". News on channels will be "adult only" will provide one and all with a good laugh.

Buttons is a new entertainment area that will offer licensed travel agent assistants and such like, quizzes, competitions and so on. If you have an original idea for a quiz or such like, then contact the Net which might even give you some money for the idea.

Biznet is the Net's first non-interactive version. The 500 page area will provide business information for small business users. Topics covered include legal advice, accounting, financial advice (and the list goes on).

Oops! I've already run short of space, but I must tell you that the editor (Bob) and myself were given a brief look at the new C88 simulator that is being developed. Unlike most electronic C88 simulators, this one splits the screen into two parts. The top part will display messages that have been sent by other users and yourself, whilst the bottom bit is used by you to log in your message.

The rumour dept. has just informed me that Computer is experimenting with a home banking service. Apparently one of the big banks is involved, and I will bring you more details next time.

Don't forget to drop me a line on: Email: 9999007, Compuserve: 7008 CDM.

LOST?
Goto 1
Goto 2
Goto 3


Don't panic!
Seven-fast Index
Help with Telesoftware
Finding your way

SPECIAL 64 & MORE

1.1. 64K 100K 100K	2.1. 64K 100K 100K
3.1. 64K 100K 100K	4.1. 64K 100K 100K
5.1. 64K 100K 100K	6.1. 64K 100K 100K
7.1. 64K 100K 100K	8.1. 64K 100K 100K
9.1. 64K 100K 100K	10.1. 64K 100K 100K
11.1. 64K 100K 100K	12.1. 64K 100K 100K
13.1. 64K 100K 100K	14.1. 64K 100K 100K
15.1. 64K 100K 100K	16.1. 64K 100K 100K

CORNER





Allen Webb
demonstrates random
access on the T541.

ONE OF THE PRIME BENEFITS of having a disk drive is the ability to access information both sequentially and by random access. Most of you will have used simple files such as sequential and relative files.

Sequential files are files in use when, if you want only a portion from the middle of the file, you must first load the earlier unaccessed portion. Relative files offer greater power in that you can use a relative pointer to access a specified portion, but all records must be the same length to compensate.

The alternative approach is to use random access. This method, used by most advanced programs, appears rather daunting because you need to develop an operating system to manage it. However, in reality it is easy to use for simple storage systems.

In this short article I plan to explain the basics of random access and describe the command available to use it. These principles will be illustrated by two example programs. The first is a storage system for adventure data and

the second a simple filing system. Much of the information here is given in the handbook accompanying the disk drive but the treatment is a little obscure and the worked examples of little use.

When formatted, floppy disks have a number of concentric steps or tracks. On the T541 there are 35 such tracks, each track is subdivided into sectors. The number of sectors varies depending on the position of the track. The outermost track holds 21 sectors and the innermost 10. Each sector holds 256 bytes of data.

The random access commands allow you to store and retrieve data from these sectors. All you need to do is keep track of which data lies where. The examples given in this article deal with the simple case of records of 256 bytes (i.e. one per sector). Larger records require an operating system to remember where they are kept. This is generally necessary in microcomputerized data bases.

Before describing the syntax of the commands, I will explain some abbreviations. I will use the following system of shorthand:

File Number—FN
Device Number—DN
Track Number—T
Sector Number—S

Channel Number—CH
Buffer Number—BN
Buffer Pointer—P
Driver Number—DR

The commands to manipulate data at this level reside in the disk drive so a system must be adapted to access them. Data communication is performed by means of data buffers in the drive. You can either specify a buffer or ask the DCR (Disk Operating System) to select one for you. The buffer is triggered by opening a data channel by use of one of the commands:

OPEN FN,DR,CH, BN"—
Opens a channel to buffer BN
OPEN FN,DR,CH, " "—Ask
DCR to choose a buffer

For example: OPEN
2,2,1,"3"—Opens data
channel 2 using buffer 3
OPEN 2,2,1,""—Opens data
channel 2 to any buffer

Disk commands must be accessed via channel 15 in a manner similar to those for formatting the disk etc. The command to open this channel is, for example:

OPEN 15,8,15

You may only work on data in a buffer so more than one step must be carried out. First you must load or save data in

the buffer and this must then be stored or retrieved from the buffer. Manipulation of data in the buffer is handled with POINT and GET commands. In a manner similar to relative files, a buffer pointer is available to specify the byte manipulated. The command to use the pointer has the syntax:

PRINT 15,"B"CH,P
i.e. PRINT 15,"B"2,110

The example opens data channel 15 in open and sets the buffer pointer to byte 110. If you wish to perform GET 2,85 after this command byte 110 would be loaded into 85. Similarly PRINT 2,85 would be byte 85 into the buffer at position 110.

The buffer is read from disk or written to disk by the block read and block write commands. Block read is:

PRINT 15,"B"R"CH,DR,15

i.e. to read sector 1 in track 8 from channel 15 to drive 8 use:

PRINT 15,"B"R"2,8,8,1

Block Write is:

PRINT 15,"B"W"CH,DR,15

i.e. to write buffer to sector 8 in track 2 from channel 15 to drive 8 use:

PRINT 15,"B"W"2,2,8,15

That is all you need to do the job. Unlike other files, the tracks and sectors to which you write are not protected from overwriting. To prevent this danger, the area must be reserved in the disk's Allocation Map by use of the block allocate command:

```
PRINT IS,"B-A",DR:TS
```

To deallocate a block use:

```
PRINT IS,"B-R",DR:TS
```

Even if you do allocate your data, the use of the validate command will deallocate it, so be warned!

One final tip—always open the two channels early in your routine and don't forget to close them when you've finished. To see the use of all these commands look at the two listings.

The first listing is a simple

data file for adventures and its logical follow-on from my last series on adventures, published earlier this year. The routine assumes that you want to save location descriptions or messages up to 255 characters long. Each message or location stored in its own sector. The first 20 tracks can be used, each with 20 sectors giving storage up to 400 strings. The track and sector corresponding to any given string is easily calculated as in lines 113 and 153. Option 1 reserves the first five tracks. Line 30 can be altered to reserve up to 20 tracks. Option 2 saves the string and option 3 recalls them. The strings are terminated by "" which acts as a sentinel to warn the routine to stop. Lines 275-300 can be used in your adventure to recall and print a string.

The file in listing 2 uses a similar approach. Each sector holds one record of 256 bytes.

Each record is terminated by "". A record can be split into fields by carriage returns but the whole record is still only one string.

Option 1 performs three functions:

1. Formats the disk.
2. Block allocates the first 20 tracks.
3. Stores "" in each sector in the first 20 tracks.

A sector holding just "" is regarded as a null record.

Option 1 allows the entry of a record. You will be prompted for each field and you should terminate a field by pressing RETURN. The data base can originally access to save the contents of disk. Each program on a disk was a field and the complete disk was a record.

Option 2 allows you to examine a specified record. Output to printer is available.

Option 3 performs a simple

search for a specified character pattern in a record. For example, assume that record 5 holds the fields:

```
COBBLE  
CARAFE  
LION
```

A search for CARAFE will stop through each record in turn until record 5 is searched. The search will then stop. The search would also find CAR at 1016. You can easily use the data base to save addresses where the fields could be:

```
NAME  
ADDRESS  
PHONE NUMBER
```

I hope that by studying these listings you will gain the ideas behind random access. I don't claim that these programs are complete or in any way striking—they simply do a job in a simple manner.

```

10 DIM A(1000)
20 DIM T(6),F(5)
30 DIM I
40 DIM A(6),B(5)
50 DIM J
60 DIM C(1000)
70 DIM
80 PRINT C(0),C(1),PRINT C(2),:PRINT C(3),:DIM I(40)
90 PRINT C(4),C(5) : DIM F(6),J,:A=I(6)
10 PRINT C(6),C(7),C(8),C(9) : DIM B(5)
110 PRINT C(10),C(11),C(12),C(13)
120 PRINT C(14),C(15),C(16)
130 PRINT C(17),C(18),C(19)
140 DIM T(6),F(5) : DIM I(40)
150 DIM J(10),K(10),L(10),M(10)
160 DIM
170 DIM
180 DIM
190 DIM J(10),K(10)
200 DIM I(40)
210 DIM C(1000)
220 DIM C(1000)
230 DIM C(1000)
240 DIM C(1000)
250 DIM C(1000)
260 DIM C(1000)
270 DIM C(1000)
280 DIM C(1000)
290 DIM C(1000)
300 DIM C(1000)
310 DIM C(1000)
320 DIM C(1000)
330 DIM C(1000)
340 DIM C(1000)
350 DIM C(1000)
360 DIM C(1000)
370 DIM C(1000)
380 DIM C(1000)
390 DIM C(1000)
400 DIM C(1000)
410 DIM C(1000)
420 DIM C(1000)
430 DIM C(1000)
440 DIM C(1000)
450 DIM C(1000)
460 DIM C(1000)
470 DIM C(1000)
480 DIM C(1000)
490 DIM C(1000)
500 DIM C(1000)
510 DIM C(1000)
520 DIM C(1000)
530 DIM C(1000)
540 DIM C(1000)
550 DIM C(1000)
560 DIM C(1000)
570 DIM C(1000)
580 DIM C(1000)
590 DIM C(1000)
600 DIM C(1000)
610 DIM C(1000)
620 DIM C(1000)
630 DIM C(1000)
640 DIM C(1000)
650 DIM C(1000)
660 DIM C(1000)
670 DIM C(1000)
680 DIM C(1000)
690 DIM C(1000)
700 DIM C(1000)
710 DIM C(1000)
720 DIM C(1000)
730 DIM C(1000)
740 DIM C(1000)
750 DIM C(1000)
760 DIM C(1000)
770 DIM C(1000)
780 DIM C(1000)
790 DIM C(1000)
800 DIM C(1000)
810 DIM C(1000)
820 DIM C(1000)
830 DIM C(1000)
840 DIM C(1000)
850 DIM C(1000)
860 DIM C(1000)
870 DIM C(1000)
880 DIM C(1000)
890 DIM C(1000)
900 DIM C(1000)
910 DIM C(1000)
920 DIM C(1000)
930 DIM C(1000)
940 DIM C(1000)
950 DIM C(1000)
960 DIM C(1000)
970 DIM C(1000)
980 DIM C(1000)
990 DIM C(1000)

```


• AIR • COMBAT • EMULATOR •
• BY CASCADE GAMES •

£10.95
INC. FREE WATCH
AND POSTAGE

T

THE FASTEST GAME ON TWO WINGS!
AND A FREE MULTIFUNCTION CALCULATOR WATCH

The new **ACE AIR COMBAT EMULATOR** packed with exciting graphics, a fly by the book, real realistic flight simulator available for the first time on a compact handheld! Includes everything you need to enjoy it: storage into modes, and real-time graphics stored from a printing ribbon printer output.

Featuring over 100 graphics, ACE has the most real detailed cockpit view ever! See and fly the cockpit with real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

It comes with a manual, you can play with it for hours! Includes real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

The entire ACE emulator, with 100 graphics, including real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

ACE SCENARIO
A full action scenario, including real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

Includes everything you need to enjoy it: storage into modes, and real-time graphics stored from a printing ribbon printer output.

ACE - EXPERIENCE IT NOW!
Full-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• 100 graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Full-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Full-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Full-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Full-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Full-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.

• Real-time graphics, including real-time graphics, including real-time graphics, including real-time graphics.



ACE - EXPERIENCE IT NOW!



FREE!!!

Order ACE today and receive this fantastic:
20 KEY MULTIFUNCTION CALCULATOR WATCH

ABSOLUTELY FREE!!

PRICE £10.95 (CBM 16 and VIC 20 £9.95)

Postage FREE (UK), additional overseas orders

ALLOW 28 DAYS for delivery

ORDER TODAY, RECEIVE TODAY BY

1. VISA

2. MASTERCARD

3. DEBIT CARD

4. CREDIT CARD

5. PAY BY CHEQUE

6. PAY BY CARD

7. PAY BY CASH

8. PAY BY BANK

9. PAY BY POST

10. PAY BY PHONE

11. PAY BY FAX

12. PAY BY TELETYPE

13. PAY BY AIR

14. PAY BY SEA

15. PAY BY RAIL

16. PAY BY BUS

17. PAY BY TRAIN

18. PAY BY AIRLINES

19. PAY BY SHIP

20. PAY BY SPACE



CONCEPT

CODENAME MAT II

Demarc 1876 cassette £19.95 (pb)

R.C.

4 8 8 7



MAT AND THE MYONS join battle in a Star Trek style game based around the Karfilium rich mining planet of Vora. The mines are precious to the occupying Earth forces because Karfilium can turn a barren desert into a fertile jungle.

Mat is the sole defender of the satellite network which supplies power to the mines and must use all his skill to maintain the flow of power in the face of the Myan fleet. The ship he commands is the Centurian II which is armed with both laser and plasma cannons, warp and ion drive, plus a comprehensive range of guidance systems and defence

mechanisms.

The player must control the ship using a fair range of cursor keys but this situation can be alleviated slightly by the use of a joystick.

Defensive shields and automatic shutdown systems can be toggled on and off but why anyone would want to turn off the defence shield, I cannot imagine. The shutdown safety device is a gasp against pilot error and will prevent over-heated weapons from exploding or short a warp if the front shield is damaged.

The operations quadrant can be viewed to ascertain where the enemy lies and locate the most vulnerable satellites in the

grid. As each satellite is damaged its colour changes from white to red. The satellite grid is four units deep and each row can only supply power if all of the satellites in that row are operational. The amount of power supplied is related to the weakest unit in a particular row but at the end of each attack wave repairs can be made and satellites moved to make the most of the dwindling resources available.

Once the enemy is located the quadrant display can be used to calculate the angle and distance from your current position and the warp drive will carry you into battle position. By switching to the battle computer, locating and approaching the enemy can be affected by using the automatic location indicator and the ion engines.

The ensuing battle is fairly standard but the graphics give a particularly good 3D display which makes you feel that the enemy is approaching at speed. Each wave of attacking ships have different characteristics and firing abilities, the new wave being more cunning and faster than the previous one. Incoming plasma bolts must be dodged but I did find that using the ship to ram the enemy in

the early stages gave a reward, if somewhat drastic, means of defence.

Damage can be repaired between battles by allocating one, or both, of the ship's shields to the strikers area. Repairs take time and that is why remaining can only be used against the first two attack waves. The longer you refuse to repair, the more damage can be done to the satellite net. Repairs can also be undertaken between attack waves and these are done more quickly. An allotted time for the repairs is given and, on selection of the area for action the clock ticks down as the amount of damage decreases.

An excellent feature of the game is the load/save facility so that you can either continue later or go back a stage if an error of judgement was made. You only have one ship so this form of insurance is most valuable if you want the highest possible score.

Of the Star Trek games, this is one of the best games I have encountered. The graphics are very good and the sound is adequate though not stunning. If you're not fond of this kind of simulation, you won't find a better version.

MINNIE THE POOH IN THE HUNDRED ACRE WOOD

Kodak £17.95 (pb)

R.C.

6 7 8 8



You are in Pooh's house.

The screen and over age group provides a perceptive appreciation for world-fame adventures. No goblins lurk round the corner in this one, not even a Heffalump or a Blooble. The worst thing that can happen is that the blenny wind can blow up any minute and scatter the objects you're looking for.

Yes, Tigger and the rest of Pooh's pals have all lost something and your task is to find and return the items to their rightful owners.

There is a detailed map and tabling of information on the personal habits of all.

As you wander through this

adventure exploring all the haunts you'll discover finding the objects is more difficult than it first appeared as a few red herrings and dead ends have been included. These are pointed out by rather comical attempts at humour.

The full-colour graphics are excellent and the game is diverting enough to give enterprising adventure hours of gentle aggravation.

Within the Pooh offers an amiable and absorbing journey and is designed to foster educational side effects in reading, problem solving and map comprehension. But it is - or they'll say Tigger round.

SCHIZOPHRENIA

Quintessential 37.95

L.D.



DR. SKYLL AND MR. HYDE were two faces of one man's personality, but what would happen if both of them existed at the same time? This is precisely what has happened in Schizophrenia. Alphaone T. Nord is a cleaner who splits his persona while playing with an Atomic Particle Separator instead of doing his job. The result is two Nord's, one good and the other bad.

For the sake of clarity I will call the original Alphaone A1 and his alter-ego Nord.

A1 knows that there is a Recombination Chamber somewhere in the lab, but he must lure Nord there first. Everything that A1 does, Nord tries to undo, which makes the game a unique experience.

The first screen is one of the most difficult to master because Nord is there all the time. A1 must open the door to the laboratory by unlatching both bolts and pulling a lever. Nord wanders about unlatching bolts, pushing levers and fiddling about with a timer

switch and score counter. If A1 should meet his other self, Nord gives him a swift punch which sets A1 hopping about the screen. Similarly, if he falls off the stairs or the balcony he surrenders as he crashes onto the floor.

Once you work out a sequence it becomes relatively easy to complete this stage as long as you keep your wits about you.

The next four screens rely on your powers of deduction, timing and dexterity for success. Nord only appears occasionally and in some cases you can keep him out of the way altogether until the crucial final moments.

In Area Two you have to raise yellow beams to the top right hand corner of the room using lifts. Unfortunately, some of the lift controls can only be reached by standing on stacked boxes so careful planning is necessary if Nord is not to undo your good work with a swift kick.

Lift cleaning is the object of Area Three, ending up with all of the lifts on the ground floor. Working out how to get the lifts

there at the same time is the major problem and preventing Nord from dirtying them up again adds to the difficulty.

Before reaching the Recombiner the lights must be turned on in Area Four. This is done by setting a row of switches in the correct combination of off and on positions. In one of the elevators lures Nord and he will stay in the room until the light goes on, so you have to find out where he is and take action accordingly.

Area Five is A1's goal and his greatest challenge. He must lure Nord into the Recombiner after having set the generator switches, the S/T coordinates of the unit and the power. Nord is not too keen on this and will do his utmost to upset the plan.

Schizophrenia is unlike any game I've played. The graphics are interesting, particularly A1's silly walk, but all of this is secondary because most of the action takes place in your mind. No two ways about it, I'll buy a couple of copies for both of me.

IMHOTEP

Ultimate 39.95

L.D.



IMHOTEP THE WISE, servant of the god Ra, Pharaoh of Egypt has been entrusted with a mission to save the land

from famine. So fierce is the hunger of the people that he must seek guidance from Thoth, the keeper of

knowledge.

In his wisdom, Imhotep knows that the secret of how to make the Nile live again lies in the hands of a beautiful princess who holds the books known as the books of Ra. In his foolishness Imhotep has chosen to ask Thoth to guide him to the princess.

The journey is a hazardous pathway through the land of the (jaws) nomads. Mounting a giant crocodile, Imhotep starts his journey and so prevent day mortal lend a hand.

Many of the jaws ride on crocodiles like (jaws), dives and fly across the sky but some are true warriors with las mounts and deadly aim. It's

rather like driving the wrong way down a motorway. The action is frantic, like playing deftly without recourse to a smart bomb.

Soon the crocodiles add to your problems by harrying loadsters from the skater at the pyramid. Once through this stage a hail of thunder bolts rent the screen. With all the lives expended and my pocket increasing with perspiration I reached my limit.

Ultimate estimates that beyond this point there are masses to negotiate and the list of features is impressive.

Great scrolling graphics and superb action make this an interestingly addictive game.

WIZARDRY

The Edge 57/51

1.0.



"DRIVEN WAS QUITE SURE OF one thing, that he should never have contemplated becoming a sorcerer!" he begins the booklet which accompanies this game and, as you lead him from room to room in the Castle of Illusions, it soon becomes clear why he feels this way.

The Loremaster demands that each novice sorcerer undertake the quest to find the Prime Elemental hidden in the depths of the castle and now it is Driven's turn to take this final test of his fighting and spell-casting powers.

Before the quest can be completed there are several

passwords to be entered as Driven progresses towards his goal.

The castle is represented in 3D looking from a viewpoint very similar to that used in Zaxxon. The only rooms you can see is the one you are currently occupying, but doors are quite clearly indicated. Behind the doors lurk a myriad of monsters such as winged skulls, minotaurs and scorpions, but only one creature defies Driven's armory of magic and steel and guards the way towards the inner sanctum.

Somewhere in the maze is a spell which will enchant this guardian and allow Driven to pass but much searching and

spell casting is needed first.

As Driven ventures forth he finds chests which may contain extra spells but occasionally they contain evil surprises. Spells can usually only be used once so care must be taken to direct them precisely towards their target or a vital spell may be lost forever and the quest foiled.

One spell which is essential to keep in good supply is the healing spell. This replenishes our hero's waning strength after battling with the apparitions in the castle. The screen display shows Driven's current state of health as well as a scrolling list of the spells he possesses. Care must be taken to have a suitable touch of magic near to hand when entering a new room and you can find out what the best one will be by entering the room briefly and listening to the musical clues.

Another spell which will be needed is called 'tell tale' and this is the help facility which will cause a pair of moving lips to appear while a cryptic clue appears on the screen. Success with a spell raises Driven to turn purple but if you use a black and white monitor you will have to watch the screen very closely to see any

change at all, but it's almost worth buying a colour monitor to play this game!

Sometimes a spell cast in one room has no apparent effect but the colour change indicates that something has happened - even whether it. Beginning to the room where the spell was found usually reveals a surprise.

The first guardian to be encountered is a minotaur and the booklet describes how to solve the problem just to get you started, from the second phase on you're entirely on your own.

The music and the graphics in this game are very good indeed, though I did find the movements difficult to master at first. Spell casting caused similar problems, but all of the rooms have flagsstones and the main floorset can be used as a guide.

The principal aim is to preserve your spells for times when they may be really needed. Often loss can be offset in the early stages and the skilled use of a sword can dispatch some of the less powerful creatures. The puzzle element makes the game like a series of problem solving games and their solution is both engrossing and enjoyable.

THE CASTLES OF DOCTOR CREEP

Arbitrator 9/8

1.1.



DEFINITELY THE BEST feature of this platform game is

that two players can join each other against the castle's

destructive forces, rather than fight each other.

A word of warning, though, your 'friend' may think it is much more fun to help you only up to a point whereupon he may 'stab you in the back'.

Tread carefully through the corridors lest you make a stumbling Frankenstein or a murdering mummy. Matter transmitters can flash you across a room in an instant, but beware you don't land within range of a ray gun, which can zap you right back to the entrance of the castle.

The player must load the scenario for each castle separately, by rewinding the tape to the beginning of side

two and reloading it. The menu presents the castles in order of difficulty and offers you the option of either an unlimited number of lives or only three.

The challenge is to find the exit door and leave the castle in the quickest possible time. A colour-coded screen mapping out the player's progress is shown every time a life is lost. This diagram also shows the position of the entrance to the next room.

The inlay meretricious piped music but the only sound emitted from the caddy is occasional high and low toned beeps. This is a stimulating game which will keep anyone's interest for hours.

ACTION REPLAY



SPY V SPT: THE ISLAND CAPER

Beyond 13.95

E.D.



THOSE HINDISH SECRET agents from the pages of Mad magazine are at it again.

In the first spy v spy game they were restricted to searching a building but now they have been left loose on a volcanic desert island. This time the enemies must fight to find a hidden missile. Speed is of the essence because the volcano is due to erupt and cover the island in molten lava. As usual our heroes seem totally oblivious to the danger and are more intent on each other's destruction as they squabble for possession of the three parts of the missile.

The most impressive feature of the game is the simultaneous

action screens. The display is literally split and one spy is controlled in the top sector while the other scurries about on the lower display.

Intuitive as ever, the spies have discovered how to use the resources of the island to make destructive anti-personnel weapons. Coconut bombs, mines and pits complement the natural hazards of quicquid and duck related waters and the unusual hazards of seaweedly and guile.

Central control is exercised by the skillful use of the Navigator which tells you what objects you are carrying, your current strength and the time

left before the eruption begins. All functions are controlled by your joystick and you have to be pretty dextrous if you are going to defeat the computer control option.

At first I found it best to select the two player option so that I could practice digging pits and setting all of the other traps, as well as loading the missile parts and screwing them together.

The fact that the other spy does not move makes it awkward when you both occupy the same bit of the island, both in the rivalry of the two spies that they would rather fight than search. Since both of these actions require you to press the fire button, you cannot search when you are together. This means moving, or killing, the second spy while you search for 'those' pits.

Once you have mastered the skills of the game, you are ready to compete. Each spy sets about the business of finding the missile parts and the necessary components for setting booby traps to slow down or eliminate his opponent. Coconut bombs, napalm, swords and guns can be used as found though some of the bullets in the game may turn out

to be blanks. Other traps have to be constructed.

A pit can only be made if you find a spade and the pit can be more effective if it is turned into a gully pit by placing a sharpened stake at the bottom. Mines can be rigged up to a palm tree if you find the rope to do it with and the unsuspecting spy will hang upside down for several seconds if caught. To add to all this nastiness, bombs and mines can be set over buried missile parts but remember my warning about the indiscriminate nature of booby traps, and also remember to watch what your opponent is doing and where he is doing it.

When all three parts of the missile are in your possession, you must locate your escape submarine which will escape the island and then rendezvous with it by waiting out to sea. This can be difficult because you submerge and lose strength. Make sure you are feeling healthy enough to attempt it and look out for sharks.

The Island Capers is extremely enjoyable to play because of the superb cartoon graphics and makes an excellent follow up to its predecessor.

A.C.E.

Cascade 13.95

E.D.



A.C.E. IS A SIMPLE SIMULATOR which involves a strategic war game and control of a C-16 will

already be familiar with the earlier version.

You have to select the kind

of mission and the armaments which you think will be required.

Getting into the air is simply a matter of attaining the correct speed, pulling back on the joystick and raising the undercarriage. Now you have to locate the enemy by consulting the map which shows all the advancing enemy forces.

Using the joystick and screen display, it is an easy matter to set your course to intercept the enemy as long as you can read a compass. Occasionally switching to the map ensures that you're on the correct path.

Refuelling can be achieved

by either landing at an allied landing strip or by rendezvousing with a tanker in mid-air. Of the two, the tanker is mid-air the trickiest because you have to match height and speed to hit the trailing refuelling nozzle, and that's after you've found the stretched thing!

Casualty with the enemy relies on fast reactions, especially in air to air combat. Everything seems inclined to fly back but with machine guns blazing and heat seeking missiles flying, the battle soon becomes so absorbing that you have to remember to keep an eye on your height and speed.

➤ ACTION REPLAY



WHO DARES WINS II

Alliga 67.95

E.O.



IN THIS GAME YOU MUST pretend to be a John Wayne-style one-man army as you fight your way through eight battlefields with guns blazing and grenades flying.

You have volunteered for a suicide mission to liberate your lost comrades-in-arms from the clutches of the enemy. To do this means penetrating

deep into their territory and facing whatever problems they may throw at you, armed only with an inexhaustibly loaded rifle and a dwindling supply of hand grenades. Luckily, the enemy has left cases of grenades lying around which will replenish your stocks.

The enemy is always to the north (up the screen) and once

the screen scrolls up a line or two there is no going back.

At first the enemy only has the same weapons as yourself, but soon you start to face mortar fire and armed pill boxes, which can be overcome without the use of a grenade but a well-placed lob means life becomes much easier.

Every now and then a prisoner is facing a firing squad and his freedom lies in your hands. A carefully aimed shot will dispatch the guard and award a bonus mark. This is the enemy but in practice I found that my little lieutenant seemed to be of the opinion that a dead comrade tells no stories and often the guard escaped while the prisoner performed his death dance prisoner!

Physical barriers also cause problems. The soldier cannot be punctured by greedy ponds and quibbled. Negotiating a pathway through these obstacles, under fire, is difficult but not as problematic as passing under the roads which criss-cross the landscape.

Frequently a barbed wire border is guarded by a gun emplacement and if your soldier has used up all of his

grenades, the only way to advance is to get your teeth and charge. As you pass into the tunnel your soldier disappears from sight and careful manipulation of the joystick is necessary to avoid the incoming bullets.


A successful charge inevitably brings you to the door of a safety post which opens to discharge a horde of troops under the command of an heroic captain who makes a last-line all the screen to safety. If you can shoot him before he gets you are rewarded with a bounty of 1250 points, but even this high bounty is worth more worth sacrificing in the face of so many other troops harrying in.

If all this wasn't sufficient to keep you busy, an extra bonus can be scored by destroying a ditch escaping across a river and the occasional plane struts its way across the screen.

Once all the enemy has been killed you are allowed to advance to the next of the eight levels. Success at level eight takes you back to the opening screen but the enemy has taken new heart and fights more ferociously.

RED ARROWS

Dataphor Software 6.95



FLYING WITH THE RED Arrows must be the dream of many people. Now you can get the experience on your C34.

Unfortunately the reaction of the plane is very slow and clunky.

Eight of the formations which the Red Arrows use in their displays are represented in the game and you are Red 1. This means that you can use your radar to shadow Red 8 who is always in the mirror image position of your jet.

Menus give a wide range of options to help you learn how to fly and each manoeuvre can be tackled individually until you feel ready to join in a

full display.

It is a pity that the screen display occasionally seems at odds with the action because of the closeness of the display. It is such a good simulator in terms of facilities. Airbrakes, undercarriage, elevators, ailerons, rudder and thrust are all under your control but you can get to have some of the pressure taken off you by choosing an auto mode.

The program is the only formation flight simulator available and as such will probably sell quite well, which is good news for the charities nominated by the Red Arrows to receive a share of the proceeds.


► ACTION REPLAY



COLOSSUS CHESS 4

CDI Software £9.95 cassette £14.95 disk

P.C.



WITH THE WORLD CHESS championships taking place, interest in this game of mental stamina is hotter than ever before. Using chess computer is probably the best way to learn the game and Colossus Chess 4 is top of the tree among those programs presently available.

Chess without doubt, is the most skillful game of them all, because there is no element of luck or chance. The best player should always win. Therefore,

when looking for a chess program, the one to choose is the one that makes you a better player and improves your game. A chess program also removes the problem of finding human opponents of your standard.

Colossus 4 allows you to choose the strength of the computer's play by adjusting the time you allow it to think out its moves. The longer you allow the machine to think, the better its moves become.

The game is easy to play and the pieces easy to control, especially since a three dimensional board has now been added.

The program has a perfect understanding of all the rules including under-promotion, the 50 move rule and all draws by repetition.

While waiting for the computer to move, you can observe its current thinking by pressing the space bar, see a hint move and have the computer's assessment of the state of play.

Colossus 4 examines about 100 positions per second. While you are working out your move, it assumes your next move and works out its reply. However, it only gets about one in three cases.

You can set up full tournament mode, or specify an average time per move or even play a game against the clock. For postal chess players there is an infinite mode - a problem solving mode - to help with the chess problems in the daily papers.

The program has other useful features, such as: Allowing you to relieve your

position if you make a mistake (or want to cheat!) letting you play for either side, or watching the computer play itself. After the game you can watch an action replay, or your own victory or see where you went wrong.

Those with masochistic tendencies can try out a game of invisible chess.

One of the new features is the ability to set up quantity parameters. For experienced players, this makes the game far more interesting. Colossus 4 also has a bank of about 100 openings so you can try out many different tactics. Also the new "Draw score" allows you to make the computer try very hard for a win rather than settling for a draw in many programs do.

If you want a challenging game then try Colossus 4, although experienced players will find that they still have to allow a long time for moves to get a demanding game.

However, if you own Colossus 2, then there is little point in changing over to the new version as the differences do not really justify the expense.

KERMIT'S ELECTRONIC STORY MANAGER

Edut £9.95 cassette £19.95 disk

P.C.



ALL THE MUPPET FAVOURITES are included plus the real star

of the show, an animated banana.

The graphics are bright and some amusing combinations can be created with bouncing bananas in a bowl of soup.

Sound effects and music can be added but one disadvantage is that scenes are self contained and you can't make a continuous story line.

Once the child has worked through the wacky permutations the program has limitations but as an introduction to new vocabulary and simple sentences, it's a point-tooled learning in a breezy alternative.

If you are willing to invest your child's education to a showbiz amphibian turned

academic and have him or her interacting with the likes of Gonzo to construct sentences featuring flying bananas, this could be the program for you. One drawback however, is the price.

It's undoubtedly a slick package high on entertainment value but perhaps too restricted in educational terms to merit the price tag for cost conscious parents.

Personally I think the fun, fun, fun approach to the three K's has gone far enough. When is some visionary software house going to sign up Janet and John?

This month we begin a regular letters page where you can send us your ideas, views, moans and, of course, compliments! There's also £10 for the month's star letter.

Missives

degenerate into another tab mag with tab games reviews, trivia banter and high scores.

Eric Pickering, Cornwall

I am pleased to say that *Your Commodore* will certainly not degenerate into another tab mag, in fact we hope that quite the opposite will happen. Our aim as an editorial team is to produce a well balanced informative magazine for those people who want to do more than just play games on their Commodore computers.

As for your comments about submitting articles to the magazine, I am afraid that it is only too true of any magazine that 'we can't publish if you don't send us'. Yes, the readers, and the ones that are discovering new things about your computers or writing programs that you think will be of use to other people. How can other people hear about these things if you don't send them to the magazine? Don't forget we do pay for all material that we use.

We do realise that we devote a large number of pages to listings. This is not a cheap way of filling up pages, in fact it is usually more expensive. The reason that we have so many pages of listings is quite simple. My aim to publish programs of as high a quality as possible, in fact most of our programs are of commercial quality. Obviously the better programs are usually the longer ones and this does take up space.

We could reduce the amount of space that we give over to listings by simply publishing box loaders for all the programs. At the moment we publish both a loader and the assembly code. Many people prefer it this way since they can follow the program through and find out how it works.

As for your question about *CompuServe*. We do have a regular article on communications called 'Communications Corner' and we also have a number of pages and programs on *CompuServe*.

Letter from Oz

I was reading through my back issues of *Your Commodore* when I came across an article in the May issue called Software.

What do you mean by saying: "They're not bad for Aussie". If you stopped whinging and looked around, you'd see that our country is 10 times better than yours. Also Robb Harris is not the only musician of any note, he is hopeless, if you want good music then listen to the Models, Men at Work, Australian Crawl, INXS, Phoenix Echo, Midnight Oil and Inxoxoxe among others.

And, all Australians don't play videogames, so go stick a cork in your nose.

When you make some decent software, get a decent cricket team and win the America's Cup then you can start knocking other people. Tom Marsh is dead meat.

And you'd better publish this letter, unless it takes as long to get to England as your magazine takes to get here, in which case you'll never get it.

Damien Marsh, Victoria, Australia (and proud of it)

We'd like to apologise to Damien and any other Australian readers who found this offensive. Our reviewers certainly don't get a bit carried away. However we'd just like to point out that England now beats the Ashes!

Print Hint

Why is it that all computer magazines want a computer printout with any submitted program?

I write a list of programs and would love to send some of them to you and hopefully have them published. However, I can't afford a printer and therefore can't get a printout of the programs.

Jodie Smith, Northwards

I would like to make it clear that we don't mind an empty program having a listing with it. Please do send your programs to us anyway.

The reason that we ask for a listing to be included if possible is so that we can judge how long the program will be when we print it. It also serves as a reference if we get any queries from people who type the program in.

Stay Sharp

On reading the November 1985 edition of *Your Commodore* I was delighted to read Stuart Cooke's comment stating that having joined forces with *Your 64*, you will be bringing us the best Commodore magazine around.

Your 64 began its life as a practical and informative magazine. Its deterioration into an over-priced games review, seemingly written by children for children, was rapid!

I have noticed with several, now defunct magazines, that the first stage of their decline was marked by an increase in games reviews and a corresponding decrease in informed editorial.

The second stage was heralded by letters of complaint about the content of the later issues. The reply to these has become infuriatingly predictable - the favourite being "we can't publish if you don't send us". Editors would do well to remember that we pay for a magazine to inform us or entertain us, to provide us with a service. Customer participation is all very well but should not be to provide the material.

I hope that *Your Commodore* continues to be a good read and does not

Merger Moans

Before *Your Commodore* and *Your 64* were joined I used to purchase *Your 64*. Looking through the new mag I was deeply disturbed - I couldn't see anything of films and tips, reviews or FORN also there was no software then.

When I glanced through the new magazine I noticed that most of the pages were given up to listings. Not that I mind listings, but it is really necessary to have that stuff or is it just a cheap way of filling up pages!

I also noticed that you were giving away 10 *CompuServe* readers, how about a feature on *CompuServe* to go with that!

Andrew Bailey, Harburn

We get quite a number of letters and phone calls at *Your Commodore* asking for the FORN for certain games so that you can be made indelecturable or have inside lines.

Our feeling is that by entering these FORNs you are spoiling the game. Surely the whole point of buying a game is to try and solve the puzzles that the programmer of the game has set? If you are going to cheat, what's the point in buying the game in the first place? Unlike many other magazines we don't publish steps of games either for exactly the same reason.



COMMODORE PLUS 4 AND C16

CAN YOU MEET THE CHALLENGE OF:-

HIT & MISS

HIT & MISS IS THE CHALLENGE
BUT - THE QUESTION IS -
CAN YOU MEET IT!

FREE A2 POSTER
FREE PACKAGE &
POSTAGE
NEW - IDEAS IN ACTION
ONLY - FOR PLUS 4/C16

TAPE
£7.99

"MORE ADDICTIVE THAN
ANY ARCADE GAME, THE
ONLY C16/PLUS 4 SOFTWARE
OFFERING A REAL
CHALLENGE"

Design by Peter Robinson Graphics Design Leeds

WARNING:- PLAYING

HIT & MISS

COULD SERIOUSLY DAMAGE YOUR
HEALTH BUT IT CERTAINLY WILL NOT
DAMAGE YOUR WEALTH

HIT & MISS DEFINITELY IS A MIND CHALLENGE OF MEGA
PROPORTION THAT ALL YOUR FAMILY AND FRIENDS CAN TAKE
PART IN. FROM SINGLE PLAY TO DOUBLES IT WILL STRETCH YOUR
MENTAL DEXTERITY TO THE FULL.....

BUT REMEMBER:-

"IT TAKES MORE THAN JUST GUESSWORK TO
BECOME A GENIUS WITH HIT & MISS"

VENTUREGATE LTD

AVAILABLE AT MOST GOOD SOFTWARE OUTLETS

CHECK YOUR GIFT:-

8000 VENTUREGATE ONLY, 11 MARBLE ROAD, WYTON PARK, LEEDS LS1 9PL

NAME (BLOCK LETTERS) _____

ADDRESS _____

COUNTRY _____

POSTCODE _____

PLEASE SEND ME _____ COPIES OF "HIT & MISS" AT
£7.99 COMPLETE WITH A FREE POSTER WITH EVERY COPY

(FREE A2 POSTER AND FREE P & P)

Nick Hampshire once again adds more blocks to your ever-increasing supply of Basic commands.

BUILD A BETTER BASIC

IN THE LAST THREE ARTICLES in this series I have given all the initialisation and wedge routines needed to add extra commands to the Basic of a C64 computer.

I have also given the code to add nine new commands to Basic. These are: CTL_APPEND, CHANGE, DUMP, FIND, AUTO, CHAIN, DELETE, and REMEMBER. This month I am adding a further three commands, they are: MAT, SORT, and YARPIS.

These commands, unlike the previous 'toolkit' type commands, are used to manipulate and modify data arrays. Data manipulation commands like these can both save considerable amounts of Basic program code, and in addition have the added bonus of a considerably shorter processing time. All these new commands require that the wedge and initialisation code given in the first part of the series are present in memory at the correct locations, and that their command names and array pointers are stored in the correct tables. These commands are independent of the previously added commands and can therefore be used without the previous routines. To ensure that you have the wedges and new routines correctly positioned, the Basic loader at the end of this article gives only the initialisation routines, and the three new commands. The commands added in previous issues have been left out in order to keep

the loader of a manageable size. All the programs used in this series are extracted from the book *Advanced Commodore 64 Basic Revealed* by Nick Hampshire and published by Collins.

MAT

Abbreviated entry: MATH(A, Tables: Hex \$1130, Decimal 258,17)

Alphabet Program and direct Purpose: To perform arithmetic operations on entire arrays, assuming their contents to be matrices.

Syntax: MAT array name = (arithmetic expression). Assigns scalar value to all elements of the matrix in the array. Brackets are required around the expression.

MAT array name = array name Assigns all corresponding elements from one array to another. Both arrays must be numeric and of the same dimensions.

MAT array name = array name operator (arithmetic expression)

Or **MAT array name = (arithmetic expression) operator array name**. The operator may be + or * to add or multiply a matrix with a scalar value.

MAT array name = array name + array name. All three arrays must be of the same dimensions, and numeric.


MAT array name = array name * array name. Array sizes must follow the convention for matrix multiplication, ($a \times c$) = ($a \times b$) * ($b \times c$). Where a, b, c are the array sizes in the DIM statement plus 1 (reference 0) is used.

NEW COMMAND

```

1000 ;#####
1010 ; 16 BIT UNSIGNED MULTIPLY
1020 ;#####
1030 ; MATH = M * N
1040 ;
1050 M1 = M * N
1060 M2 = M * 0
1070 RESULT = M * 0
1080 ;
1090 MMULT LDA M0 ;Z80 RESULT
1100 STA RESULT
1110 STA RESULT+1
1120 LDA M2 ; END IF M=0
1130 STA M2+1
1140 BEQ MULT2
1150 MMULT3 LDA M0 ;M * 0 ?
1160 STA M2+1
1170 BEQ MULT2
1180 MMULT2 RTS
1190 MMULT3 LDA M0 ;IF BIT 0 OF M1
1200 AND M1 ;THEN ADD M2 TO RESULT
1210 BEQ MULT4
1220 CLC ;ADD M2 TO RESULT
1230 LDA M2
1240 ADC RESULT
1250 STA RESULT
1260 LDA M2+1
1270 ADC RESULT+1
1280 STA RESULT+1
1290 MMLT4 AND M2 ;M2 = M2 + 1
1300 BCL M2+1
1310 LDA M1+1 ; M1 = M1 / 2
1320 ROR M1
1330 JMP MULT2
1340 ;
1350 ;
1360 ;
1370 ;#####
1380 ; MATHS ARITHMETIC
1390 ;#####
1400 ;
1410 RESULT = M1/2

```



The MAT command will only accept arrays of 1 or 2 dimensions, of only numeric type and with not more than 255 elements in either dimension.

Boolean logical error - when the expression is not in brackets or an illegal operator is used.

Type mismatch - for string arrays.

Bad subscripting - for arrays of measured data etc.

Slow High speed matrix arithmetic is approximately eight times faster than an equivalent Basic sub-routine. Using this command also saves the use of nested FOR...NEXT loops, and

thereby reduces the chances of an out of memory error due to the stack being full. As most versions of Basic on mainframe computers have full matrix arithmetic this version of the full MAT command will be useful in converting programs to run on the CB. Matrix arithmetic is often used in programs handling large amounts of numbers in linear equations.

The routine uses the simple convention that a matrix of size $a \times b$ will be stored in an array dimensioned by DIM A(a-1, b-1). This means that a routine to read a 3×2 matrix from data statements would be:

```
DIM A(4,3)
FOR I = 0 TO 4
FOR J = 0 TO 3
READ A(I,J)
NEXT J
DATA 0.4
DATA 1.5
DATA -5.34E
DATA 1.1
DATA .5 -4
```

To print an array use a routine like:

```
FOR I = 0 TO 4
FOR J = 0 TO 1
PRINT A(I,J)
NEXT J
PRINT
```

The matrix multiplication is equivalent to: For matrix sizes $a \times b$ and $b \times c$

```
DIM A(a-1, b-1), B(b-1, c-1),
C(a-1,c-1)
MAT A = B * C
```

is the same as but faster than:

```
FOR I = 0 TO a-1
FOR J = 0 TO c-1
T = 0
FOR K = 0 TO b-1
T = T + B(I,K) * C(K,J)
NEXT K
A(I,J) = T
NEXT J
NEXT I
```

```

3140 STI VELOC
3170 STI VELOC+1
3180 LMA VPTS
3190 STA VSTT
3200 LMA VPTS+1
3210 STA VSTT+1
3220 GOTO LMA OPTYPE ;ARRAY I ?
3230 BND DOWNS ;NO ARRAY I
3240 LMA VPTS
3250 CMP #1 ;IS IT A CONSTANT
3260 BND DOWNS YES
3270 AND WAND ;IS ARRAY I INTERM
3280 STA T1
3290 LMA WANDS
3300 DCA T1
3310 STA WAND1
3320 LMA WANDS+1
3330 DCA T1
3340 STA WAND1+1
3350 JBR FILLON ;FILL ARRAY I
3360 STI VELOC
3370 STI VELOC+1
3380 LMA VPTS
3390 STA VSTT
3400 LMA VPTS+1
3410 STA VSTT+1
3420 DOWNS LMA OPTYPE ;GET A JUMP VECTOR
3430 AGL #1 ;FOR OPERATION
3440 TAD
3450 LMA OPTTAB,3
3460 STA WAND
3470 LMA OPTTAB+1,T
3480 STA WAND+1
3490 JMP OPTMP
3500 ;
3510 OPTMP ;WDR #1 ;JUMP VECTOR
3520 OPTTAB ;WDR ADDRESS ;JUMP TABLE
3530 ;WDR ADDRESS
3540 ;WDR ADDRESS
3550 ;WDR MULT
3560 ; BND NOT AA = C
3570 ADDR LMA W1
3580 CMP VPTS2
3590 BND ADDR1
3600 JMP WAAAA
3610 ADDR LMA W1 ;ARRAY ADDRESS
3620 LMA VPTS
3630 BND ADDR1
3640 LMA WPTACH ;PACK TO PACK1
3650 LMA WPTACH
3660 JBR WANDC
3670 JBR WPTCH ;FLAG TO FILL
3680 LMA W1 ;STORE IMP IN PACK
3690 STA PACK
3700 LMA W1
3710 STA PACK+1
3720 LMA W1
3730 ADDR1 STI VPTS2 ;STORE ELEMENT LENGTH
3740 LMA W1 ;CALC NUMBER OF ELEMENTS
3750 STA W1+1
3760 STA W1+1
3770 LMA VELOC1
3780 STA W1
3790 LMA VELOC1+1
3800 STA W1
3810 JMP WAND1 ;RESULT W1 #1 #2
3820 JBR WPTS1 ;COPY POINTER TO 1250 PAGE
3830 LMA W1
3840 WLOOP LMA W1 ;PACK TO ARRAY
3850 WLOOP LMA PACK,1
3860 STA VPTS1,1,T
3870 DCA
3880 DMC VPTS1
3890 BND ADDR1
3900 DMC VPTS1+1
3910 BND OPT VPTS2
3920 BND WLOOP
3930 LMA RESULT
3940 BND ADDR1
3950 DMC RESULT+1
3960 ADDR1 BND RESULT ;ARRAY FILLED ?
3970 LMA WAND,1
3980 DCA RESULT+1
3990 BND WLOOP
4000 STA VPTS1
4010 BND ADDR1
4020 LMA VPTS1+1
4030 STA W1
4040 JBR WAND1
4050 DMC ADDR1 ;ERRR
4060 LMA W1 ;CALC SIZE OF ARRAYS
4070 STA W1+1
4080 STA W1+1
4090 LMA WPTS1
4100 STA W1
4110 JBR WAND1
4120 LMA VELOC1 ;COMPARE ARRAY SIZES
4130 CMP VELOC1
4140 BND ADDR1
4150 WPTCH LMA W1+1 ;BAD SUBSCRIPT ERROR
4160 JMP WAND1
4170 WPTCH LMA VELOC1+1
4180 CMP VELOC1+1
4190 DMC ADDR1 ;ERRR
4200 LMA VPTS1 ;ARRAYS SAME THIN ?
4210 CMP VPTS2
4220 BND ADDR1 ;NO
4230 LMA W1 ;CALC SIZE OF ARRAYS
4240 STA W1+1
4250 STA W1+1
4260 LMA WPTS1
4270 STA W1
4280 LMA VELOC1+1
4290 STA W1
4300 JBR WAND1
4310 JBR WAND1
4320 LMA RESULT
4330 STA W1
4340 LMA RESULT+1
4350 STA W1+1
4360 LMA VPTS1
4370 STA W1
4380 LMA W1
4390 STA W1+1

```

4070	JSR RESULT	4170	STB (VPTR1),Y	5250	LDB (VPTR1),Y
4080	JSR TRPTD ;SET POINTERS TO ARRAYS	4180	END	5260	END BC
4090	LDB BC	4190	END VPTR1	5270	END FASDCL
4095	ASBTLB LDB (VPTR1),Y ;BLOCK MOVE OF	5000	END WORDCL	5280	FAC1 LDB BWC1 ;ERROR MORE THAN 2 00
4098	STB (VPTR1),Y ;LENGTH IN RESULT	5010	END (VPR1)+1	5290	END BARDOT
4100	END VPTR1	5020	ASBCLD CPI (VPR1)	5300	FASDCL TRD
4105	END ASBTRD	5030	END (VPR1)	5310	END
4110	END (VPR1)+1	5040	LDB RESULT	5320	LDB (VPTR1),Y
4120	ASBTRD END (VPR1)	5050	END (VPR1)	5330	END FAC1 ;FASD CLD BDB BDB
4130	END ASBTRD	5060	END RESULT+1	5340	END
4140	END (VPR1)+1	5070	ASBTRD END RESULT	5350	LDB (VPTR1),Y
4150	ASBTRD LDB RESULT	5080	LDB RESULT	5360	END T1
4160	END ASBTRD	5090	END RESULT+1	5370	END
4170	END RESULT+1	5100	END BARDOT	5380	END
4180	ASBTRD END RESULT	5110	END ASBTRD	5390	END FAC1 ;END DDB ARRAY
4190	LDB RESULT	5120	END BARDOT BTD	5400	END
4200	END RESULT+1	5130	:	5410	LDB (VPTR1),Y
4210	END ASBTLB	5140	; F1ND BDRD	5420	END FAC1 ;SECOND DDB TRD BDB
4220	END	5150	F1ND BDRD LDB BDR ;START OF ARRAYS	5430	END
4230	ASBTR LDB BC	5160	END STB (VPR1)	5440	LDB (VPTR1),Y
4240	STB BDR+1	5170	LDB BDR	5450	END T1+1
4250	STB BDR+1	5180	STB (VPR1)+1	5460	FAC1 END
4260	LDB (VPR1)	5190	FALDOP LDB (VPR1) ;CMP. END OF ARRAYS	5470	END
4270	STB BC ;CALC. NUMBER OF ELEMENTS	5200	END C1	5480	END
4280	LDB (VPR1)+1	5210	END FACDNT	5490	END VPTR1
4290	STB BC	5220	LDB (VPR1)+1	5500	STB VPR1
4300	JSR RESULT	5230	END C2	5510	LDB (VPR1)+1
4310	JSR TRPTD	5240	END FACDNT	5520	END BC
4320	ASBTRD LDB BC	5250	LDB B1D ;BAD SUBSCRIPT ERROR	5530	STB (VPR1)+1
4330	LDB BC ;ARRAY ELEMENT TO FACD	5260	END BARDOT	5540	LDB T1
4340	ASBTR LDB (VPTR1),Y	5270	FASDCL LDB BC	5550	LDB T1+1
4350	STB FACD,2	5280	LDB (VPTR1),Y ;FIRST DDB OF NAME	5560	END
4360	END VPTR1	5290	END	5570	:
4370	END ASBTRD	5300	END (VPR1)	5580	ASBTRD JSR BDRD ;PUT DDBNT LAST
4380	END (VPR1)+1	5310	END (VPR1) ;TRY NEXT ARRAY	5590	LDB (VPR1) ;CHECK ARRAY DIBTS
4390	ASBTRD END	5320	LDB (VPTR1),Y	5600	STB BC
4400	CPI (VPR1)	5330	END (VPR1)+1	5610	END (VPR1)
4410	END ASBTRD	5340	END (VPR1) ;GET ARRAY DATA	5620	END ASBTRD
4420	CPI BC	5350	FASDCL END ;FIND NEXT ARRAY	5630	LDB (VPR1)+1
4430	END ASBTRD	5360	LDB (VPTR1),Y	5640	STB BC
4440	LDB (VPR1)+FACD ;FACD TO FACD1	5370	STB T1	5650	END (VPR1)+1
4450	LDB (VPR1)+FACD	5380	END	5660	END ASBTRD
4460	JSR ASBTRD ;POINT TO FACD2	5390	LDB (VPTR1),Y	5670	END (VPR1) ;FACD CONSTANT ?
4470	LDB BDR	5400	END	5680	END BC
4480	STB FACD	5410	END (VPR1)+1	5690	END ASBTRD
4490	LDB BDR	5420	STB (VPR1)+1	5700	LDB (VPR1) ;FACD IN ARRAY
4500	STB (FACD)+1	5430	LDB T1	5710	END (VPR1)
4510	END ASBTRD ;FACD TO ARRAY	5440	END (VPR1)	5720	LDB (VPR1)+1
4520	ASBTR LDB FACD	5450	STB (VPR1)	5730	END ASBTRD
4530	LDB (FACD)+1	5460	STB (VPR1)	5740	END ASBTRD
4540	JSR ASBTRD ;POINT TO FACD1	5470	END FACD	5750	END ASBTRD
4550	ASBTR LDB FACD	5480	END (VPR1)+1	5760	ASBTRD LDB B1D ;BAD SUBSCRIPT
4560	LDB (FACD)+1	5490	END (VPR1)	5770	END BARDOT
4570	END ASBTRD ;FACD TO FACD	5500	FASDCL LDB BC ;ACT. ARRAY DATA	5780	JSR TRPTD ;COPY POINTERS TO 2 DDB
4580	ASBTR LDB BC	5510	STB T1+1	5790	LDB BC ;CALC. NO. OF ELEMENTS
4590	LDB BC	5520	END	5800	STB BDR+1
4600	ASBTR LDB FACD,1	5530	END	5810	END RESULT

```

4130 RESULT JBR VPTST1 ;(2 TO 12)
4140 JBR VPTST1 ;(2 TO FACD)
4150 LBR T2
4160 LBY T2+1
4170 LBR OPTYPE
4180 CPO #1
4190 BNC 00000
4200 JBR 00001 ; (A, Y) + FACD
4210 JBR 00000
4220 00000 CPO #2
4230 BNC 00001
4240 JBR 00000 ; (A, Y) + FACD
4250 JBR 00000
4260 00001 JBR 00000 ; (A, Y) + FACD
4270 00000 JBR F1T0V1 ; FACD TO #1
4280 LBR RESULT ;CHECK ALL DONE
4290 BNC 00000
4300 DEC RESULT+1
4310 BANC DEC RESULT.
4320 LBR RESULT
4330 00000 RESULT+1
4340 BNC 00001
4350 RTS
4360 ;
4370 00000 LBR VPTST1 ;(2) CONST
4380 CPO #1
4390 BNC 00000
4400 LBR VPTST1 ;(NOT #2 & Y)
4410 STW VPTST1
4420 LBR VPTST2
4430 STW VPTST2
4440 LBR VPTST2+1
4450 STW VPTST2+1
4460 LBR VPTST2
4470 STW VPTST2
4480 LBR VPTST2+1
4490 STW VPTST2+1
4500 LBR #1
4510 STW VPTST1
4520 00000 RTS
4530 ;
4540 TRPT1 LBR VPTST1 ; COPY POINTERS TO
4550 STW VPTST1 ;(2)00000
4560 LBR VPTST2+1
4570 STW VPTST2+1
4580 TRPT2 LBR VPTST2
4590 STW VPTST2
4600 LBR VPTST2+1
4610 STW VPTST2+1
4620 TRPT3 LBR VPTST1
4630 STW VPTST1
4640 LBR VPTST1+1
4650 STW VPTST1+1
4660 STW
4670 ;
4680 VPTST1 LBR VPTST1 ;(2 TO FACD)
4690 BNC V200
4700 BNC V200
4710 LBR 00000+1
4720 STW 00000
4730 STW 00000
4740 STW 00000
4750 STW 00000
4760 STW 00000
4770 STW 00000
4780 STW 00000
4790 STW 00000
4800 STW 00000
4810 STW 00000
4820 STW 00000
4830 STW 00000
4840 STW 00000
4850 STW 00000
4860 STW 00000
4870 STW 00000
4880 STW 00000
4890 STW 00000
4900 STW 00000
4910 STW 00000
4920 STW 00000
4930 STW 00000
4940 STW 00000
4950 STW 00000
4960 STW 00000
4970 STW 00000
4980 STW 00000
4990 STW 00000
5000 STW 00000
5010 STW 00000
5020 STW 00000
5030 STW 00000
5040 STW 00000
5050 STW 00000
5060 STW 00000
5070 STW 00000
5080 STW 00000
5090 STW 00000
5100 STW 00000
5110 STW 00000
5120 STW 00000
5130 STW 00000
5140 STW 00000
5150 STW 00000
5160 STW 00000
5170 STW 00000
5180 STW 00000
5190 STW 00000
5200 STW 00000
5210 STW 00000
5220 STW 00000
5230 STW 00000
5240 STW 00000
5250 STW 00000
5260 STW 00000
5270 STW 00000
5280 STW 00000
5290 STW 00000
5300 STW 00000
5310 STW 00000
5320 STW 00000
5330 STW 00000
5340 STW 00000
5350 STW 00000
5360 STW 00000
5370 STW 00000
5380 STW 00000
5390 STW 00000
5400 STW 00000
5410 STW 00000
5420 STW 00000
5430 STW 00000
5440 STW 00000
5450 STW 00000
5460 STW 00000
5470 STW 00000
5480 STW 00000
5490 STW 00000
5500 STW 00000
5510 STW 00000
5520 STW 00000
5530 STW 00000
5540 STW 00000
5550 STW 00000
5560 STW 00000
5570 STW 00000
5580 STW 00000
5590 STW 00000
5600 STW 00000
5610 STW 00000
5620 STW 00000
5630 STW 00000
5640 STW 00000
5650 STW 00000
5660 STW 00000
5670 STW 00000
5680 STW 00000
5690 STW 00000
5700 STW 00000
5710 STW 00000
5720 STW 00000
5730 STW 00000
5740 STW 00000
5750 STW 00000
5760 STW 00000
5770 STW 00000
5780 STW 00000
5790 STW 00000
5800 STW 00000
5810 STW 00000
5820 STW 00000
5830 STW 00000
5840 STW 00000
5850 STW 00000
5860 STW 00000
5870 STW 00000
5880 STW 00000
5890 STW 00000
5900 STW 00000
5910 STW 00000
5920 STW 00000
5930 STW 00000
5940 STW 00000
5950 STW 00000
5960 STW 00000
5970 STW 00000
5980 STW 00000
5990 STW 00000
6000 STW 00000

```

7870 LDA #0 ;CALC LENGTH OF KI ROW	8180 JBR K1001 ;SET VI	8470 STA WPT02+1
7880 LRI WPT02 ; - 1 ELEMENT	8190 LDA TI	8500 INC CL
7890 BND AACH	8200 LPT T0+1	8510 CLC
7900 LDA #2	8210 JBR W0020 ;(CL,VI) & FACH	8520 LDA W000LP
7910 W00P STA W1	8220 LDA W-FACH	8530 STA WPT02
7920 STA TI	8230 LPH W-FACH	8540 ADC TI
7930 LRI WPT02+1	8240 JBR W0047 ;(CL,VI) + FACH	8550 STA W000LP
7940 BCI	8250 LDA ROW	8560 LDA W000LP+1
7950 TBA	8260 CMP WPT02	8570 STA WPT02+1
7960 STA W2	8270 BND W000L	8580 AND W1
7970 JBR W0047	8280 SBC ROW	8590 STA W000LP+1
7980 LDA RESULT ;STORE IT IN L1V2	8290 LPH W-FACH	8600 JMP W004P
7990 STA L1V2	8300 LPT W-FACH	8610 F0000W LDA W000W ;ALL ROWS DONE ?
8000 LDA RESULT+1	8310 JBR W0054 ;FACH1 TO L1,VI	8620 CMP W0020
8010 STA L1V2+1	8320 LDA WPT02 ;(CL-PT0 DOWN) ROW	8630 INC W004
8020 W000P CLC ;FACH LOOP	8330 CLC	8640 BTO ; ALL DONE
8030 LDA WPT02 ;SET KI COL, FTR, TO NEXT	8340 AND L1V2	8650 W000 LDA WPT02
8040 STA WPT02	8350 STA WPT02	8660 STA WPT02
8050 AND TI ;(CL, OF KI)	8360 LDA WPT02+1	8670 LDA WPT02+1
8060 STA W000LP	8370 AND L1V2+1	8680 STA WPT02+1
8070 LDA WPT02+1	8380 STA WPT02+1	8690 INC W000W
8080 STA WPT02+1	8390 JMP W000C ;SET NEXT 2 ELEMENTS	8700 LDA #1 ;FIRST COL.
8090 AND #0	8400 W000L JBR F1001 ;FACH1 FOUND TO VI	8710 STA CL
8100 STA W000LP+1	8410 LDA #1 ;FIRST ROW	8720 JMP W000P ;GO NEXT ROW FIRST COL.
8110 W004P LDA W1 ;1000 ROW COL TOTAL	8420 STA ROW	8730 W000 ;BTT 0
8120 STA FACH	8430 LDA CL	8740 ROW ;BTT 0
8130 STA FACH+1	8440 CMP WPT02+1	8750 CL ;BTT 0
8140 STA FACH+2	8450 BND W000W	8760 LDA L1V2 ;ROW 0
8150 STA FACH+3	8460 LDA WPT02 ;SET KI FTR, TO START CORRECT	8770 W000LP ;ROW 0
8160 STA FACH+4	8470 STA WPT02 ;ROW	8780 ;END
8170 W000C JBR K1002 ;SET VC	8480 LDA WPT02+1	

500	1240 LDA W000 ;ARRAY NOT FOUND	1500 ;
1000 SORT JBR W007F ;SET 1ST CHAR W000	1250 JMP W007E	1510 SORT02 LPT W004
1010 STA CA ;STORE IT	1260 ;	1520 LDA W002 ;F ;GET W000 DIMENSION
1020 JBR W007F ;SET 2ND CHAR	1270 SORT03 LPT W000	1530 CMP W000
1030 JMP	1280 LDA W002 ;F	1540 BND SORT04 ;ONLY 1 DIMENSION
1040 STA W000 ;SET HIGH BIT	1290 CMP CA ;(NAME) CORRECT?	1550 LDA W001 ;(INCREASE) DIMENSION
1050 STA CB ;STORE IT	1300 BND SORT04 ;NO	1560 JMP W007E
1060 PLP ;PULL 1ST CHAR	1310 JNY	1570 ;
1070 W00 SORT05 ;YES	1320 LDA W002 ;F	1580 SORT06 LPT W000
1080 JBR W007F ;(CHARACT) FOR NEXT ELEMENT	1330 CMP CB	1590 LDA W002 ;F ;GET NUMBER OF ELEMENTS
1090 JMP W007E	1340 BND SORT05 ;YES	1600 STA W002+1
1100 SORT06 LDA W000	1350 ;	1610 JNY
1110 STA CB	1360 SORT06 LPT W000 ;(ADD LENGTH OF ENTRY	1620 LDA W002 ;F
1120 ;	1370 LDA W002 ;F ; TO POINTER AND	1630 STA W002
1130 SORT07 LDA W00 ;SET POINTER	1380 STA TEMP ; CHECK NEXT	1640 LDA W002+1 ;(INCREASE) ELEMENTS?
1140 STA W00 ; TO ARRAY	1390 JNY	1650 BND SORT07 ;YES
1150 LDA W02+1	1400 LDA W002 ;F	1660 LDA W002
1160 STA W02+1	1410 STA TEMP+1	1670 CMP W002
1170 ;	1420 CLC	1680 BND SORT07 ;NO
1180 SORT08 LDA W02 ;END OF ARRAY?	1430 LDA #00	1690 LDA W002 ;(TO FTR ELEMENTS
1190 CMP W02+2	1440 AND TEMP	1700 JMP W007E
1200 BND SORT08 ;NO	1450 STA #00	1710 ;
1210 LDA W02+1	1460 LDA W02+1	1720 SORT09 LDA W002 ;SET COUNTER
1220 CMP W02+3	1470 AND TEMP+1	1730 STA W002C ; FTR NUMBER OF
1230 BND SORT08 ;NO	1480 STA W02+1	1740 LDA W002+1 ; MAXM SORT LOOPS
	1490 BND SORT08 ;ALWAYS	1750 STA W002C+1

Routine entry point: \$R6AC
Routine operation: the MAT routine uses the following Basic ROM calls.

\$A1F1 — Evaluate expression in brackets
 \$B8D4 — FAC #1 to memory (A,Y)
 \$B8A2 — Memory (A,Y) to FAC #1
 \$B0BF — Float to float
 \$B091 — Float to float
 \$B867 — Memory (A,X) * FAC #1 to FAC #1
 \$B850 — Memory (A,Y) — FAC #1 to FAC #1
 \$B426 — Memory (A,Y) * FAC #1 to FAC #1

The routine for assignment will, for speed, just perform a block memory move if the two arrays are both of the same type

eg. both integers. The multiply routine works in the same way as the basic version above, it calculates the address of the next element required just by adding a pre-calculated offset for speed.

Readers are advised to consult a standard mathematics textbook for details of matrix arithmetic.

SORT

Abbreviated entry: \$1010
Affected Basic abbreviations: None
Notes: Hex 503, 518, Decimal 236,24
Mode: Direct and program.
Recommended mode: Direct
Purpose: To sort a string array into alphabetical ascending order.

Syntax: SORT string array name
 — the string array name must be 1 or 2 bytes long, this being the characters of the name (without the \$ character).

Errors: Syntax error — if no name is specified.

Array not found — if the string array specified does not exist.

Incorrect dimension — if the string array specified has more than one dimension.

Insufficient elements — if the string array has only 1 element.

Use SORT is a bubble sort routine that will sort a string array so that all of the strings in the array can be read in alphabetical ascending order. For example:

```

A$()
DIM A$ 10
A$="AFTER BUBBLE"

```

```

J NAME      NAME
J BUBBLE   READC
4 AFTER    READD$
5 READD$C  SORT
6 READ     TEST

```

Routine entry point: \$1023

Routine operation: The array name is first read in and stored away in the Basic's format for string arrays. The array storage area is then scanned for that array and if not found, the message 'array not found' is displayed. If the array is found, the number of dimensions is checked and if there is more than one dimension, the message 'incorrect dimension' will be displayed. If that is OK, the dimension is checked and if it is only one value the message 'insufficient elements' is displayed. If all checks are OK, the array is then sorted.

```

1740 :
1750 SORT$=L$M #400 :REM$ LOOP OF SORT
1760 ST$ FLAG$ :GET SWAP FLAG$
1770 ST$ COUNT :AND LOOP COUNT
1800 ST$ COUNT=0 :
1810 INC HOOF$ :INCREASE LOOP COUNT
1820 L$M HOOF$
1830 CMP SWAP
1840 BNE SORT$M
1850 DEC HOOF$=0
1860 :
1870 SORT$M L$M HOOF$=0 :END OF SORT$
1880 BNC SORT$M :NO
1890 L$M HOOF$
1900 BNC SORT$M :NO
1910 RTS :YES, BONE
1920 :
1930 SORT$M CLC :SET X04 TO X03+1
1940 L$M X02
1950 AND #400
1960 ST$ X04
1970 L$M X02+1
1980 AND #400
1990 ST$ X04+1
2000 :
2010 SORT$M L$M #400 :INCR LOOP
2020 L$M X04+1 :SET LENGTH,ADDRESS
2030 ST$ L$M1 :IF ST$ STR$M
2040 SW
2050 L$M X04+1,F
2060 ST$ #0
2070 SW
2080 L$M X04+1,F
2090 ST$ #0+1
2100 SW
2110 L$M X04+1,F :SET LENGTH,ADDRESS
2120 ST$ L$M2 :IF 2ND STR$M
2130 SW
2140 L$M X04+1,F
2150 ST$ #0
2160 SW
2170 L$M X04+1,F
2180 ST$ #0+1
2190 SW
2200 L$M X04+1,F
2210 ST$ #0
2220 SW
2230 L$M X04+1,F
2240 ST$ #0+1
2250 SW
2260 L$M X04+1,F
2270 ST$ #0
2280 SW
2290 L$M X04+1,F
2300 ST$ #0+1
2310 SW
2320 L$M X04+1,F
2330 ST$ #0
2340 SW
2350 L$M X04+1,F
2360 ST$ #0+1
2370 SW
2380 L$M X04+1,F
2390 ST$ #0
2400 SW
2410 L$M X04+1,F
2420 ST$ #0+1
2430 SW
2440 L$M X04+1,F
2450 ST$ #0
2460 SW
2470 L$M X04+1,F
2480 ST$ #0
2490 SW
2500 L$M X04+1,F
2510 ST$ #0+1
2520 SW
2530 L$M X04+1,F
2540 ST$ #0
2550 SW
2560 L$M X04+1,F
2570 ST$ #0+1
2580 SW
2590 L$M X04+1,F
2600 ST$ #0
2610 SW
2620 L$M X04+1,F
2630 ST$ #0+1
2640 SW
2650 L$M X04+1,F
2660 ST$ #0
2670 SW
2680 L$M X04+1,F
2690 ST$ #0+1
2700 SW
2710 L$M X04+1,F
2720 ST$ #0
2730 SW
2740 L$M X04+1,F
2750 ST$ #0+1
2760 SW
2770 L$M X04+1,F
2780 ST$ #0
2790 SW
2800 L$M X04+1,F
2810 ST$ #0+1
2820 SW
2830 L$M X04+1,F
2840 ST$ #0
2850 SW
2860 L$M X04+1,F
2870 ST$ #0+1
2880 SW
2890 L$M X04+1,F
2900 ST$ #0
2910 SW
2920 L$M X04+1,F
2930 ST$ #0+1
2940 SW
2950 L$M X04+1,F
2960 ST$ #0
2970 SW
2980 L$M X04+1,F
2990 ST$ #0+1
3000 SW

```

VARPTR

Abbreviated entry: VARPTR.
Abbreviated Basic abbreviations:
V#1 - V#4.
Tables: New (B1,53). Declared
208,32

Mode(s): Direct and program.
Recommended mode: Other.

Purpose(s): To return the address
in memory where a variable is
stored.

Syntax: VARPTR (variable
name) - the variable name
must be in ASCII characters.

Error: Syntax error.

User: VARPTR can be used to
find the address in memory of
any variable, be it simple or an
element of an array. If the
variable is a string, the value
returned points to the length of
the string (the following two
bytes are the pointer to the
actual string); for example,
VARPTR (A\$) will return the
entry address of A\$.

To find the address of the
string: DATA VARPTR(A\$)=1
VARPTR (B\$(12)) will return the
address of the twelfth element
of the array B\$.

Routine entry point: SWPCA.

Routine operation: On entry,
VARPTR scans past the opening
bracket and then finds the
variable (or creates it if it does
not exist). The closing bracket
is then scanned past and the
address of the variable is

```
2870 JMP SORT11 ;DO INNER LOOP
2880 :
2890 SORT11 H$ A ;SEND ERROR MESSAGE
2900 TRY
2910 L$A POINT:=1 ;ADDRESS OF MESSAGE
2920 TRY
2930 TRY
2940 TRY
2950 TRY
2960 TRY
2970 JMP H$A12 ;SEND IT
2980 JMP H$A12 ;PRINT 'IN...'
2990 :
3000 POINT:=VAR STOR1
3010 :
3020 :
3030 :
3040 :
3050 :
3060 :
3070 :
3080 :
3090 :
3100 :
3110 :
3120 :
3130 :
3140 :
3150 :
3160 :
3170 :
3180 :
3190 :
3200 :
3210 :
3220 :
3230 :
3240 :
3250 :
3260 :
3270 :
3280 :
3290 :
3300 :
3310 :
3320 :
3330 :
3340 :
3350 :
3360 :
3370 :
3380 :
3390 :
3400 :
3410 :
3420 :
3430 :
3440 :
3450 :
3460 :
3470 :
3480 :
3490 :
3500 :
3510 :
3520 :
3530 :
3540 :
3550 :
3560 :
3570 :
3580 :
3590 :
3600 :
3610 :
3620 :
3630 :
3640 :
3650 :
3660 :
3670 :
3680 :
3690 :
3700 :
3710 :
3720 :
3730 :
3740 :
3750 :
3760 :
3770 :
3780 :
3790 :
3800 :
3810 :
3820 :
3830 :
3840 :
3850 :
3860 :
3870 :
3880 :
3890 :
3900 :
3910 :
3920 :
3930 :
3940 :
3950 :
3960 :
3970 :
3980 :
3990 :
4000 :
```

```
3020 :
3030 :
3040 :
3050 :
3060 :
3070 :
3080 :
3090 :
3100 :
3110 :
3120 :
3130 :
3140 :
3150 :
3160 :
3170 :
3180 :
3190 :
3200 :
3210 :
3220 :
3230 :
3240 :
3250 :
3260 :
3270 :
3280 :
3290 :
3300 :
3310 :
3320 :
3330 :
3340 :
3350 :
3360 :
3370 :
3380 :
3390 :
3400 :
3410 :
3420 :
3430 :
3440 :
3450 :
3460 :
3470 :
3480 :
3490 :
3500 :
3510 :
3520 :
3530 :
3540 :
3550 :
3560 :
3570 :
3580 :
3590 :
3600 :
3610 :
3620 :
3630 :
3640 :
3650 :
3660 :
3670 :
3680 :
3690 :
3700 :
3710 :
3720 :
3730 :
3740 :
3750 :
3760 :
3770 :
3780 :
3790 :
3800 :
3810 :
3820 :
3830 :
3840 :
3850 :
3860 :
3870 :
3880 :
3890 :
3900 :
3910 :
3920 :
3930 :
3940 :
3950 :
3960 :
3970 :
3980 :
3990 :
4000 :
```

```
1000 VARPTR J$B N$A12 ;SCAN 'C'
1010 J$B H$A12 ;FIND MESSAGE
1020 J$B H$A12 ;POINT POINTER OFF
1030 J$B H$A12 ;
1040 J$B H$A12 ;SCAN NEXT 'I'
1050 J$B H$A12 ;GET TYPE TO REAL NUMBER
1060 J$B H$A12 ;
1070 J$B H$A12 ;
1080 J$B H$A12 ;
1090 J$B H$A12 ;
1100 J$B H$A12 ;
1110 J$B H$A12 ;
1120 J$B H$A12 ;
1130 J$B H$A12 ;
1140 J$B H$A12 ;
1150 J$B H$A12 ;
1160 J$B H$A12 ;
1170 J$B H$A12 ;
1180 J$B H$A12 ;
1190 J$B H$A12 ;
1200 J$B H$A12 ;
1210 J$B H$A12 ;
1220 J$B H$A12 ;
1230 J$B H$A12 ;
1240 J$B H$A12 ;
1250 J$B H$A12 ;
1260 J$B H$A12 ;
1270 J$B H$A12 ;
1280 J$B H$A12 ;
1290 J$B H$A12 ;
1300 J$B H$A12 ;
1310 J$B H$A12 ;
1320 J$B H$A12 ;
1330 J$B H$A12 ;
1340 J$B H$A12 ;
1350 J$B H$A12 ;
1360 J$B H$A12 ;
1370 J$B H$A12 ;
1380 J$B H$A12 ;
1390 J$B H$A12 ;
1400 J$B H$A12 ;
1410 J$B H$A12 ;
1420 J$B H$A12 ;
1430 J$B H$A12 ;
1440 J$B H$A12 ;
1450 J$B H$A12 ;
1460 J$B H$A12 ;
1470 J$B H$A12 ;
1480 J$B H$A12 ;
1490 J$B H$A12 ;
1500 J$B H$A12 ;
1510 J$B H$A12 ;
1520 J$B H$A12 ;
1530 J$B H$A12 ;
1540 J$B H$A12 ;
1550 J$B H$A12 ;
1560 J$B H$A12 ;
1570 J$B H$A12 ;
1580 J$B H$A12 ;
1590 J$B H$A12 ;
1600 J$B H$A12 ;
1610 J$B H$A12 ;
1620 J$B H$A12 ;
1630 J$B H$A12 ;
1640 J$B H$A12 ;
1650 J$B H$A12 ;
1660 J$B H$A12 ;
1670 J$B H$A12 ;
1680 J$B H$A12 ;
1690 J$B H$A12 ;
1700 J$B H$A12 ;
1710 J$B H$A12 ;
1720 J$B H$A12 ;
1730 J$B H$A12 ;
1740 J$B H$A12 ;
1750 J$B H$A12 ;
1760 J$B H$A12 ;
1770 J$B H$A12 ;
1780 J$B H$A12 ;
1790 J$B H$A12 ;
1800 J$B H$A12 ;
1810 J$B H$A12 ;
1820 J$B H$A12 ;
1830 J$B H$A12 ;
1840 J$B H$A12 ;
1850 J$B H$A12 ;
1860 J$B H$A12 ;
1870 J$B H$A12 ;
1880 J$B H$A12 ;
1890 J$B H$A12 ;
1900 J$B H$A12 ;
1910 J$B H$A12 ;
1920 J$B H$A12 ;
1930 J$B H$A12 ;
1940 J$B H$A12 ;
1950 J$B H$A12 ;
1960 J$B H$A12 ;
1970 J$B H$A12 ;
1980 J$B H$A12 ;
1990 J$B H$A12 ;
2000 :
```

```
1000 :
1010 :
1020 :
1030 :
1040 :
1050 :
1060 :
1070 :
1080 :
1090 :
1100 :
1110 :
1120 :
1130 :
1140 :
1150 :
1160 :
1170 :
1180 :
1190 :
1200 :
1210 :
1220 :
1230 :
1240 :
1250 :
1260 :
1270 :
1280 :
1290 :
1300 :
1310 :
1320 :
1330 :
1340 :
1350 :
1360 :
1370 :
1380 :
1390 :
1400 :
1410 :
1420 :
1430 :
1440 :
1450 :
1460 :
1470 :
1480 :
1490 :
1500 :
1510 :
1520 :
1530 :
1540 :
1550 :
1560 :
1570 :
1580 :
1590 :
1600 :
1610 :
1620 :
1630 :
1640 :
1650 :
1660 :
1670 :
1680 :
1690 :
1700 :
1710 :
1720 :
1730 :
1740 :
1750 :
1760 :
1770 :
1780 :
1790 :
1800 :
1810 :
1820 :
1830 :
1840 :
1850 :
1860 :
1870 :
1880 :
1890 :
1900 :
1910 :
1920 :
1930 :
1940 :
1950 :
1960 :
1970 :
1980 :
1990 :
2000 :
```

converted to floating point
form.

Please see our machine
code entry program, to be
found elsewhere in this issue,
to enter this program.

Because of the size of this article it was impossible to
print the Basic loader for the machine code. If you
would like a copy of the loader then please send a
large stamped self-addressed envelope to:
Better Basic Loader, Your Commodore, 1 Golden
Square, London WC1R 3AB.

For help with Reading and Writing

01-405 4017



Since 1975, 350,000
adults have been helped
to read and write better.
If you want help look for
this sign.

For further information
Adult Literacy & Basic Skills Unit
PO Box 213 London WC1V 7ET

OR... MADE BY ALIEN



THE FINAL CARTRIDGE[®]

THE FIRST OUTSIDE OPERATING SYSTEM FOR THE CBM 64

This new operating system built in a cartridge does not use any memory and is always there. Compatible with 99% of all programs.

Features

• **DISK TURBO** - 8 times faster disk access, loading and saving.

• **TAPE TURBO** - 10 times faster access with file, normal Commodore.com, manual, compatible with standard turbo.

• **ADVANCED CENTRONICS INTERFACE** - compatible with all the new Epson centronics printers and Epson dot matrix printers. Ports of the Commodore graphics and control codes (prepared for listings).

• **Advanced screen dump facilities** - Print, Low Res, Hi Res and Multicolor (all page) from programs and print programs, the Graphic, Graphic Pad etc. Searches automatically for the memory address of the picture.

• **THE EXTRA RAM FOR BASIC PROGRAMS AVAILABLE** - Two are currently offering 64K - "Memory up to 128". They store 180 bytes with more performance speed available on the 64K Ram of the CBM 64. Can be used with files and variables.

• **BASIC 3.0 COMMANDS** - the Disc, Drive, Display, Listing etc.

• **BASIC TOOLKIT** - with Auto, Backup, Copy, Quit and Control, Find, Help, Quit, etc.

• **REPROGRAMMABLE CONTROL KEYS** - Run, Load, Save, Control, Disk commands, List (comes with all peripherals).

• **KEYBOARD EXTRA'S** - Allow you to delete part of a line, skip and copy, move listings, move cursor to lower left-hand corner. Moves and displays in line. Top command operators now print on one line.

• **COMFORTABLE EXTENDED MEMORY** - with information load, scrolling up and down, Backward paging etc.

• **RESET SWITCH** - resets to monitor, resets with alt, resets to Hi Res printing, resets every protected program.

• **ON-OFF SWITCH** - set power low power save and etc.

14 days money back guarantee if you are dissatisfied.

12 Months triple contract guarantee

H.P.
1-800-4-A-1111-1111

U.K. ORDERS Barclay and Alexander's Computer should be written to: H.P. Computers, 17 C/O Bournemouth, Winton Extra, CM8 2 SZ England, Telephone: 0376-511477.

SPECIAL INTRODUCTORY PRICE

FOR ONE € 50,- FOR TWO € 37,- each

FOR THREE OR MORE € 30,- each


Don't wait for your friends
ORDER ONE NOW!!
Just pay the difference if you
reorder within a month.

The WINNERS

of the ASP DREAM HOLIDAY Competition

Argus Specialist Publications Ltd. are pleased to announce the winners of the fabulous Dream Holiday Competition.

As seen in the national press



First Prize
A holiday for which the world-wide value of £2,500 has been awarded by the C. Guild of 7, Woodley Road, Reading, RG2 9BN.

Second Prize
A holiday (subject to possible value certificate awarded) for which over £2000 has been awarded by the C. & G. Guild, 7 Woodley Road, Reading, RG2 9BN.



Third Prize
The most popular BBC Model B Microcomputer plus software package awarded to the winner of the Ladies' draw, Southend SS2 9UD.

Fourth prize
A superb Minolta 5000 camera with flash lens and Kodak's Mr Lee Software 3.5 floppy disk. Your Village, Margham, Kent TN25 2JZ.

ASP would like to thank everyone who entered the competition, and COMMODORE LTD. for its assistance in the winning entries in both our prizes below.

"...to combat boredom by the beach, keep magazines in easy reach!"

EVER HAD A LOADING PROBLEM?

Then send off for **MEGARD'S TAPE HEAD ALIGNMENT KIT** - No one should be without one!

By far the most common cause of loading failure is head alignment of your tape heads. All cassette decks can become out of alignment with age and may have been damaged from the open. Our alignment kit will show you how to precisely set up your tape heads for the best possible loading conditions. In many cases this will make a considerable difference in loading reliability especially of fast-loading programs. Our kit comprises:

- (1) A precision machined cassette containing a sophisticated test program.
- (2) A special adjustment screwdriver.
- (3) A desktop indicator.
- (4) A turning capstan.
- (5) A detailed instruction booklet with diagrams.
- (6) A carrying container - to hold your desktop only loading problems. All of this for only £8.99!

COPY KING

- Revolutionary new copier for AMET LOADING programs.
- Efficient loading routine restores tape, restores soft-ware.
- Work-up copies are made on tapes 70MB or less (maximum transfer than most).
- Extremely easy to use - no technical knowledge required.
- Only application for years and the original cassette reader are required with the original tape.
- Excellent performance - no tape-to-tape copying.

HALF PRICE SPECIAL THIS MONTH!

Copycat and Lightning Load together for only £9.95. Usually £25.00 each.

COPYCAT

- Our highly popular track-up copier for Commodore/standard tape loading systems.
- Worksable unit in the last year.
- Makes track-up copies of Commodore/standard file software onto blank tapes.
- Excellent sound effects. Cassette magic done.

LIGHTNING LOAD II

- Converts standard tape into loading games programs into SuperDisk type 5.25" floppyettes on tape.
- The fastest way for loading a game when you buy the excellent program.

Complete orders welcome. European please add 50p. Outside Europe add £1.00. UK postage free. Speedy despatch of orders. Companies/Clubs to: **BLAZING SOFTWARE DEPT. 11** 20 THE MARBLE, BRIMCOMBE, COVENTRY CV3 9JH and

COMMODORE 64 OWNERS

The Ultimate Reference Book



Programming The Commodore 64 by Bobo West

Comprehensive and easy-to-use starting and reference book on the 64. Over 1000 short Commodore 64 programs will help you learn the most important features of the system. Includes detailed advice on how to learn BASIC, writing a list, loading an archive in BASIC, programming two BASIC disks, using a memory-mapped cartridge, changing names, ROM-patch and memory, using a printer, changing graphics and sound, and the handling database.

Programming The Commodore 64 is the only book available in 1988. £12.95 (includes £2.00 postage). Available from: **COMMODORE PUBLICATIONS LTD.** Box 400, Weybridge, Surrey TW20 2EX. Telephone: 0181 871 1000. Fax: 0181 871 1001. **Programming the Commodore 64** (ISBN 0 951 001 00 1) £12.95 (includes £2.00 postage). **Programming the Commodore 64** (ISBN 0 951 001 00 1) £12.95 (includes £2.00 postage). **Programming the Commodore 64** (ISBN 0 951 001 00 1) £12.95 (includes £2.00 postage).

NAME _____
ADDRESS _____

Quantity	Title	Price	Total
_____	Programming the Commodore 64 (Book)	£12.95**	
_____	Programming the Commodore 64 - Paper	£8.95**	
_____	Programming the Commodore 64 - Paper	£8.95**	
_____	Programming the Commodore 64 - Paper	£8.95**	
_____	Programming the Commodore 64 - Paper	£8.95**	
_____	Programming the Commodore 64 - Paper	£8.95**	

**Add £1.00 each postage
**Add £1.00 each postage

£12.95 (includes £2.00 postage)

£12.95 (includes £2.00 postage)

£12.95 (includes £2.00 postage)

£12.95 (includes £2.00 postage)

£12.95 (includes £2.00 postage)

£12.95 (includes £2.00 postage)



Does your micro answer back?

- Does your micro chat to 70,000 people across the UK?
- Can your micro interview pop stars, hackers and doyennes of the computer industry?
- Can your micro provide the answer to your technical and software problems?
- Could your micro send and receive telex's worldwide?
- Does your micro do your shopping for you—and have it delivered to your door?
- Is your micro an answering machine, delivering your private mail whenever you log-on?

NO?.....Shame!

Bring your micro to life!

*Micronet
800-*

Micronet 800
8 Herbal Hill, London EC1R 5EJ
Telephone: 01-238 2042

To: Micronet 800, 8 Herbal Hill, London EC1
Please send me a brochure on Micronet 800

Name

Address

Telephone No.

Age Male

ST 205 88

Jayne Goin had a heart to heart with Commodore's new PC-20 and didn't suffer agonies.

FOR MOST PEOPLE IT IS HARD TO believe that it is only five short years since the home computer revolution began with the launch of the Clive Sinclair ZX range of computers. Since then Commodore has become a household name but the full title of the company, Commodore Business Machines, betrays its roots as a major force which changed attitudes towards computers in business and paved the way for Sinclair.

Prior to the launch of IBM's PET range of computers, business machines were unwieldy beasts and very much the province of the larger domestic and multinational companies. The concept of a computer on every desk was one which Commodore made very much its own.

The advantage of the PET was that it was a stand alone computer. Each machine held sufficient memory to enable an executive to perform many tasks in the comfort of the office, when previously he had to book time on the mainframe machine.

Since these halcyon days Commodore has seen many changes, including the loss of its lead to IBM's range of personal computers. IBM's domination has reached such proportions now that this company has become something of a demi-god in business circles and the PC has become a machine which has set the standard for small professional computers.

Obviously, Commodore has found the loss of the lion's share in this area a bitter pill to swallow but the launch of the PC-10 and the PC-20 heralds a new fighting attitude.

This article is partially a review of the PC-20 but because PC is a generic term it is also a review of these systems as a whole. The implication behind this is that the PC-20 complies to the standard very closely and is a worthy contender in the PC stakes.

The heart of the new machine is the 8088 microprocessor which can be considered to be the 'executive' chip. This is the decision maker and prime mover like a human executive within the business world.

In the same way that an executive increases his efficiency by having a personal assistant to perform the routine tasks of the day, the 8088 is complemented by an 827A controller. This chip can access memory directly and can download the contents to a disk or any other peripheral leaving the main processor to carry on its main function

PERSONAL COLUMN



without interruption. The result as far as the user is concerned is that a program can run continuously without having to waste time waiting for the machine to finish saving things to disk or typing data out on a printer.

To take this analogy with business organisations one stage further, the executive needs to carry out calculations during the working day. Some of these are relatively simple and can be done by mental arithmetic, but for others a calculator must be employed. Not that the executive is incapable of performing these calculations himself, it's just that he can save time this way.

In the PC, a similar situation occurs. The 8088 can only calculate with whole numbers, integers. Much of its work relies on the use of numbers with decimal places even if these are just pounds and pence. In the early days PC software had routines built in to overcome this problem and much of the software produced today is still structured this way. Greater efficiency can be achieved by giving the 8088 its own 'calculator' in the form of an 8087 chip which can perform floating point calculations.

This facility is catered for in the PC-20 and alongside the 8088 is an IC socket

which can house an 8087 as an optional extra.

This multitasking organisation is the basis of the PC, an executive with a PA and a calculator, a mirror image of the real world of efficient business.

The PC-20 incorporates this basic structure in a well designed modular unit. There are many variations which can be chosen around this basic theme. Colour, graphics and sound boards can be plugged into sockets inside the main unit for specialist applications. 8122 or Syntronic printers can be attached and the basic twin disk configuration can be extended to support float drives in all or even two Winchester drives.

The standard machine has two disk drives: a standard 5.25 inch 800K drive and a 10M-byte hard disk. The inclusion of the hard disk increases software security and access because the most commonly used programs can all be transferred to this disk for ready use and the saving in time and on wear and tear which normal backup copies undergo during a working day is one of the most valuable facilities which the PC-20 has to offer.

The PC is the closest thing to a 'self' machine which can be imagined.



Obviously a resident ROM must be incorporated to control initialization of the system and the loading of the system disk but the choice of language is entirely up to the user. MS-DOS is the PC standard but the system disk also has an option to use GWBASIC which is one of the most user friendly Basic to date.

A full description of GW would stretch this article throughout a whole issue of Your Commodore so a mere taste is all I can give. Apart from the usual commands which form the building blocks of any Microsoft implementation of Basic, there are also the extended graphics commands which are to be found in the new 128, with the inclusion of sprites. Screen windows can be created, the memory can be structured to include machine code routines which may be called from Basic programs and related files on disk can be linked by 'pathways' to make selection easier (obviously an essential with such a lot of disk memory around).

One of the strongest facilities of the language is the `SHIFT` command which allows the program to slip out of the current Basic program and into another program or MS-DOS routine and then back again to where it left off.

One extra facility is an integral error locator which is useful if the very strict rules of syntax are observed (spaces between commands are essential) but can give strange results if you don't. Should you, for example, omit a space between the `FOR` in a loop and the variable, it is quite probable that the indicator will flash under the word `TO`, giving rise to confusion. However, I will accept Microsoft's attitude that a PC programmer (not generally a beginner but a true professional) and that such a rudimentary error would be spotted. After all there are many other errors which are not so easily noticed which this system can locate in the twinkling of an eye.

The most users Basic is not a vital facility because they are only interested in application software, but the time often comes when a specific need arises which is not covered by an existing software package and such a valuable facility as this could

save money when these dire situations arise.

The technical specifications of the machine are initially modest by PC standards but this helps to keep the cost down and the unit can be expanded from a basic 256K green screen (80 x 20 text) only model up to a 640K RGB colour graphics and sound system with a screen resolution of 728 x 384 pixels.

The keyboard is detachable, connected to the main unit by a coiled cable, and has 16 programmable function keys and a full numeric keypad. The power supply has an inbuilt fan which keeps everything relatively cool during operation, indicative of the attention to detail which Commodore has maintained despite the very modest price of £279.

What Commodore has produced with this 16-bit PC-25 is a low cost, efficient workstation which can draw on any of the programs in the extensive PC library. No doubt the gradual domination of 804 in the business sector has caused Commodore's executives to grind their teeth in despair but, now that they appear to have swallowed their pride and put away their PET projects, the PC-25 will give them a firm basis to build upon and make one day topple the usurper from the throne which was once their own.

Scratchpad

**More bits and pieces
to make you and your
computer work better
together.**

HOW OFTEN DO YOU NEED to poke a two-byte number into two memory locations? You know the type I mean, **POKEing** the start of basic into memory locations 41 and 44. As you have no doubt found you have to split the number into two parts, its high value and low value. This is because each memory location can only hold a number up to 255.

Splitting a number into its high and low bytes is usually done with a couple of program lines such as:

```
LOW = INT (NUMBER/256)
HIGH = NUMBER - INT(NUMBER/256)*256
```

This month Steve Mathew provides us with a handy little machine code routine that will automatically split a number into its two parts and **POKE** them into the relevant positions. You use the routine by issuing the following commands:

575 4028, A,B

where A is the address and B is the number. The number B is dealt with in the proper low/high order i.e. the low byte is stored in address A and the high byte is stored in address A+1.

Included in the same basic loader is a routine that provides the **CM4** with an **INSIRING** function. The purpose of the routine is to find the first occurrence of a string within another string. The starting position of the string is then returned in another variable. To use the command you issue the following command:

575 4915, A, B, C

where A is the main string, B is the string to be searched for and C is the variable that will be left holding the starting position of the string. If B is not present in A, C will be left holding zero.

As an example, if A is "THIS IS A TEST" and B is "IS" then C would be left holding three, as this is the starting position of "IS" in the word "TEST".

Graham Cox, from Oswestrie in Lancs, has sent in a handy routine that will allow you to change one type of character on the screen for another. For example you could change all of the character 'A's to 'B's. At first glance this may not seem to be all that useful but when you remember that you can re-define any of the Car's characters the routine will come into its own. You could for example define the character 'A' as a semi-wheel, character B could be defined as the same wheel but rotated slightly. If you were then to swap character 'A's for 'B's and then back to 'A's you could give the impression of movement.

Now it's time for a small confession, the graphics reviewed up Axel's **PRINT** A9 program in our November issue. The correct version should be:

```
1 FOR #=88 TO 89:READ
1:POKE X,Y:NEXT
2 DATA 32,23,185,184,28,24
32,248,255,76,157,179
```

To use this routine you simply enter:


SYSTEM8, "MESSAGE"

and your message will appear at the X,Y position on the screen.

Well, that's info for this month. If you have any handy little routines that may be of use to other Commodore owners, why not send them to Scratchpad. Your Commodore, Po 1 Golden Square, London W1R 3AB?

```
100 REM:SPC1="DSTING" AND
"NO BITE POKE"
110 REM:SPC2=-----
120 REM
130 REM COPYRIGHT STONE HEAD
8, MAY, 1985
140 REM -----
160 B=FFFC0000+4000
170 FOR L=0 TO 255:L=D
180 FOR S=0 TO 1:READ B
:POKE S+40,L
190 A0=A0+L+C0+S+40:L=C+D
200 NEXT S:READ B:D=C+D
210 IF L=D THEN SWP
220 NEXT L:IF C0+S+40 THEN A
00
230 PRINT:PRINT "ALL DATA
CORRECT. *END
240 PRINT:PRINT "DATA END
IN LINE":SWP:L=D
250 STOP
400 PRINT:PRINT "GETTING DAT
A FROM..."
410 PRINT "***** IN DATA AND
LINE"
430 PRINT "*****IN B
MAIN CHARACTER"
450 STOP
500 DATA 22,255,174,52,158,
175,32,144,1830
500 DATA 182,152,3,144,177,
24,152,184,1830
510 DATA 192,156,14,248,32,
152,174,12,1881
510 DATA 198,175,32,144,182,
152,158,142,1847
520 DATA 2,56,229,158,175,
232,154,2,980
520 DATA 142,0,142,0,189,181,
182,204,1841
530 DATA 18,246,7,232,228,2,
204,194,1795
530 DATA 208,44,152,189,154,
21,144,184,1284
540 DATA 224,1,248,18,202,
174,252,164,1237
540 DATA 231,232,236,177,34,
21,181,192,1488
550 DATA 238,12,198,252,248,
241,144,251,1528
550 DATA 242,158,268,12,246,
44,144,251,1257
560 DATA 164,158,268,240,240,
205,145,1520
560 DATA 175,22,252,174,32,
177,176,155,1811
570 DATA 175,152,76,142,12,
204,18,182,1849
570 DATA 18,208,12,154,122,
99,144,1,742
580 DATA 132,98,142,144,32,
68,188,76,951
580 DATA 208,187,142,22,158,
4,7,12,732
590 DATA 232,174,32,158,172,171,
32,247,182,1222
590 DATA 142,36,152,251,142,
21,212,252,1440
600 DATA 10,252,176,32,158,
173,12,247,1680
600 DATA 182,184,7,142,20,
145,251,238,1124
610 DATA 142,21,142,251,96,
252,4,252,1188
```

```
100 PRINT CHR$(247)
:PRINT "TO USE ENTER THE
FOLLOWING FORM"
110 PRINT:PRINT "POKE #XXXX,
SCREEN CODE OF CHARACTER
TO BE CHANGED"
120 PRINT:PRINT "POKE #XXXX,
NEW CHARACTER"
130 PRINT:PRINT "SYS #1232
,TO MAKE THE CHANGE"
140 FOR I=1000 TO #XXXX
150 READ B
160 POKE I,B
170 NEXT
180 DATA 140,140,142,14,
176,240,4,122,32,177,24,240,
78
190 DATA 192,246,22,24,142,
34,142
200 DATA 1,122,24,144,240,
145,72
210 DATA 208,246,14,24,182,
1
220 DATA 122,25,176,14,192,
152,99
240 DATA 192,145,14,76,10,
192,96
```



A NEW CLASSIC

FROM PAUL WOAKES,
AUTHOR OF ENDOCRITER

YOU CHOOSE THE ACTION IN MERCENARY

Mercenary - a unique combination of flight simulation, adventure and arcade fun. You choose the action.

There is complete freedom of movement in a truly three-dimensional vector-graphic environment. Graphics of exceptional speed create a very realistic experience.

You'll never play the same game twice. Random elements afford to seal your fate. Your interaction is crucial.

Mercenary presents an absorbing challenge that you will accept again and again.

MERCENARY ESCAPE FROM TARG

It's above the ground. Get in a variety of craft, investigate the realities of adventure on a hostile planet. Search for your way to freedom in a world of random elements.

Being controlled in the continuing conflict between the Targans and Mercenaries. Accept their past assignments or work independently in your world.

You've been on the Grid - the ever-shifting borders of almost total PC who gives you in your world.

Prepare your objective as you wish - to succeed you have to escape from Targ.

INITIAL RELEASE
FOR COMMODORE 64 - A7AH 45K 880 XL 130 HE

CASSETTE £9.95 DISK £12.95

NOVAGEN SOFTWARE LTD. SALES 142 ALCESTER ROAD BIRMINGHAM B1 3AA

NOVAGEN

Allen Webb brings you a High Resolution Graphics Aid to make your C64 more than ever like an electronic paintbrush.

IF YOU THOUGHT YOU WERE in for an eye treat this month, you're wrong. I want to describe a machine code package which will provide you with 10 commands for the manipulation of bit mapped images. While the commands are designed to work in high resolution mode, they will function in multicolour mode. The colour manipulation routines will not, however, work as expected.

Before you howl with anguish, this is not just another drawing package. Apart from a single command for the clearing of single pixels, there are no line drawing or similar commands. Before I went forth on the package, here is a small tutorial which will explain my reason for developing the package.

In essence, there are three basic stages of creating pictures on the C64.

1. You can use simple line, circle and fill commands to draw pictures. This is the approach adopted by most adventure writers and, in my opinion, doesn't give particularly detailed results.
2. You can build up pictures from predefined characters. Since, without use of raster interrupts, you are limited to 256 characters, there are limitations.
3. You can save pictures drawn by a Kernal Pad or similar product and store them on disk.

In this article I want to describe a slightly different method of creating pictures. The idea is to set up shape tables in memory and put them on the high resolution screen in a manner similar to the picture pages used by children. Using this approach it is possible to create pictures similar to those used in games like Lords of Aridoght.

So what is a shape table? Well it's a collection of designs saved in memory which can be copied to the high resolution screen. The system I have used is to mimic the C64's character set. This, of course, is a shape table where each entry is a character design. Each shape is a rectangle of complete eight by eight pixels. The design of each row is stored in sequence giving eight bytes. Imagine a square shape:

```
A B C D
E F G H
I J K L
M N O P
```

This is stored as

ABCDEFGHIJKLMNO P

Any shape can be defined by its start address, width (in whole characters) and its height (in whole characters). If you wanted to define the above example (the character ROM), its start address would be \$1000, its width would be four and its height four. (Don't try to use the character ROM directly, I have provided the means of copying the ROM to RAM so that you can play about with it.)

In order to reduce the size of the code - it's long enough already - I've limited the printing of shapes to the high resolution screen in whole

character positions. This isn't too much of a restriction because:

1. The colour matrix is limited to whole character positions in high resolution mode.
2. With careful design of shapes and the mixing rules provided, you can overcome this limitation.
3. If you must have single pixel positioning, you can mix spaces with the picture.

By the way, the reason I've stuck to high resolution mode is that I prefer the detail that a screen and with a bit of mixing you can get decent colour mixing.

So on with the commands. I've summarised them in Table 1 with the syntax.

Table 1


Command/Syntax

1	SETUP	\$15 \$A,\$F
2	COLSET	\$15 \$A+\$1,\$F
3	TURNOFF	\$15 \$A+\$
4	TEXT	\$15 \$A+\$
5	POINT	\$15 \$A+\$,\$,\$,\$,\$
6	CHANGECOL	\$15 \$A+\$,\$,\$
7	AR	\$15 \$A+\$,\$,\$,\$,\$,\$,\$,\$
8	ZONE	\$15 \$A+\$,\$,\$,\$,\$
9	CHARS	\$15 \$A+\$,\$,\$
10	PTOGGLE	\$15 \$A+\$,\$,\$
11	COPY	\$15 \$A+\$,\$,\$,\$,\$,\$
12	SHAPE	\$15 \$A+\$,\$,\$,\$,\$,\$,\$,\$,\$,\$,\$,\$,\$

Syntax	\$15 \$A,\$F
\$15 \$A+\$,\$F	
\$15 \$A+\$	
\$15 \$A+\$	
\$15 \$A+\$,\$,\$,\$,\$	
\$15 \$A+\$,\$,\$	
\$15 \$A+\$,\$,\$,\$,\$,\$,\$,\$	
\$15 \$A+\$,\$,\$,\$,\$	
\$15 \$A+\$,\$,\$	
\$15 \$A+\$,\$,\$	
\$15 \$A+\$,\$,\$,\$,\$,\$	
\$15 \$A+\$,\$,\$,\$,\$,\$,\$,\$	

Function

Initialise screen
changes colours globally
turn on hi-res
turn on text screen
set point X,Y
change colours locally
at least
change zone
set character table
toggle point mode
print a line of text
print a shape



In Table 1:

XA has the value 40000
X is the horizontal position of a dot
Y is the vertical position of a dot
C is the ink colour and **F** the paper colour
OX is the horizontal position of the top left corner of a shape or zone (0-100)
OY is the vertical position of the top left corner of a shape or zone (0-100)
FX is the horizontal position of the bottom right corner of a zone (0-100)
FY is the vertical position of the bottom right corner of a zone (0-100)
W is the width of a shape (1-10)
H is the height of a shape (0-10)
OX1 is the horizontal position of the top left corner of the airbrush area (0-100)
OY1 is the vertical position of the top left corner of the airbrush area (0-100)
OX2 determines the air brush size (small, 1-large)
DO specifies the number of dots per air brush "stroke" (0-25)
AD is the address of the character set to be down loaded. AD = 51246 for upper case. AD = 55266 for lower case
FS determines how a dot is drawn:
 0 clear a dot
 1 sets a dot
 2 flips a dot
 3 changes the paper in the character holding the dot but

does not plot a dot. This is useful for painting a background once the foreground is finished.
FD enables and disables the updating of paper colours when dots are drawn: 0 disables, 1 enables
FS specifies how text and shapes are printed: 0 is overprint, 1 is inclusive-OR, 2 is inclusive-OR, 3 is inclusive-OR
FR toggles text and shapes into reverse field: 0 is normal, 1 is reversed field.

Due to limitations of space, I cannot give a detailed description of the commands. I hope the following summary will suffice:

Command 1 clears the high resolution screen to the required ink and paper values and turns it on. Command 2 changes the ink and paper values over all the screens. Commands 3 and 4 toggle between text and high-res screens without disturbing their contents.

Command 5 changes a specified point in a manner determined by flag F1. The colours will be updated if commands 6 and 8 have been used.

Command 7 draws a random area of dots with the airbrush. This is useful for shading effects. Command 8 fills, inverts or clears a rectangular area of screen. Command 9 toggles a flag

which determines whether the ink and paper are updated by any changing command. If this mode is disabled, you can update the picture without altering the colours.

Command 11 copies the top line of the text screen to the specified line on the high resolution screen. The character shapes are taken from the character area. This is the normal way of printing text.

Command 12 puts a shape on a specified area of screen. You must specify the start address of the shape.

So you know where to save your shape tables, here is the memory map of the system:

```

51000-51100 (5024-5030) — text screen
52000-56100 (40000-40000) — high resolution bit map
56200-56916 (35000-36000) — colour matrix
5C400-5C500 (51710-51730) — character table
5C000-5C5D1 (49151-50474) — machine code
  
```

This means that the colour area for shape tables are 5C0D1 to 5C5D1 (50400-50711) and 56916-56916 (36000-36000). This took about 3K and should be sufficient for most purposes (the demo uses only 420 bytes).

If you want to use sprites, I recommend that you use the area 8000 to 8400. This is sufficient for 40 sprites. The

sprite pointers occupy 36000 to 36003.

You should take care to protect the top of RAM and should use either of the following lines at the beginning of your program:

```

10 POKE 56,340: CLR
or if you use sprites
10 POKE 56,330: CLR
  
```

Study the accompanying demonstration program, this uses many of the commands and multi-colour sprites. It should give some hints on how to use the program.

For those amongst you who want to add drawing commands to the package, here are details of the dot drawing routine:

```

3 co-ordinate X150 into X000
3 co-ordinate Y00 into Y000
7 co-ordinate into X000
77 value into X000
Inep point 5C0D5
  
```

You may find the creation of large shapes a little awkward. I use SuperSoft's Graphic Designer for such work. Not only is it the best character sprite designer I've used but it also allows the creation of shapes built up from up to 32 characters.

I hope you find this package worth the toil of typing it in. I believe you won't be disappointed.

High Resolution Aid

```

1 DATA0, 30, 150, 70, 170, 180, 70, 60, 180, 70, 140, 150, 70, 40, 150, 70, 130, 150, 70, 50
2 DATA104, 70, 240, 194, 70, 170, 180, 70, 7, 180, 70, 10, 180, 70, 100, 30, 45, 194, 150
3 DATA20, 141, 130, 3, 30, 45, 194, 150, 20, 141, 130, 3, 100, 30, 100, 150, 30, 100, 150, 30, 100, 150
4 DATA160, 84, 30, 100, 150, 160, 140, 130, 160, 160, 0, 130, 160, 173, 130, 3, 10, 10, 10, 10
5 DATA19, 130, 3, 100, 8, 30, 100, 160, 173, 0, 201, 8, 3, 141, 0, 201, 173, 0, 201, 41, 200, 8
6 DATA1, 141, 0, 201, 173, 17, 200, 8, 30, 141, 17, 200, 160, 57, 141, 84, 200, 80, 160, 167
7 DATA140, 160, 130, 10, 201, 7, 24, 160, 160, 100, 120, 133, 160, 160, 0, 101, 160, 133, 160
8 DATA104, 200, 200, 201, 80, 173, 0, 201, 8, 3, 141, 0, 201, 173, 0, 201, 41, 200, 8, 3, 141
9 DATA0, 201, 173, 17, 200, 8, 201, 141, 17, 200, 160, 21, 141, 84, 200, 80, 30, 40, 160, 160
10 DATA20, 141, 130, 3, 30, 45, 194, 150, 20, 141, 130, 3, 70, 55, 130, 30, 160, 130, 30, 114
11 DATA103, 30, 140, 150, 180, 160, 1, 41, 204, 130, 3, 80, 173, 130, 3, 41, 7, 141, 141, 3, 50
12 DATA160, 7, 207, 141, 3, 141, 141, 3, 84, 160, 3, 174, 141, 3, 140, 3, 10, 200, 200, 200, 100
13 DATA0, 174, 137, 3, 240, 17, 204, 2, 240, 20, 17, 170, 140, 170, 180, 160, 1, 6, 1, 130, 1
14 DATA80, 80, 70, 200, 40, 170, 140, 170, 180, 160, 1, 5, 1, 130, 3, 80, 50, 141, 160, 3, 40
15 DATA70, 141, 150, 8, 240, 8, 173, 160, 3, 70, 11, 193, 173, 160, 3, 70, 204, 192, 30, 40
16 DATA104, 160, 20, 141, 130, 3, 160, 21, 143, 100, 3, 30, 40, 194, 160, 20, 141, 130, 3, 141
17 DATA143, 3, 30, 40, 194, 160, 20, 141, 137, 3, 30, 210, 194, 173, 137, 3, 201, 3, 240, 14
18 DATA70, 167, 160, 160, 0, 6, 200, 8, 201, 101, 200, 130, 200, 90, 30, 160, 130, 30, 114, 103
19 DATA30, 140, 100, 90, 160, 173, 143, 3, 74, 74, 74, 170, 30, 104, 100, 84, 160, 140, 101, 204
20 DATA130, 204, 90, 30, 40, 194, 160, 20, 141, 130, 3, 30, 40, 194, 160, 20, 141, 133, 3, 30
21 DATA70, 200, 3, 240, 14, 173, 130, 3, 10, 10, 10, 10, 13, 130, 3, 160, 0, 100, 200, 90, 173
22 DATA130, 3, 74, 74, 74, 143, 100, 3, 170, 100, 3, 74, 170, 104, 3, 100, 74, 74, 141, 100, 3
  
```


SJB DISKS LIMITED

BLANK DISKS

Top Quality 5¼" Bulk Packed Disks

Supplied in 10's with a **FREE** Plastic Library Case, Labels etc.

	Single Sided (40/80 Track)	Double Sided (40/80 Track)
10 – 5¼" Disks (With a FREE Plastic Library Case)	£13.95	£17.95
50 – 5¼" Disks (With a FREE Perspex Storage Box)	£59.95	£79.95

★ **LIFETIME WARRANTY** ★

★ **FREE FAST DELIVERY** ★

All prices are inclusive of V.A.T.
Delivery ... **FREE** throughout the U.K.

3" & 3½" Disks also available

Bulk Orders, Trade Enquiries & Educational Enquiries Welcome



Please Send Cheques/Postal Orders to:-

SJB DISKS LIMITED (Dept YC)

11 Oundle Drive, Nottingham, NG8 1BN
Telephone (0602) 782310



Garry Marshall brings you another challenge for your programming abilities. This month he deals with crossovers.

PROGRAMMING PROJECTS

The Project

FINDING OUT WHETHER lines cross over each other—and, if so, where—is a problem that crops up in several entirely different circumstances. The basic situation can be represented, regardless of application, as illustrated in Figure 1. This shows five "places," represented by numbered circles, joined together by lines.

The lines in the figure cross over each other three times. In such a simple situation, a computer is hardly needed to count the number of crossovers and find their locations. But if there were many more places, and more lines between them, the task would be much more difficult and error-prone, and it would be a good idea to get a computer on the job.

The crossover problem is important in the design and manufacture of printed circuit boards for items of electronic equipment, from television sets to computers. Electronic components are "printed" on a printed circuit board, and they are connected by tracks, also "printed" on the board, that conduct electric currents between them. In Figure 1, the numbered circles correspond to the electronic components, and the lines to the tracks between them. Any tracks that cross over each other will lead to the creation of electrical paths that should not exist in the circuit. Such paths will alter the behavior of the circuit from its required function. So, in this case, designs for printed circuit boards can be tested by seeing if they have any crossovers.

Crossovers are also of importance in the provision of water, electricity and gas supplies to houses. This time, the numbered circles in Figure 1 correspond to houses, and

the lines to the paths of the water, gas and electricity pipelines. Laying the pipelines will be easier if there are no crossovers as this removes the possibility of damaging, say, the gas pipes, while dealing with the water mains.

The project is to write a program which, when given a description of a network, can display the positions of any crossovers in it.

The Solution


To write a program to find the locations of the crossovers in a network, we must first give a description of the network. This consists of the number of "places," their locations, and the details of which ones are connected to each other. If we use the network in Figure 1, the first two items can be given directly, and the third can be given by using a rather neat method.

The number of "places" is five, and their locations are given by their column and row positions on the screen. The pattern of connections can be recorded by giving all the pairs of positions that are connected to each other. Referring to Figure 1, we can see that one is connected to five, and three is connected to four. All the connections can be recorded in a two-dimensional array, declared by:

```
DIM C(5, 5)
```

and using its elements so that, in general, C(I, J) is assigned the number of connections between I and J. The number of connections will either be one if there is a connection, or zero if there is not. The two connections just mentioned can be recorded by:

```
C(1, 5)=1: C(3, 4)=1
```



To record that there is no connection from four to five we:

```
C(4, 5)=0
```

This gives us the first part of our program as:

```
10 DIM A(5), Y(5), C(5, 5)
20 FOR I=1 TO 5: READ A(I), Y(I): NEXT I
30 FOR J=1 TO 5: FOR K=1 TO 5
40 READ C(I, K)
50 NEXT K: NEXT I
60 DATA 50, 20, 30, 100, 120,
180, 220, 190, 190, 30
70 DATA 0, 0, 1, 1, 1, 0, 0, 1, 0, 1,
1, 1, 0, 1, 1
80 DATA 1, 0, 1, 0, 0, 1, 1, 1, 0, 0
```

Given this description of the network, the program can plot it, find the crossovers by taking every pair of lines and testing whether they cross over each other and, for those that do cross, find the positions of the crossings and mark them. A little geometry is needed to find the equations of the lines and whether they cross, but otherwise the computation is straightforward.

After writing the high-resolution graphics mode with the subroutines starting at line 900, the network can be plotted by taking the positions of every pair of "places" in the network and drawing a line between each connected pair, with:

```
90 GOTO 910
110 FOR J=1 TO 4: FOR K=1 TO 5
120 IF C(J, K) THEN 130
130 X1=X(J): X2=X(K): Y1=Y(J): Y2=Y(K)
140 GOTO 1800
200 NEXT J: NEXT K
```

The gaps in the listing will be filled by lines for the remaining tasks. The subroutine starting at line 2000, which is called from line 140, is our standard routine that draws a line from (X1, Y1) to (X2, Y2).

Now we can test every pair of lines to see if they cross. The method for finding if a pair of lines cross is based on the idea that any point on the line from (X1, Y1) to (X2, Y2) has co-ordinates:

$$N * X1 + (1-N) * X2, N * Y1 + (1-N) * Y2$$

Putting N=1, gives (X1, Y1) and N=0 gives (X2, Y2). Values of N between zero and one give points in between, and other values of N give points outside, as illustrated in Figure 2. So, if we solve the equations of two lines written in this form for N, by testing the size of N we can see if the lines cross between their end-points. This gives us the following lines for finding the crossovers and marking them in CR:

```
100 CR=0
110 FOR I=1 TO 4: FOR J=1 TO 5
120 IF C(I, J) AND K=1 THEN 130
130 IF C(J, K) AND THEN 200
140 X2=X(I): X4=X(J): Y2=Y(I): Y4=Y(J)
150 Y1=Y(I)-Y(J): Y3=Y(J)-Y(I)
160 X1=X(I)-X(J): X3=X(J)-X(I)
170 IF N = 0 AND N = 1 THEN CR=CR+1
200 NEXT J: NEXT I
```

Actually, each crossover is counted twice because, as the program is written, every pair



PROGRAM CROSSOVERS

```

10 DIM C(4),Y(2),X(5),S,IC(10),YC(10)
20 FOR J=1 TO 5: READ C(J),Y(J): NEXT J
30 FOR J=1 TO 5: FOR K=1 TO 5
40 READ C(K),Y(K)
50 NEXT K: NEXT J
60 DATA 50,20,30,100,100,100,200,110,170,30
70 DATA 0,0,1,1,1,0,0,1,0,0,1,0,0,1
80 DATA 1,0,0,1,0,0,1,0,1,0,1
90 GOSUB 500
100 CR=0
110 FOR J=0 TO 4: FOR K=0 TO 3
120 IF C(J),Y(K)=0 THEN Z=0
130 Z=Z+Z*(C(J+1),Y(K+1)):Z=Z*(C(J+2),Y(K+2))
140 GOSUB 3000
150 FOR L=1 TO 4: FOR M=1 TO 3
160 IF Z=0 AND M=0 THEN Z=0
170 IF Z=1, M=0 THEN Z=0
180 Z=C(L):Z=C(L+1):Z=C(L+2):Z=C(L+3)
190 Z=C(Z-C(L)+M+1):Z=C(Z-C(L)+M+2)
200 M=C(M+Z-C(L)+Z)-C(L):Z=C(M+Z-C(L)+Z)
210 IF M=0 AND M=1 THEN Z=C(Z):Z=C(M+Z-C(L)+Z):Z=C(Z-C(L)+Z)
220 NEXT M: NEXT L
230 NEXT K: NEXT J
240 FOR J=1 TO CR
250 FOR K=Y(C(J)-1 TO Y(C(J)+1)
260 FOR L=C(J)-1 TO C(J)+1
270 GOSUB 1000
280 NEXT L: NEXT K: NEXT J
290 END
300 POKE 50001, PEEK(50001)+Z
310 POKE 50002, PEEK(50002)+Z
320 FOR I=0 TO 10: POKE I, 0: NEXT I
330 FOR I=104 TO 200: POKE I, 20: NEXT I
340 RETURN
1000 M=INT(RND*60):Z=C(M+Z)
1100 L=0 AND 1
1200 R117=-(C AND 1)
1300 BYTE=BITVOR(OR(Z-C(M+Z),
1400 POKE BYTE, PEEK(BYTE)+OR Z*BIT
1500 RETURN
2000 Z=C(Z-1):Z=Y(Z)-1
2100 IF Z=0 THEN Z=0
2200 FOR C=1 TO 32: STEP 60:GOTO
2300 G=INT(R117*(5-1)+1)+Z
2400 GOSUB 1000
2500 NEXT C
2600 RETURN
2700 C=0
2800 FOR R=1 TO Y(C):STEP 60:GOTO
2900 GOSUB 1000
3000 NEXT R
3110 RETURN

```

Fig. 1



Figure 1: A network diagram



Figure 2: The graph on the horizontal line and grid

of lines that cross is counted twice. The point where, say, line A crosses line B, is counted once when all the lines are paired with line A, and once each time when all the lines are paired with line B. For this reason, the value field in CR after these lines are executed is twice the number of crossovers. We shall leave the program like this because the steps have to be taken to ensure that each crossover is counted only once complicate it considerably.

It is now a simple matter to record the position of each crossover because the value of N, which gives the position, has been found already. If we record the locations of the crossovers by placing their x- and y-coordinates respectively, in the elements of the arrays XC and YC, then we need only modify lines 10 and 270 as follows.

```

10 DIM X(5),Y(5),XC(5),YC(5),N,C(5),R(10)
20 IF M=0 AND N=1 THEN
C=C*(C+1):C=C*(C+Y(C)+1)+(Y(C)+Z):YC(Y(C)+M+1)+(Y(C)+Z)

```

Finally, we can mark the position of each crossover with

a square block composed of dots by using the subroutine, starting at line 1000, which plots a dot in columns C and row R, repeatedly.

```

340 FOR J=1 TO CR
350 FOR K=Y(C(J)-1 TO Y(C(J)+1)
360 FOR L=C(J)-1 TO C(J)+1
370 GOSUB 1000
380 NEXT L: NEXT K: NEXT J

```

The complete program listing, with the subroutines, is listed in Figure 3.

Further Developments

You can gain some confidence in the program by drawing a different network connecting five "places", recording it in C, and seeing that the program can mark its crossovers. The program can be extended to deal with networks having more than five "places" in them, but this is straightforward. It is somewhat more difficult to amend the program so that it does not cross, and mark, every crossover twice. The crossovers can be marked more effectively, perhaps with a flashing block, like a cursor. Some way of displaying the number of crossovers would also enhance the program.

Listings will be much easier to enter with our new system.

COMMODE LISTINGS ARE RATHER well known for the horrible little black bits that always abound. Unfortunately the graphics characters which are used to represent graphic and control characters do not reproduce very well and they are also difficult to find on the Commodore keyboard.

In future all control and graphic commands will be replaced by a mnemonic within square brackets. This mnemonic is not typed out as printed in this magazine but rather the corresponding key or keys on the keyboard are pressed. For example [RIGHT] means press the cursor right key, you do not type in [RIGHT]. All of the keywords, what keys to press and how they are shown on the screen are shown below.

Any character that is accessed by pressing shift and a letter will be printed as (Shift).

[SA] shift and A
[S=] shift and =

Any character that is accessed by pressing the Commodore key and a letter will be printed as [Com].

[C-A] Commodore and A
[C=] Commodore and =
[C] Commodore and 0

LISTINGS

If any character are repeated the mnemonic will be followed by a number. This number is how many times you should enter the character. Any number of spaces over one will also be represented in this form.

[RIGHT]10 press cursor right 10 times
[C+10] press Commodore and + 10 times
[SPC]10 Press the space bar 10 times

Any other characters should be fully recognizable for example CTRL-N means press CTRL and N and LEFT-ARROW means press the left arrow.

Any number of mnemonics can be enclosed in brackets for example


[SA]10,[SPC]10,[SA]10

means type 10 shift A's, 10 spaces and another 10 shift A's.

Mnemonic	Symbol	what to press
[RIGHT]		left/right
[LEFT]		shift left/right
[UP]		Shift & up /down
[DOWN]		up/down
[H]		H
[F]		shift & F
[R]		R
[R=]		shift & R

Mnemonic	Symbol	what to press
[R]		R
[R=]		shift & R
[F]		F
[F=]		shift & F
[H]		shift & H
[CLEAR]		shift & CLR /HOME
[HOME]		CLR/HOME
[EXON]		CTRL & 5
[EXOFF]		CTRL & 6

Mnemonic	Symbol	what to press
[BLACK]		CTRL & 1
[WHITE]		CTRL & 2
[RED]		CTRL & 3
[CYAN]		CTRL & 4
[PURPLE]		CTRL & 5
[GREEN]		CTRL & 6
[BLUE]		CTRL & 7
[YELLOW]		CTRL & 8



1985 THE YEAR OF COMMUNICATIONS

Set your
Commodore 64
FREE



A whole new world awaits you and your 64. The world of Prodat, Mailnet, Viewfax, HomeLink, Citicenter, etc. This is the world of product reviews, maintenance guides, home banking, business information, commodity futures, airline shopping and time conversion, electronic notice boards, helpful tips, KOPLO, news, Telex-Link, Mattias, Christie, Gallery etc. This is the world of telesoftware, with programmes to download into your 64 and use to disk or tape. Many telesoftware programmes are provided free of charge or at nominal cost.

Dialog with over 600 master databases on 1/2 and almost unlimited information on just about any subject is available from your 64, together with BT-Card, Easylink, One to One etc., with electronic mail, business enquiries and sales facilities.

You can link to Bulletin Boards in your area for local news, club news, letters, jokes, poems, helpful tips, etc. It's a whole new experience.

Take the first step. Make your first trip for your 64. Communicate with Modem House and you'll soon be taking to other 64 users, linking to other micros and swapping files, tips, programmes or just chatting.

Modem House are the largest suppliers of Commodore communication equipment. We also supply complete systems for the 2000, 3000, 4000 and 8000 series.

The most popular 64 micropack in use today, will link you to Prodat, Mailnet 800, Viewfax 250, HomeLink, Farnlink, Citicenter, etc. From Modem House the complete system (not offer at the irrevocable price of £99.95 inc. VAT, p. 8 p.)

Optional terminal software to link you to BT-Card, Easylink, One to One, Dialog and Bulletin Boards is available at £29.95 inc. VAT, p. 8 p.

Complete Commodore 64 micropack

special price **£99.95** inc. VAT p. 8 p.
for a limited period only

Special, special offer: order your 64 micropack now and get a **FREE** quarter's subscription to the new 800 and Viewfax 250 Prodat Microcomputing.

Modem House, Arundel Road, Exeter, Devon EX4 3JF the 03923 8300

Please send me _____ Commodore 64 telepackaged 800 800 with

terminal £ _____ Optional Terminal Software £29.95

terminal £ _____ 800 800 my Access No.

Name _____

Address _____

Telephone No. _____

Please allow 28 day delivery

this offer applies only while stocks last

Y.C. 1/85

MODEM HOUSE

70 Longbridge St, Swan 604 640 Tel (01902) 20395

EASY ENTRY EASY ENTRY

```

400 T0=0: T0=POKEX(2)+256*POKEX(30)-LEN(T0)
    :POKE T0, T0:GOTO
410 POKE T0, T0+POKEX(20)+256*POKE T0, LEN(T0)
420 SYS 4044
430 POKE T0, 0:POKE T0, 0:POKE T0, 0:SYS 4044
440 POKE 254, 0:POKE 255, 0:POKEX(254)+256*POKE T0, 255
450 POKE T0, 0:POKEX(254)+256*POKE T0, 0:POKEX(254)+256
    :SYS 4044:RETURN
460 REM ### END DATA ###
470 INPUT"CLEAR,DOWN,RIGHT?FILE NAME (Y/N)
480 IF FN="" OR LEN(FN)>25 THEN RETURN
490 INPUT"DOWN,FUNCTIONKEY?APE BNDPC, BNDXID,BNDYDT
    :D0 : BLEFT?D0
500 IF D4<"T"AND D4<"B"THEN RETURN
510 D=0:IF D4="T"AND D4=
520 LOAD FN, 0, 1:RETURN
530 PRINT"PRINT (DOWN, RIGHT)DIRTY*ADD=DIR-10
540 POKE 242% , 15:POKE 243% , 10
550 POKE 242% , 100:POKE 243% , 45:POKE 242% , 40
    :POKE 242% , 17
560 FOR C=1 TO 256:NEXT
570 POKE 242% , 44:POKE 242% , 0:POKE 242% , 0
580 RETURN
590 INPUT "CLEAR,DOWN,START ADDRESS ?"A00
610 PRINT "DOWNSPACE ENTER ALL DIGITS."
620 PRINT"DOWNSPACE WILL BE ENTERED AUTOMATICALLY
    :DOWN?"
630 PRINT"PRINT DIRTY(Y) :DOWN 250
640 IF FN="CF" THEN GOTO 550:GOTO 550:GOTO 550
650 IF FN="CF" THEN GOTO 550:GOTO 550:GOTO 550
660 REM REM DATA AND STOP
670 DOWN=DOWN-INT(DOWN/256)+256
680 FOR C=1 TO 16:STOP 3
690 FN=DIRTY(C, 0, 0)+FN%256
700 DOWN=DOWN+DOWN 250
710 IF DOWN THEN G=0
720 POKE DIRTY+DOWN+DOWN+NEXT C
730 INPUT"DOWN DIRTY 24, 21
740 IF VFN=DOWN THEN GOTO 550:GOTO 550:GOTO 550
750 GOTO 120
760 DIRTY+FN C=1 TO 15:FOR L=1 TO 2
770 SET DIRTY OF DIRTY+GOTO 250
780 IF DIRTY+1 THEN DIRTY C=1:G=L:0
790 IF DIRTY+1 THEN DIRTY C=1:G=L:0
800 DIRTY+G=0
810 PRINT DIRTY+NEXT L:PRINT "NEXT C:RETURN
820 REM ### SAVE YOUR FILE ###
830 PRINT"CLEAR,DOWN,RIGHT?SAVE FILEDOWN?"
840 INPUT"FILE NAME (Y/N)
850 IF FN="" OR LEN(FN)>25 OR FN="?" THEN RETURN
860 INPUT"DOWN,FUNCTIONKEY?APE BNDPC, BNDXID,BNDYDT
    :D0 : BLEFT?D0
870 D=0:IF D4="T" THEN D=0
880 INPUT"DOWN,START ADDRESS IN DECIMAL (Y)0
890 INPUT"DOWN,END ADDRESS IN DECIMAL(D)4(Y)0

```

We make life easier

for you with our

machine code entry

program.

THE WORST THING ABOUT Machine Code programming is that thousands of numbers and then finding the program will not work. There's nothing else that you can do apart from going through all of the listing trying to locate that mistyped character which prevents the program from working correctly.

Now there's an easier way to enter your machine code programs. With the Your Commodore machine code entry program, each line of numbers is checked as soon as you press return. If you have made a mistake you will be asked to re-type the last line. Another added bonus is that you can save what you have entered at any time to tape or disk and copy on where you left off next time you come to your computer.

Using the Loader

Before you type in any machine code program you must have typed in the machine code entry program and have it saved onto tape or disk. When you want to enter any of the machine code programs that

are printed out in the form used by this program you must LOAD it into your computer. When you RUN the program you will be asked for the start address of the program. The start address is the line number in any machine code listing that appears before the colon (eg. 400:). You simply type in the number and press return.

All that you have to do from then on is type in all the numbers on a line. Do not type any spaces and do not type return; the program will do all of that for you. If you have made a mistake on any line the computer will ask you to type the line again. Once the line is entered correctly the computer will automatically prompt you for the next line of data.

Saving and Loading


You can save your data to tape or disk at any time by simply entering the F1 key as the first character on any line. You will then be asked for the start and address of the save. The start address is the line number in the listing as already mentioned. The end address is the number of the last line plus 1. Don't forget to add 1 to the last line number or not be saved.

To load back a program that you have saved you simply have to enter the F1 key as the first item on a line. You will then be asked for the name of the program.

THE COUNTDOWN HAS BEGUN

CRITICAL MASS

From DURELL



R.P.P. 1871

DURELL sales dept.,
Castle Lodge, Castle Green, Taunton TA1 4AB

Write now for details of Durrell's
Great New Competition also
T-shirts, Calendars
and Posters

LIST AID LIST AID

Here's a neat program that

will save you money. By Bob

Davis.

LIST AID OPENS UP A NEW WORLD FOR programmers. No longer are you limited to using standard paper for your listing. Instead you can list your Basic programs to any desired width (between one and 80 columns) and as a bonus, you can choose either standard or double size characters and set the print head's start position.

There are several advantages using List Aid. For a start, listing a program 80 columns wide, with the print head offset to 10 columns, gives a nice margin either side of the listing to make any notes etc. How about listing in 40 columns mode, so the listing looks exactly as it would on the screen. You could use double size characters for any one with poor eyesight.

List Aid itself requires 5K of memory to operate. Therefore, the only limitation is that your program must not occupy more than 32K, when the program is initially loaded into the computer. It doesn't matter if your program requires more than 32K to run.

Using List Aid

First, type in the program exactly. You can leave the REPA on if you wish. Don't forget to SAVE it. Now run it. There are three options to be answered.

First, the character size. It's preset for standard size. For double size press 'D' and 'return', otherwise just press 'return'. Next select the width. This is the actual column size to be listed. Enter any size between one and 80 and press 'return'. Finally the print head's 148 setting is required. This is preset for zero. If all goes well, List Aid will list itself!

To list your program the following instructions must be followed exactly.

Next reset the computer by switching OFF and ON, or type in SYS 64780 and 'return'. Now load the program you wish to list. Remember, your program must not occupy more than 32K. Now type in the following and line double statement and press return. Do make sure it is exact or you will have to load all over again.

POKE 43,1:POKE 44,140:POKE 1407264,NEW

Now! But, I just loaded it, I hear you say. Don't worry, all will be revealed later. If you've done that correctly the computer will respond with 'READY'. Now load List Aid, run it and your program will be listed. Don't forget to have your printer switched on and the paper all aligned.

To list another program you will have to switch off and start again.

So, what's the NEW all about then? Well, when you loaded your program, when a Basic program is loaded into the computer (which is just switched on) it is placed in memory from address 3048 onwards. The computer knows, as it knows, where to place the program by looking at locations 43 and 44. The contents of these locations indicate where the Basic's memory 'BOTTOM' is. In this case 3048. Before loading any program in, try this in direct mode:

```
PRINT POKE 43) = (44) * 256
```

The result will be 2645. By taking the 'BOTTOM' of memory above the area your program occupies, we can load a second program, List Aid, and run it, thereby not affecting the contents of your program. We do this by poking locations 43 and 44 with values to make the computer 'think' that the Basic memory now begins at address 3041. The 'NEW' command resets all the other Basic pointers accordingly. The values poked to

43 and 44, 1 and 140, ensure that the maximum permissible BASIC is available for your program. 140. Before actually loading List Aid (after the poles to 43 and 44) type in 'PRINT 18100' and 'return'. You will see a return of 5119 bytes free. The POKE 1407264 erases location 14088 contains a zero. The first byte of Basic now must be a zero.

List Aid works progressively, following four steps.

1. Work out the current line number and the link address (pointing to the next line).
2. Starting with its line number, concatenate a string variable representing the line. Detect end of line upon reaching link address.
3. Print routine. Send contents of string to printer, one character at a time, appropriately limited the print width, set TAB and Character size if required.
4. Check for 'double zero byte' indicating end of program. If not go to 1.


```

30-110  prints TITLE
110      checks if printer is switched on.
120-130  initialise. Set up Link Address, Keyword and Cursor Control
        Character strings.
300-400  get print mode, width and tab values.
410-430  set up print mode and customise 'QUOTE' character. Sending a
        normal 'quote' mark (i.e. CHR$(34)) to the printer is OK, but if
        you follow this with any cursor control character, then funny
        things happen! So, why not send a 'customised' quote character.
        Same difference - no problems!
700      field 1. find current line number, link address to next line.
710-715  field 2. Add line number to string. Print current address. If
        Keyword, add appropriate keyword string. If 'quote' mark then
        enter loop (lines 840-890). If detected add Cursor Control
        character. Else, add standard ASCII code. Leave loop when
        second quote or end of line is detected. If not Keyword or quote
        character, add normal ASCII character. Leave next print address.
        If not same as link address, start again.
720-760  field 3. Print routine. Calls SUB 1000. Set up loop for length of
        program string. Print count = 0. Print string, one character at a
        time. If print count = print width or end of line is reached, print a
        carriage return. If a 'quote mark' (CHR$(34)) is detected, send
        customised 'quote' instead (sub 1000). When all characters are
        sent, send a carriage return.
800      field 4. Last line check. If the contents of (Link Address) AND
        (Link Address + 1) is 0 then the end of program is detected.
        the goto 700.
1000-1060  Subroutine. Print customised 'quote' character. If print mode is
        double size characters then print two quotes. Note the quote
        character is different for double size.
1070-1140  Subroutine. Print 'TAB' many spaces to set the printer head.
        End routine. Flash 'printer not on'. Close channel to printer.

```

Variables

PM print mode	KEY keyword
PW print width	CCS cursor control
PT tab size	M05 mid of (P)
PA peek address	LN5 line number
LA link address	QS quote character
MS next link	PI program string
LN line number	P peek value of PA
PC printer count	LMDB and DS general purpose



RELIABLE ROUTINES

Mike Hart breaks you gently into the hexadecimal system.

Hex-Calculator

SOONER OR LATER, OWNERS of Commodore machines start to get tired of Basic and wish to penetrate the mysterious world of machine code. A first step along this road entails getting to grips with the hexadecimal system in which the machine code is written.

The hexadecimal system is based around a unit of 16 rather than the 10 that we are familiar with in our "10s and units" system. In the hexadecimal system, the numbers zero to nine are represented by the digits 0-9 but the numbers 10-15 are represented by the letters A-F. Sixteen is the hexadecimal system is therefore one hexadecimal unit (corresponding to our 100) followed by no other units: hence 16 decimal is 10 hex, 17 decimal is 11 hex, 34 decimal is (2 * 16 + 2) = 22 and so on. It is

conventional to prefix a hex number with the \$ sign or otherwise one might get confused as to whether a number such as 11 meant 11 in the decimal system or 17 in the hexadecimal system. The decimal notation is sometimes distinguished by a dot sign but very often by no sign at all—this means that if you see a number by itself it is nearly always a decimal number but a hex number should always be preceded by the \$ sign.

Once you get used to it, the hex system is a much more convenient way to think about the innards of your machine. For example, it makes much more sense to know that the Basic ROM for the C64 is located at \$A800-\$BFFF and that \$C000-\$CFFF is available for machine-language programs than to remember decimal (in which case the relevant numbers would be 40960-49151 and 49152-51047). Commodore machines often seem to take three steps forward but one step back. In the days of the Commodore PET, there was a machine language monitor for

```

1 REM *** HEX-CALCULATOR ***
2 :
3 REM $# HEXE WRT $#
4 :
10 REM SYNTH FOR 'HEX-CALCULATOR' IS-
11 :
12 REM SYS$CALL, @-----, ...SYS$CALL-----
13 REM CALL+000 (BY DEFAULT)
14 :
15 REM PACKW-CODE HEX-LOADER
16 :
17 FOR J=020 TO 04F:READ @:POKE 0,@:NEXT
18 DATA 165,8,177,26,201,64,144,5,102,8
19 DATA 10,18,16,18,121,5,200,177,26,201
20 DATA 64,144,2,105,8,41,15,1,2,6
21 :
22 CALL+000:LOC+CALL-214+LOC@+44
23 :
24 FOR I=0 TO 00F:READ @:SYS $IO
25 POKE LOC+I,POKE+0@:NEXT
26 :

```

```

100 REM RELOCATE CHANGES
110 :
120 @:=INT($/256) : @:=@-65536
130 @:=INT($/256) : @:=@-65536
140 POKE LOC+@, @: POKE LOC+@+1, @
150 POKE LOC+@+1, @: POKE LOC+@+2, @
160 POKE LOC+@+2, @: POKE LOC+@+3, @
170 POKE LOC+@+3, @: POKE LOC+@+4, @
180 PRINT
190 PRINT "HEX-CALCULATOR LOADED"—, @
200 :
210 :
220 DATA @#     LBR  :@000 "PRINT FIRST 5/8"
230 DATA @#     LBR  :@004 "EVIDE BYE 5/8"
240 DATA @#     LBR  :@008 "NO GET SWITCH AGAIN"
250 DATA @#     LBR  :@00C "BY FOUR LOC+0"
260 DATA 10     AND #00F :@010 "MAKE GET OVER 10"
270 DATA 10     ORC     :@014 "CLEAR FLAG"
280 DATA 10,20  AND #50 :@018 "NO 40 TO GET NEXT CODE"
290 DATA 10,24  ORC #50 :@01C "NO 40 TO GET NEXT 4"
300 DATA @#,@#  ORC #0000 :@020 "NO - 50 SWP NEXT 2 BYTE"
310 :
320 DATA @#,@#  AND #000 :@024 "NO - 50 ADD 7"

```



```

210 DATA 40,83,47 JMP #FF02 :0206 "PRINT & RETURN
211 DATA 40,83,80 JMP #0007 :0209 "PRINT FRAC1: 40 80:11 01
617
212 DATA 29,71,00 JMP #0073 :020E "ENTER POINT - GET 1ST 01
617
213 DATA 29,74 CMP #00H :020F "IS IT 0 1
214 DATA 70,01 BEQ #020E :0211 "YES - BRANCH (LINE 206)
215 DATA 69,24 LSR #02H :0213 "NO - 10 PUT 0 INTO A
216 DATA 20,22,FF JMP #FF02 :0215 "END POINT IT
217 DATA 20,80,40 JMP #0004 :0218 "INPUT NUMBER
218 DATA 20,77,07 JMP #0073 :021B "CONVERT FRAC1: 000 2 01
75 10 80:10:03
219 DATA 20,87,00 JMP #0007 :021E "A HOLD: 000 00 PRINT 10
1 00:07
220 DATA 40,05 LSR #01 :0221 "RETRIEVE 000
221 DATA 20,48,00 JMP #0008 :0223 "PRINT 2ND 01:07
222 DATA 99 7FA :0226 "RETRIEVE L20
223 DATA 29,47,FC JMP #0047 :0229 "PRINT 1ST 01:07
224 DATA 99 7FA :022B "RETRIEVE L20
225 DATA 40,40,00 JMP #0008 :022E "PRINT 3RD 01:07 00:07:00
80
226 DATA 20,73,80 JMP #00F7 :0231 "CONVERT FRAC2:
227 DATA 20,71,20 JMP #0073 :0234 "GET 1ST 01:07
228 DATA 40,03 BEQ #0229 :0237 "END 10 PRINT 00, 40:03 03
11 (LINE 211)
229 DATA 09,41 CMP #44H :023A "GREATER OR EQUAL TO 4 ?
230 DATA 70,42 BEQ #02C2 :023B "NO - SKIP 3 BYTES
231 DATA 07,08 SEC #00H :023E "YES - SUBTRACT 0
232 DATA 07,2F SEC #02F :0241 "NO - SUBTRACT 47 (=CARRY)
FLAG IF CARRY
233 DATA 40 70H :0244 "END A ON STACK
234 DATA 20,40,00 JMP #000C :0247 "TRANSFER FRAC1 TO FRAC2
3
235 DATA 40,10 LSR #010 :0271 "PUT VALUE OF 10
236 DATA 20,40,01 JMP #004C :0274 "INTO FRAC0
237 DATA 20,27,04 JMP #0020 :0277 "FRAC1 1, FRAC2=-0000,1
IN FRAC0
238 DATA 00 7FA :027A "RESETTING A
239 DATA 20,71,00 JMP #007C :027B "ADD A TO FRAC0
240 DATA 20,01 0VC #0001 :027F "STOP ALWAYS FOR NEXT 010
17 -LINE 237)
241 )
242 )
200 ROM HEX-DECIMAL CONVERSION
210 )
220 ROM INPUT "HEX"=00H
230 ROM D=0:FOR%I TO LEN(00)
240 ROM D=ASC(HEX$00),D11=00
250 ROM D=0011+D-D%10:NEXT PRINT D
260 )
270 )
400 ROM DECIMAL-HEX CONVERSION
410 )
420 ROM INPUT "DECIMAL"=0
430 ROM 00=0:000=(1000+1000)D=0:10=(10-11)0
440 ROM 00=0000+100=101:01:01=000
450 ROM D=0:0:0:1:PRINT "D";

```

written into the ROM which enabled me to get to grips with hex fairly easily but this facility was denied to the generation of C64 and Vic 20 owners who had to buy or get a machine-language monitor for their machines like Superbase.

This month, the listing shows you how you can add a hexadecimal converter to your machine so that you can very quickly and easily input a decimal number and get its hex equivalent or input a hex number and get its decimal equivalent. The whole routine is written to be as compact as possible and is designed to occupy the space from \$00A2-\$B277 - a total of 89 bytes which are absolutely safe and will not be corrupted by any other operations including loading in a new program or tape. In fact, the routine only just squeezes into the available space and is a result of my passion for nice, tight and compact routines that just fit into the low space safe locations.

The listing actually contains two machine language programs and requires a little explanation so that you can follow what is going on!

Lines 17-20 contain the decimal value for a sheet (i.e. 30 bytes) hex-loading routine which greatly speeds up the process of converting hex values to decimal within the context of a Basic program such as this. As you can see, the main body of the program is contained in DATA statements from lines 200-240 and each line of DATA has one to three hexadecimal numbers followed by a BASIC statement or op-code, an address and finally a comment. This is to enable the experienced machine code programmers amongst you to understand the conversion process - I find that I always learn a lot from studying how other people have constructed their programs. These hex values are read into variable 00 in line 70 and then the first hex-loading routine is called at location 00. This is actually the bottom part of the stack and should be fairly safe unless you have mathematical routines with lots of brackets and/or many indented loops, all of which require a lot of stack space. The hex-loading routine, read in

lines 17-20, leaves the single byte decimal value that we require in the Accumulator. To access it, we merely PRINT(70) which the designers of the Vic and the C64 thoughtfully put in to enable us to access the 0002 register directly. Line 80 obviously PRINTs the converted hex value into the value of LOC1 where LOC is decided by you, the user.

So here, you actually have two decimal-hex converters within a single program. The main converter is designed to sit in a safe location where \$00700-\$000 - or \$7F000 - will do the conversion job for you. If you provide your number by the \$ sign then the converter will assume a hex number and will convert accordingly. This hex number can be of any reasonable length e.g. one to four digits. If you do not provide your number by a \$ sign, then the converter will assume that you are inputting a decimal number and will convert it to hex for you.

The initial hex-loader which is located in the stack is purely a refinement but processes numbers at four times the speed of the Basic equivalents. If you are still wedded to Basic then lines 180-190 show how to use fairly standard conversion routines. All routines, whether Basic or machine code have to cope with the fact that the ASCII values for A-F do not immediately follow the ASCII values for the digits 0-9 but are some eight locations later. Hence the necessity to engage in a process which works out whether the values A-F are involved in any part of the conversion process and then to make whatever additional adjustments are necessary.

Changes for Vic 20

Line	C64	VIC 20
211	8D	8D0
217	AD	C13
218	87	D7
226	88	D8
234	8C	DC
236	81	D1
237	8A	DA
239	8D	DD

Substitute the relevant values for the VIC 20 in place of the C64 value in the specified line.

Steve Carrie

concludes his machine
code development
system series with the
assembler.

MACH

The Assembler

Now we come to the third and final program of the series, the Assembler. This is a two-pass assembler which will accept source code from either the Macro Processor or direct from the Editor (assuming no MACRO definitions or calls are present) and will produce an executable machine code file. This means that all you will have to do to run your program will be to LOAD it by name and call it with a basic SYS command, for example:

```
LOAD "Myname",A1  
SYS (start address)
```

During assembly, a listing is generated giving the object code and a list of symbols and their values. This may be sent to a printer by executing the TTY command before calling the Assembler.

Entering the Code

There are five Basic listings given here. As before, type them all in and save them before running. To save the code, use either the Monitor 3 command giving ASSEMBLER, 9999 and 9999 as the parameters, or use:

```
POC144,3,POC614,104,POC6  
41,3,POC614,104,SAVE"  
ASSEMBLER",A1  
POC144,3,POC614,104,VIEW
```

To call the Assembler from the Monitor, you should use either:

```
ASSEMBLER or  
ASSEMBLER (source file)  
object file)
```

If you use the first option, the Assembler will prompt you with INTER FILENAME(s). You should then enter the names of the files in the same format as the second option above.

Assembler Instructions

There now follows a list of PEBLMS INSTRUCTIONS that are entered in field three.

Instruction Function

ORG Sets code origin in memory. This can be any memory address since the object code is written to disk and on into memory. This should be the first instruction in a program. Other assemblers may use the symbol "*" for value of a symbol table 2 in an expression in field 4. In other assemblers the equivalent symbol may simply be "@".

ICPU Indicates end of a source code program. MACRO definitions may follow.

END Indicates end of a source code program. MACRO definitions may follow.

TEXT Puts a text string in ASCII into memory.

BT Puts single byte values into memory.

WORD Puts 2-byte numbers() into memory in 6002 bit-byte, bit-byte order.

DBT Same as WORD but in reverse order.

MAC The opening MACRO definition delimiter.

ENDM The closing MACRO definition delimiter.

EXT For future use. Actually defines a GLOBAL symbol for use with a future LINKER program.

%: The percent symbol signifies that a binary number follows. For example:

```
LOADP1LDA #%00800001
```

and instruction. Next, we will assemble our MACHOUT program which was generated with the Macro Processor.

Assembling the Example Program

With all three utility programs on your working disk, and the three example programs MACHTEST, MACHLIB and MACHOUT on the same disk, you are ready to assemble.

Enter the monitor and type:

```
ASSEMBLER MACHOUT  
MACHOB)
```

The disk drive will begin working. After a few moments, the message:

```
COMMODEORE 84 UTY,UTY  
99999  
ASSEMBLER VLO  
(C) 1985 S.D.C.
```

will appear. If all goes well, the machine will generate a listing on the screen (or printer if you used TTY). After this, the machine will re-enter the Monitor. You now have a disk file called MACHOB.

Exit the Monitor using the 3 command and type:

```
VIEW  
LOAD "MACHOB",A1  
SYS 49152
```

The program should act as described below:

- 1 Clear the screen.
- 2 Output a "your name" message.
- 3 Wait for keyboard input.
- 4 Print what was input.
- 5 Exit to Basic.

Assembler Error Messages

If an error is found, the appropriate message is printed with a line number and the assembly is aborted. If an object file has

Assembler Operand Conventions

Field 4 operands have several symbols associated with them. Some may be familiar, but others may not.

<and> These may be used to specify which byte of a two-byte number is to be loaded into an 8-bit register. For example:

```
LOADP1LDA #LABEL  
LOADP1-LABEL
```

loads the A-register with the low-byte of the 16 bit value LABEL, while the Y-register is loaded with the high-byte. The apostrophe is used to signify that an ANCE character is to be used as an operand e.g.

```
LOADP1LDA #A'
```

loads the A-register with 41 HEX, the ANCE code for A.

loads the X-register with 1. The dollar signifies that a hexadecimal number follows. For example:

```
LOADP1LDA #%08  
LOADP1LDA %8
```


If no symbol is used as a prefix then the number is assumed to be decimal and will be treated as such. Note that the "P" in the above examples is the standard 9000 notation for an immediate number.

Many symbols can be used in field four, it is possible to add or subtract as often using the + and - symbols. For example:

VIEW	SQU	\$0000
BORDER	SQU	VIEW+128
SCREEN	SQU	VIEW+127
	LDA	VIEW+1
	SEA	VIEW+2
	AM	VIEW-1

etc....

This completes the description of the assembler symbols



3-MACH

been created, it will be scratched.

Message

REDEFINED SYMBOL
TOO MANY SYMBOLS
UNDEFINED SYMBOL

BRANCH RANGE
SYMBOL SYNTAX

DIRECTIVE
OPERAND OUT OF BOUNDS

OPERAND SYNTAX
ADDRESSING MODE

NOT AN INSTRUCTION
FILE NOT FOUND

SYMBOL TOO LONG
MACRO DEFINITION

MISSING OPERAND
FILE OPERATION

Meaning

a symbol appears in field 2 twice
symbol whitespace full

a symbol does not appear in field 2 having
been found in field 1

relative branch was too big
symbols only contain alphanumeric
characters with the first character being
alpha only

a problem with a pseudo instruction
particular operand was too big for a
particular addressing mode

bad field 4 syntax
illegal addressing mode for a particular
instruction

illegal field 5 string
source file cannot be located on the
current disk

symbols are up to 9 characters long
source contains MACRO symbols such
as MAC and MEND. Run the file on the
Macro Processor first

missing field 4 entry
problem with the disk files such as a
write-protect being ON

3

The first MACRO LOAD SUB generates a subroutine which uses KERNAL ROM routines to perform a LOADING operation via logical file number LFN, device DEV with secondary address SEC. The file has a name NAME of length LFN. On return, a set carry flag indicates an error condition. The X and Y registers hold the highest address loaded to by the LOAD routine \$F1D5.

The second MACRO DLOAD uses the MACRO LOADSUB as a subroutine. This is really not much different to LOADSUB on its own but is included here to show how MACRO calls can be nested.

Next, I will give a programming example for you to try out using this series of programs. Enter it using the Editor, call the Macro Processor and Assembler to work on it and try the program out. It will have a start address of \$C000 or 49334 decimal. Simply use a Basic 999 49332.

A Programming Example for the Utility Program Series

There now follows a programming example designed to show how you can use MACROS in programs. Delete the previous program MACTEST, MACLIB, MACDLIB and MACDOB (unless you want to keep them) using the Monitor (SCRATCH command).

First, type in the following MACRO library file which contains two different MACROS. Call it MACLIB or something similar. This will be the name you use for the (macrolibraryfile) in the Macro

Processor call. There is a field guide to help you.

FIELD1	FIELD2	FIELD3	FIELD4
10		MAC	
20	L	LOADSUB	
30	L	LDX	
40		LDY	
5		LDZ	
60		LDI	
70		LDJ	
80		LDK	
90		LDL	
100		LDM	
110		LDN	
120		LDX	
130	FILE	SR	
140		TR	
150		MEND	
160		MAC	
170	L	DLOAD	
178	L	LDX	
180		LDY	
190		LDZ	
200		LDI	
210	NAME	TR	
220		BYT	
230	LOADSUB1	LOADSUB	
240		MEND	
			NAME,LEN,LFN,DEV, SEC
			#IFH
			#IFV
			#IFC
			#IFB
			#IFN
			#IFL
			#IFM
			#IFR
			#IFD
			NAME
			NAME,LEN,LFN,DEV, SEC
			#IFB,MR
			#IFM,MR
			SR
			LOADSUB1
			LOADSUB
			#
			NAME,LEN,LFN,DEV, SEC

Having saved the MACRO library file to disk, re-enter the Assembler and type in the following program. Call this one anything you want:

FIELD#	FIELD	FIELD#	FIELD
10		ORIG	\$ORIG
20	BORDER	POP	\$ORIG
30		STA	R12
40		LDIA	BORDER
41		HELLO	
50	LOADINT	IR	GETFILE
60		RCS	ERROR
70		R1A	
80	ERROR	LDIA	R-ERRMSG
90		LDY	R-ERRMSG
100		ISR	SARR
110		R1A	
120	ERRMSG	TST	LOAD-ERROR
130		RYT	R
140	GETFILE	DOLOAD	MACRO3.1.8.225
150		END	
160		MAC	
170		HELLO	
180		LDIA	R100
190		LDI	\$R101
200		LDI	\$R102
210		LDI	\$R103
220		LDI	\$R104
230		LDI	\$R105
240		LDI	\$R106
250		LDI	\$R107
260		LDI	\$R108
270		LDI	\$R109
280		LDI	\$R110
290		LDI	\$R111
300		LDI	\$R112
310		LDI	\$R113
320		LDI	\$R114
330		LDI	\$R115
340		LDI	\$R116
350		LDI	\$R117
360		LDI	\$R118
370		LDI	\$R119
380		LDI	\$R120
390		LDI	\$R121
400		LDI	\$R122
410		LDI	\$R123
420		LDI	\$R124
430		LDI	\$R125
440		LDI	\$R126
450		LDI	\$R127
460		LDI	\$R128
470		LDI	\$R129
480		LDI	\$R130
490		LDI	\$R131
500		LDI	\$R132
510		LDI	\$R133
520		LDI	\$R134
530		LDI	\$R135
540		LDI	\$R136
550		LDI	\$R137
560		LDI	\$R138
570		LDI	\$R139
580		LDI	\$R140
590		LDI	\$R141
600		LDI	\$R142
610		LDI	\$R143
620		LDI	\$R144
630		LDI	\$R145
640		LDI	\$R146
650		LDI	\$R147
660		LDI	\$R148
670		LDI	\$R149
680		LDI	\$R150
690		LDI	\$R151
700		LDI	\$R152
710		LDI	\$R153
720		LDI	\$R154
730		LDI	\$R155
740		LDI	\$R156
750		LDI	\$R157
760		LDI	\$R158
770		LDI	\$R159
780		LDI	\$R160
790		LDI	\$R161
800		LDI	\$R162
810		LDI	\$R163
820		LDI	\$R164
830		LDI	\$R165
840		LDI	\$R166
850		LDI	\$R167
860		LDI	\$R168
870		LDI	\$R169
880		LDI	\$R170
890		LDI	\$R171
900		LDI	\$R172
910		LDI	\$R173
920		LDI	\$R174
930		LDI	\$R175
940		LDI	\$R176
950		LDI	\$R177
960		LDI	\$R178
970		LDI	\$R179
980		LDI	\$R180
990		LDI	\$R181
1000		LDI	\$R182
1010		LDI	\$R183
1020		LDI	\$R184
1030		LDI	\$R185
1040		LDI	\$R186
1050		LDI	\$R187
1060		LDI	\$R188
1070		LDI	\$R189
1080		LDI	\$R190
1090		LDI	\$R191
1100		LDI	\$R192
1110		LDI	\$R193
1120		LDI	\$R194
1130		LDI	\$R195
1140		LDI	\$R196
1150		LDI	\$R197
1160		LDI	\$R198
1170		LDI	\$R199
1180		LDI	\$R200
1190		LDI	\$R201
1200		LDI	\$R202
1210		LDI	\$R203
1220		LDI	\$R204
1230		LDI	\$R205
1240		LDI	\$R206
1250		LDI	\$R207
1260		LDI	\$R208
1270		LDI	\$R209
1280		LDI	\$R210
1290		LDI	\$R211
1300		LDI	\$R212
1310		LDI	\$R213
1320		LDI	\$R214
1330		LDI	\$R215
1340		LDI	\$R216
1350		LDI	\$R217
1360		LDI	\$R218
1370		LDI	\$R219
1380		LDI	\$R220
1390		LDI	\$R221
1400		LDI	\$R222
1410		LDI	\$R223
1420		LDI	\$R224
1430		LDI	\$R225
1440		LDI	\$R226
1450		LDI	\$R227
1460		LDI	\$R228
1470		LDI	\$R229
1480		LDI	\$R230
1490		LDI	\$R231
1500		LDI	\$R232
1510		LDI	\$R233
1520		LDI	\$R234
1530		LDI	\$R235
1540		LDI	\$R236
1550		LDI	\$R237
1560		LDI	\$R238
1570		LDI	\$R239
1580		LDI	\$R240
1590		LDI	\$R241
1600		LDI	\$R242
1610		LDI	\$R243
1620		LDI	\$R244
1630		LDI	\$R245
1640		LDI	\$R246
1650		LDI	\$R247
1660		LDI	\$R248
1670		LDI	\$R249
1680		LDI	\$R250
1690		LDI	\$R251
1700		LDI	\$R252
1710		LDI	\$R253
1720		LDI	\$R254
1730		LDI	\$R255
1740		LDI	\$R256
1750		LDI	\$R257
1760		LDI	\$R258
1770		LDI	\$R259
1780		LDI	\$R260
1790		LDI	\$R261
1800		LDI	\$R262
1810		LDI	\$R263
1820		LDI	\$R264
1830		LDI	\$R265
1840		LDI	\$R266
1850		LDI	\$R267
1860		LDI	\$R268
1870		LDI	\$R269
1880		LDI	\$R270
1890		LDI	\$R271
1900		LDI	\$R272
1910		LDI	\$R273
1920		LDI	\$R274
1930		LDI	\$R275
1940		LDI	\$R276
1950		LDI	\$R277
1960		LDI	\$R278
1970		LDI	\$R279
1980		LDI	\$R280
1990		LDI	\$R281
2000		LDI	\$R282
2010		LDI	\$R283
2020		LDI	\$R284
2030		LDI	\$R285
2040		LDI	\$R286
2050		LDI	\$R287
2060		LDI	\$R288
2070		LDI	\$R289
2080		LDI	\$R290
2090		LDI	\$R291
2100		LDI	\$R292
2110		LDI	\$R293
2120		LDI	\$R294
2130		LDI	\$R295
2140		LDI	\$R296
2150		LDI	\$R297
2160		LDI	\$R298
2170		LDI	\$R299
2180		LDI	\$R300
2190		LDI	\$R301
2200		LDI	\$R302
2210		LDI	\$R303
2220		LDI	\$R304
2230		LDI	\$R305
2240		LDI	\$R306
2250		LDI	\$R307
2260		LDI	\$R308
2270		LDI	\$R309
2280		LDI	\$R310
2290		LDI	\$R311
2300		LDI	\$R312
2310		LDI	\$R313
2320		LDI	\$R314
2330		LDI	\$R315
2340		LDI	\$R316
2350		LDI	\$R317
2360		LDI	\$R318
2370		LDI	\$R319
2380		LDI	\$R320
2390		LDI	\$R321
2400		LDI	\$R322
2410		LDI	\$R323
2420		LDI	\$R324
2430		LDI	\$R325
2440		LDI	\$R326
2450		LDI	\$R327
2460		LDI	\$R328
2470		LDI	\$R329
2480		LDI	\$R330
2490		LDI	\$R331
2500		LDI	\$R332
2510		LDI	\$R333
2520		LDI	\$R334
2530		LDI	\$R335
2540		LDI	\$R336
2550		LDI	\$R337
2560		LDI	\$R338
2570		LDI	\$R339
2580		LDI	\$R340
2590		LDI	\$R341
2600		LDI	\$R342
2610		LDI	\$R343
2620		LDI	\$R344
2630		LDI	\$R345
2640		LDI	\$R346
2650		LDI	\$R347
2660		LDI	\$R348
2670		LDI	\$R349
2680		LDI	\$R350
2690		LDI	\$R351
2700		LDI	\$R352
2710		LDI	\$R353
2720		LDI	\$R354
2730		LDI	\$R355
2740		LDI	\$R356
2750		LDI	\$R357
2760		LDI	\$R358
2770		LDI	\$R359
2780		LDI	\$R360
2790		LDI	\$R361
2800		LDI	\$R362
2810		LDI	\$R363
2820		LDI	\$R364
2830		LDI	\$R365
2840		LDI	\$R366
2850		LDI	\$R367
2860		LDI	\$R368
2870		LDI	\$R369
2880		LDI	\$R370
2890		LDI	\$R371
2900		LDI	\$R372
2910		LDI	\$R373
2920		LDI	\$R374
2930		LDI	\$R375
2940		LDI	\$R376
2950		LDI	\$R377
2960		LDI	\$R378
2970		LDI	\$R379
2980		LDI	\$R380
2990		LDI	\$R381
3000		LDI	\$R382
3010		LDI	\$R383
3020		LDI	\$R384
3030		LDI	\$R385
3040		LDI	\$R386
3050		LDI	\$R387
3060		LDI	\$R388
3070		LDI	\$R389
3080		LDI	\$R390
3090		LDI	\$R391
3100		LDI	\$R392
3110		LDI	\$R393
3120		LDI	\$R394
3130		LDI	\$R395
3140		LDI	\$R396
3150		LDI	\$R397
3160		LDI	\$R398
3170		LDI	\$R399
3180		LDI	\$R400
3190		LDI	\$R401
3200		LDI	\$R402
3210		LDI	\$R403
3220		LDI	\$R404
3230		LDI	\$R405
3240		LDI	\$R406
3250		LDI	\$R407
3260		LDI	\$R408
3270		LDI	\$R409
3280		LDI	\$R410
3290		LDI	\$R411
3300		LDI	\$R412
3310		LDI	\$R413
3320		LDI	\$R414
3330		LDI	\$R415
3340		LDI	\$R416
3350		LDI	\$R417
3360		LDI	\$R418
3370		LDI	\$R419
3380		LDI	\$R420
3390		LDI	\$R421
3400		LDI	\$R422
3410		LDI	\$R423
3420		LDI	\$R424
3430		LDI	\$R425
3440		LDI	\$R426
3450		LDI	\$R427
3460		LDI	\$R428
3470		LDI	\$R429
3480		LDI	\$R430
3490		LDI	\$R431
3500		LDI	\$R432
3510		LDI	\$R433
3520		LDI	\$R434
3530		LDI	\$R435
3540		LDI	\$R436
3550		LDI	\$R437
3560		LDI	\$R438
3570		LDI	\$R439
3580		LDI	\$R440
3590		LDI	\$R441
3600		LDI	\$R442
3610		LDI	\$R443
3620		LDI	\$R444
3630		LDI	\$R445
3640			


```
430 DATA 126,250,250,251,250,251,250,229,240,220,227,221,28
  1,221,240,220
```

```
434 DATA 220,220,127,149,220,141,127,121,120,142,220,220,20
  1,124,220,220
```

```
438 DATA 147,220,220,221,220,220,220,120,120,148,220,140,20
  1,220,220,220
```

```
440 DATA 64,47,47,44,47,42,44,49,41,44,77,77,44,70,47,47
  40 DATA 40,74,44,44,47,44,44,42,47,74,47,47,74,44,47,74
```

```
444 DATA 71,47,74,44,44,49,40,44,49,49,71,70,44,71,74,49
  470 DATA 44,72,42,40,72,40,40,74,42,40,74,40,40,44,71,42
```

```
448 DATA 44,42,42,47,47,42,49,44,42,49,71,44,44,44,44,49
  1000 FORM=0444 TO 2120
```

```
1010 READ RPNODE,4
```

```
1020 NEXT
```

```
1030 PRINT"FINISHED 1"
```

Assembler 2

```
10 DATA 49,49,41,44,44,44,44,44,44,44,44,44,44,44,44,44,44,44
  20 DATA 44,44,71,45,44,47,45,70,44,42,42,74,44,77,49,47
```

```
30 DATA 77,44,47,44,44,47,44,47,44,47,44,47,44,47,44,47,44
  40 DATA 47,74,77,44,74,42,42,74,44,44,44,44,44,44,44,44,44
```

```
50 DATA 74,44,42,77,42,42,42,74,74,42,74,42,44,44,44,47,42
  60 DATA 44,42,42,44,44,42,44,44,44,44,44,44,44,44,44,47,42
```

```
70 DATA 44,44,44,44,74,42,71,47,41,44,44,74,44,47,44,44
  80 DATA 77,42,47,77,44,44,44,47,77,144,124,240,44,240,44,40
```

```
90 DATA 122,24,244,44,144,202,124,202,204,72,4,144,44,44,74
  100 DATA 244,124,174,144,144,124,124,122,124,4,4,11,22,21,4
  4,20
```

```
110 DATA 44,77,44,77,110,121,122,142,124,142,174,127,144,20
  4,204,201
```

```
120 DATA 242,22,14,124,22,24,124,22,244,204,144,14,142,4,14
  1,22
```

```
130 DATA 244,242,124,1,144,1,144,144,14,24,171,142,1,41,224
  1,22
```

```
140 DATA 1,74,142,1,74,1,122,1,74,144,4,177,21,174,244,177
  150 DATA 27,121,44,124,27,74,147,4,141,174,1,141,177,1,141,
  174
```

```
160 DATA 2,144,44,1,141,44,1,141,44,1,244,4,177,122,122,144
  170 DATA 4,244,27,244,27,14,144,244,177,122,122,44,2,244,1
  4,244
```

```
180 DATA 122,24,144,244,177,122,122,72,1,244,1,244,244,244,
  244,4
```

```
190 DATA 122,44,1,21,24,124,144,44,244,122,14,144,142,142,1
  2,74
```

```
200 DATA 24,122,144,174,2,241,4,244,44,144,4,142,44,1,22,24
  210 DATA 124,144,14,244,122,14,144,142,142,14,74,24,122,144
  1,21,7
```

```
220 DATA 241,4,244,12,144,4,142,44,1,244,1,244,244,244,144,
  174
```

```
230 DATA 2,74,144,44,142,1,121,122,124,122,144,1,141,144,2,
  74
```

```
240 DATA 144,44,142,1,121,122,124,122,144,1,141,144,2,74,14
  1,74
```

```
250 DATA 142,1,121,122,124,122,144,4,141,144,2,74,22,121,4,
  24
```

```
260 DATA 142,4,124,2,4,2,244,44,244,4,244,44,244,4,142,4
```

```
270 DATA 74,74,124,41,12,1,2,122,1,22,122,4,222,224,4,244
  280 DATA 222,74,144,4,177,27,122,4,2,244,142,4,144,144,177,
  27
```

```
290 DATA 122,4,2,244,1,244,244,244,144,4,142,2,121,122,124,
  122
```

```
300 DATA 74,144,4,177,122,22,14,177,174,4,142,4,74,24,122,2
  40
```

```
310 DATA 42,144,247,177,122,22,24,124,144,12,121,4,2,244,19
  1,14
```

```
320 DATA 144,244,142,12,74,24,222,144,142,1,122,14,141,122,
  124,122
```

```
330 DATA 142,122,142,4,121,122,74,144,4,142,144,120,49,124,
  44,22
```

```
340 DATA 244,147,144,4,177,29,244,4,22,120,147,24,74,244,14
  1,2
```

```
350 DATA 244,21,147,4,244,244,177,24,211,4,2,244,12,244,222
  174
```

```
360 DATA 142,1,144,242,22,214,147,24,74,144,12,74,141,29,12
  1,24
```

```
370 DATA 142,44,142,4,121,44,74,14,149,12,44,144,22,249,144
  1,22
```

```
380 DATA 7,144,4,12,242,147,44,174,44,142,29,24,142,12,174,
  142
```

```
390 DATA 44,142,4,244,172,144,44,124,241,4,144,1,142,12,74,2
  4
```

```
400 DATA 124,144,4,172,142,2,142,29,244,144,4,142,24,244,14
  2
```

```
410 DATA 144,4,1,142,29,244,222,224,142,1,144,144,144,12,14
  7,4
```

```
420 DATA 142,29,24,174,11,144,1,177,29,244,4,142,1,74,24,12
  2
```

```
430 DATA 172,144,1,241,2,244,1,22,244,147,24,74,22,121,144,
  22
```

```
440 DATA 144,124,174,1,142,14,74,24,124,224,12,144,1,142,12
  1,74
```

```
450 DATA 24,122,224,41,244,24,22,124,144,22,124,147,144,29,
  72,144
```

```
460 DATA 44,72,22,142,124,144,122,44,144,122,29,22,227,144,
  24,74
```

```
470 DATA 142,41,144,42,124,24,124,21,212,227,149,24,74,22,24
  1,142
```

```
480 DATA 144,11,142,24,142,29,244,142,21,142,29,144,1,122,1
  42,24
```

```
1000 FORM=0742 TO 2477
```

```
1010 READ RPNODE,4
```

```
1020 NEXT
```

```
1030 PRINT"FINISHED 2"
```

Assembler 3

```
10 DATA 74,214,147,12,249,144,22,7,144,174,1,24,74,22,241,1
  47
```

```
20 DATA 142,1,177,24,244,2,22,244,147,24,74,144,11,177,29,1
  22
```

```
30 DATA 222,244,177,29,121,124,12,214,147,12,141,40,2
  44,4
```

```
40 DATA 244,44,244,42,72,21,114,4,22,142,121,144,244,41,244
  1,12
```

30 0479 34, 142, 30, 104, 221, 133, 20, 145, 21, 104, 254, 133, 21, 56, 9
 6, 145
 40 0479 225, 56, 229, 20, 131, 20, 162, 254, 229, 10, 131, 21, 56, 9, 14
 5, 225
 70 0479 144, 254, 133, 20, 134, 20, 54, 9, 171, 177, 2, 201, 2, 200, 50,
 247
 80 0479 175, 162, 146, 131, 225, 134, 252, 162, 0, 146, 0, 177, 221, 217,
 160, 2
 90 0479 200, 12, 200, 162, 1, 149, 244, 169, 121, 147, 141, 140, 2, 56, 9
 6, 222
 100 0479 224, 67, 240, 34, 145, 221, 24, 162, 2, 133, 221, 145, 222, 145
 4, 133
 110 0479 222, 34, 121, 120, 24, 9, 177, 9, 201, 222, 240, 2, 141, 189,
 2, 96
 120 0479 162, 7, 76, 20, 133, 32, 131, 148, 22, 104, 220, 176, 2, 142, 30,
 76
 130 0479 20, 125, 224, 8, 176, 2, 167, 1, 9, 224, 32, 176, 2, 167, 2, 9,
 148
 140 0479 224, 54, 176, 2, 149, 2, 94, 224, 64, 176, 2, 149, 4, 94, 142, 13
 150 0479 74, 20, 120, 141, 162, 2, 122, 72, 172, 180, 2, 142, 30, 122, 34
 0, 2
 160 0479 200, 172, 162, 2, 204, 4, 240, 4, 162, 21, 121, 146, 2, 200, 140,
 163
 170 0479 2, 204, 146, 94, 172, 176, 2, 200, 1, 94, 162, 14, 76, 20, 122, 2
 2
 180 0479 4, 221, 32, 124, 146, 32, 145, 121, 145, 21, 240, 2, 142, 7, 74,
 28
 190 0479 222, 145, 1, 22, 227, 120, 22, 121, 0, 220, 44, 220, 4, 22, 121,
 0
 200 0479 74, 21, 120, 94, 32, 4, 221, 32, 124, 146, 22, 142, 221, 145, 2,
 22
 210 0479 221, 220, 22, 121, 4, 201, 44, 220, 4, 22, 175, 0, 76, 20, 121, 9
 4
 220 0479 22, 4, 120, 22, 126, 146, 140, 4, 222, 9, 2, 122, 140, 2, 240, 2
 230 0479 200, 200, 242, 140, 181, 2, 9, 22, 4, 121, 22, 126, 146, 22, 14
 2, 221
 240 0479 142, 20, 144, 21, 122, 21, 124, 20, 144, 2, 22, 222, 120, 22, 12
 1, 0
 250 0479 204, 44, 204, 4, 20, 122, 0, 76, 199, 120, 94, 22, 4, 121, 22, 12
 4
 260 0479 146, 22, 145, 120, 145, 20, 144, 21, 121, 41, 121, 42, 124, 42,
 124, 44
 270 0479 74, 120, 0, 145, 4, 122, 20, 122, 21, 22, 121, 4, 204, 26, 204, 2
 2
 280 0479 22, 122, 0, 145, 222, 140, 174, 2, 22, 21, 120, 24, 94, 201, 22,
 200
 290 0479 12, 22, 122, 0, 22, 140, 146, 145, 2, 122, 20, 24, 94, 201, 40, 2
 40
 300 0479 4, 200, 42, 200, 24, 72, 22, 115, 0, 22, 145, 22, 176, 22, 172,
 177
 310 0479 2, 201, 1, 240, 2, 142, 2, 74, 20, 222, 124, 201, 44, 240, 4, 142
 320 0479 22, 122, 20, 147, 0, 121, 21, 20, 94, 22, 27, 120, 144, 14, 145, 0
 330 0479 140, 174, 2, 22, 21, 120, 24, 94, 204, 20, 200, 16, 22, 112, 0, 1
 22
 340 0479 20, 22, 112, 0, 24, 94, 9, 22, 17, 172, 174, 2, 142, 2, 74, 20, 120
 350 0479 22, 2, 120, 144, 1, 9, 172, 174, 2, 204, 2, 204, 2, 24, 74, 162
 360 0479 2, 74, 20, 120, 144, 0, 141, 180, 2, 22, 122, 140, 22, 121, 120,
 220

370 0479 4, 200, 2, 74, 220, 121, 204, 2, 200, 4, 167, 1, 220, 11, 221, 2
 380 0479 204, 4, 20, 211, 122, 24, 94, 121, 22, 22, 122, 140, 120, 2, 122,
 120
 390 0479 2, 140, 4, 121, 140, 2, 200, 204, 162, 2, 240, 17, 140, 20, 122,
 160
 400 0479 2, 200, 204, 162, 2, 240, 4, 145, 22, 121, 146, 2, 200, 140, 120,
 12
 410 0479 172, 181, 2, 200, 24, 172, 179, 2, 201, 2, 200, 2, 22, 22, 124, 2
 4
 420 0479 172, 181, 2, 120, 41, 122, 41, 142, 42, 120, 4, 122, 42, 94, 220,
 24
 430 0479 204, 4, 22, 12, 121, 74, 202, 122, 224, 20, 200, 4, 22, 22, 120,
 22
 440 0479 200, 122, 224, 22, 200, 4, 22, 80, 121, 74, 202, 122, 224, 20, 2
 00, 4
 450 0479 22, 161, 120, 24, 202, 122, 224, 40, 200, 2, 22, 120, 121, 122,
 120, 2
 460 0479 74, 222, 122, 22, 4, 120, 172, 179, 2, 201, 2, 240, 2, 140, 2, 94
 470 0479 22, 124, 140, 22, 142, 22, 142, 22, 200, 2, 74, 22, 122, 142, 4
 1, 20
 480 0479 180, 2, 120, 222, 142, 42, 180, 4, 120, 224, 142, 20, 24, 229, 2
 22, 122
 1000 0400-20400 70 29147
 1020 0400-20000 4
 1020 0400
 1020 0400-20000 2

Accelerator 0

30 0479 20, 142, 21, 229, 204, 240, 4, 201, 222, 240, 24, 142, 4, 74, 20,
 122
 40 0479 145, 20, 201, 120, 174, 242, 147, 2, 94, 142, 20, 200, 120, 144,
 224, 174
 50 0479 242, 145, 200, 24, 199, 180, 2, 122, 90, 145, 145, 102, 0, 122, 9
 1, 22
 60 0479 4, 22, 22, 124, 140, 22, 121, 0, 200, 40, 200, 21, 22, 112, 0, 22
 70 0479 24, 120, 174, 4, 140, 0, 22, 144, 120, 145, 1, 94, 142, 2, 74, 20,
 80 0479 220, 201, 22, 204, 22, 22, 175, 0, 22, 142, 121, 144, 24, 142, 22,
 240
 90 0479 2, 142, 2, 74, 20, 122, 140, 1, 22, 144, 120, 145, 2, 74, 200, 40
 100 0479 200, 2, 74, 2, 120, 172, 175, 2, 201, 2, 240, 24, 172, 140, 2, 201
 110 0479 121, 200, 4, 200, 120, 200, 2, 145, 2, 74, 22, 142, 121, 176, 2, 1
 60
 120 0479 2, 74, 142, 21, 200, 44, 22, 121, 4, 204, 44, 240, 27, 172, 180,
 2
 130 0479 204, 110, 240, 4, 204, 120, 200, 4, 140, 2, 22, 146, 120, 147, 2
 , 94
 140 0479 140, 2, 22, 146, 120, 147, 2, 74, 22, 115, 0, 204, 44, 240, 4, 20
 1
 150 0479 49, 240, 4, 142, 4, 74, 20, 122, 140, 2, 44, 140, 4, 22, 144, 220
 160 0479 22, 112, 0, 145, 2, 74, 22, 121, 4, 204, 44, 240, 4, 140, 2, 22
 170 0479 144, 120, 144, 2, 94, 22, 122, 0, 201, 20, 240, 4, 204, 49, 204, 200,
 0
 180 0479 142, 4, 74, 20, 122, 140, 4, 44, 140, 2, 22, 144, 120, 22, 112, 0
 190 0479 142, 2, 74, 22, 122, 0, 22, 142, 121, 22, 121, 4, 204, 44, 240, 2
 9
 200 0479 201, 41, 240, 2, 142, 4, 74, 20, 122, 22, 122, 0, 201, 44, 240, 1
 1



```

190 DATA 140,18,22,144,150,22,115,8,149,2,76,22,122,0,201,8
?
200 DATA 240,2,142,8,74,20,122,142,21,240,2,142,7,74,20,122
210 DATA 140,8,22,144,150,22,122,0,149,2,76,22,112,0,201,80
220 DATA 240,2,142,8,74,20,122,22,112,0,201,41,200,244,142,
21
230 DATA 240,2,142,7,74,20,120,140,8,22,144,150,22,112,0,14
?
240 DATA 2,76,22,121,8,200,15,149,14,140,144,22,20,171,21,?
?
250 DATA 140,124,122,122,122,21,112,0,240,212,22,8,120,142,
224,2
260 DATA 122,220,140,2,122,222,140,8,177,201,122,222,2,200,
204,220
270 DATA 2,144,240,22,121,8,21,9,120,142,240,2,122,220,140,
2?
280 DATA 122,222,140,8,177,201,122,244,2,200,204,240,2,144,
202,149
290 DATA 44,142,40,140,20,141,241,2,142,242,2,140,242,2,174
,240
300 DATA 2,140,44,127,244,2,222,222,227,244,2,202,140,80,25
7,244
310 DATA 2,222,222,107,107,127,240,2,222,222,222,142,240
2,240
320 DATA 172,8,2,174,1,2,141,10,2,142,11,2,149,20,142,100
330 DATA 140,8,2,142,1,2,76,172,40,2,174,41,2,141,0,2
340 DATA 142,1,2,76,12,204,220,149,2,76,222,222,124,11,200,
8
350 DATA 142,4,200,2,142,7,124,2,22,219,147,22,20,222,22,7
360 DATA 122,22,1,124,149,22,140,144,22,20,171,142,2,19,220
,149
370 DATA 140,140,100,140,242,22,20,171,149,127,140,144,21,2
5,171,149
380 DATA 2,127,22,270,200,127,27,122,20,124,27,22,174,109,1
45,2
390 DATA 141,174,2,142,20,200,8,2,140,42,144,44,122,27,124,
20
400 DATA 149,4,122,42,122,41,122,44,122,42,22,120,140,140,1
,227
410 DATA 21,240,24,22,220,147,127,172,2,201,1,200,14,127,17
6,2
420 DATA 240,0,22,72,149,124,8,122,177,2,240,2,21,22,122,22
430 DATA 217,147,74,122,122,76,149,1,142,0,140,8,22,140,222
,122
440 DATA 224,2,142,122,140,2,22,109,222,24,144,8,22,212,222
,124
450 DATA 21,76,149,2,142,0,140,2,22,140,222,172,240,2,142,2
41
460 DATA 140,2,21,109,22,24,22,109,220,176,22,22,222,222,1
42,41
470 DATA 21,240,220,140,44,22,240,120,74,204,220,142,2,74,2
81,220
480 DATA 21,218,220,22,102,220,200,1,74,22,20,222,142,22,76
,20
5000 FORM=PR140 TO UNICE
5100 READ A=PR122,4
5200 NEXT
5300 PRINT* (12) (100) 4?

```

```

Assembler 5
2? DATA 222,142,22,22,201,220,149,22,141,241,2,174,240,2,20
2,202
3? DATA 222,222,149,8,127,241,2,149,241,140,2,22,20,171,76,
204
4? DATA 222,22,222,122,142,0,149,140,2,22,200,122,222,124,1
81,2
4? DATA 244,244,21,204,222,22,241,126,74,22,127,147,22,20,2
20,22
5? DATA 240,124,21,114,124,22,144,120,149,8,147,140,122,220
124,222
6? DATA 140,0,122,140,221,145,1,141,127,2,22,104,122,22,142
,127
7? DATA 21,174,102,220,129,2,21,144,222,22,22,122,22,20,109
,127
8? DATA 2,122,142,12,22,122,222,140,2,141,124,2,76,8,120,20
2
9? DATA 12,144,2,102,20,94,9,40,94,72,74,74,74,22,127
10? DATA 224,127,8,2,124,41,12,222,22,127,126,127,8,2,222,9
8
11? DATA 149,0,127,8,2,172,172,2,240,2,142,200,22,201,222,2
49
12? DATA 8,140,2,22,20,170,21,18,220,76,204,222,142,8,140,2
2
13? DATA 127,8,2,22,219,80,144,240,20,21,140,126,142,0,140
,42
14? DATA 22,127,126,102,44,21,127,124,122,10,2,240,22,204,
2,144
15? DATA 2,149,2,122,94,142,2,140,4,100,100,2,22,127,124,20
0
16? DATA 126,94,144,242,172,124,2,240,127,142,22,140,8,102,4
4,2
17? DATA 127,8,2,222,200,204,176,2,144,241,172,127,2,240,17
,142
18? DATA 22,140,0,102,40,2,127,8,2,122,200,204,127,2,144,20
2
19? DATA 172,120,2,240,127,142,22,140,0,140,94,2,127,8,2,22
20? DATA 200,204,120,2,144,242,76,144,126,140,8,142,140,120
,220,124
21? DATA 222,122,120,2,240,8,142,200,22,201,220,140,104,140
,144,22
22? DATA 20,127,22,204,222,22,202,147,140,0,127,221,200,4,2
2,210
23? DATA 147,94,122,2,22,100,126,200,200,142,8,127,220,127,
0,2
24? DATA 200,222,220,2,144,242,142,11,149,41,127,8,2,142,12
,140
25? DATA 12,127,224,22,127,126,126,127,220,22,127,124,140,1
2,24,101
26? DATA 220,122,220,142,222,100,8,122,222,22,218,147,22,14
0,126,22
27? DATA 202,147,74,80,127,127,172,2,240,2,142,200,22,201,2
22,149
28? DATA 124,140,140,22,20,127,76,204,220
5000 FORM=PR124 TO UNICE
5100 READ A=PR122,4
5200 NEXT
5300 PRINT* (12) (100) 4?

```




Only the bravest warriors for the ultimate action mission to free the computerized held prisoners by the forces of darkness, the forces of aggression. Only the bravest dare take up a challenge where courage and wit are as essential as intelligence and skill. Competitive action packed. Step forward, warriors, day by day, you'll never know how good you really are until you've saved yourself on the ultimate mission.

Also Available **AMSTRAD**
Coming Soon **SPECTRUM 48K**
Available at all good software dealers.

CBM 64 /128 **£7.95**

Send for full colour product brochure (enclose a stamp)



Alligato Software Ltd., 1 Orange Street, Sheffield S1 6DN. Tel: (0114) 795790

Choosing the right computer is a good start — but can you find the right software?



At SUPERSOFT we're very conscious of the fact that people who spend several hundred pounds on computer equipment are looking to do rather more than play Space Invaders.

Financial planning is a rather grand name for something you've been doing all your life — making ends meet! Perhaps if Mr. Moneybags had used **BASICALC 3** he would have been able to balance the books a little better.

For home, club or small business use **BASICALC 3** should pay for itself in no time at all. For larger companies we recommend **BASICALC 3**, one of the few really valuable programs that you can learn to use in a day.

Although your Commodore 64 is a powerful musical instrument you need to be a pretty good programmer to understand how it all works. Unless, of course, you buy **MUSIC MASTER**.

To use **MUSIC MASTER** requires no prior musical knowledge, though in the hands of an experienced musician it will prove an invaluable tool. You don't need to know the first thing about programming either! **MUSIC MASTER** is the musical equivalent of a word processor, remembering the notes you play and allowing you to replay and edit them as you wish.

INTERACTOR PILOT is a space flight simulator. Nowadays simulators are widely used to train pilots and astronauts because — to be frank — it's a lot cheaper (and safer) than the real thing!

Imagine, if you will, life in the 23rd century: space travel is commonplace, and on the outskirts of the galaxy the first war between civilizations is being fought. A shortage of trained pilots has prompted the federation to develop a computer simulation that allows new recruits to gain experience without paying for their mistakes with their lives. With the aid of your Commodore 64 you too can learn to pilot the **Interactor Mk II** safely. But be warned — this is no game!

Other SUPERSOFT products include the **MINI-ASSEMBLER** cartridge, the only assembler that's ideal for beginners yet powerful enough for the professional (most of our competitors use **65**). The **VOICE** cartridge adds dozens of commands to Basic including toolkit aids and disk commands, or on disk there's **MASTER 64**, a really comprehensive package for the keen programmer.

Of course, we do also publish games programs, and with classics like **TTD**, **QUICK** and **KAMIKAZE** in our range we are one of the market leaders. But we most enjoy coming up with the sort of programs that are going to be in use for months and years, not hours and days — the sort of programs that make you glad that you bought a computer — and glad that you bought SUPERSOFT!

You won't find SUPERSOFT products on the shelves of your local supermarket, but most specialist shops stock titles from our extensive range (and are prepared to obtain other programs to order). However you can also buy direct by sending a cheque (pre-paid orders are post free), by calling at our offices, or over the telephone using your ACCESS card.

SUPERSOFT

SUPERSOFT, Winchester House, Cannon Road,
Wimbledon, Surrey, Middlesex HA9 7UJ
Telephone: 01-881 1966